

according to Regulation (EC) No. 1907/2006

Creation Date 12-May-2011 Revision Date 09-Feb-2024 Revision Number 8

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Chloride Colour Reagent

Cat No. : C/4345/20

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name Thermo Fisher Scientific Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11 e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

FSUC4345

Chloride Colour Reagent

Revision Date 09-Feb-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3 (H226)

Health hazards

Acute oral toxicity
Acute Inhalation Toxicity - Vapors
Specific target organ toxicity - (single exposure)
Category 4 (H302)
Category 3 (H331)
Category 1 (H370)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H370 - Causes damage to organs

Optic nerve

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor/physician

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Methanol	67-56-1	200-659-6	10-12	Flam, Lig. 2 (H225)

Revision Date 09-Feb-2024

Chloride Colour Reagent

Ferric nitrate	10421-48-4	233-899-5	2.5-3	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Ox. Sol. 3 (H272)
T onto muate	10421-40-4	200 099-0	2.0-0	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)
Nitric acid	7697-37-2	231-714-2	0.3	Ox. Liq. 3 (H272) Met. Corr. 1 (H290) Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) (EUH071)
Thiocyanic acid, mercury(2+) salt	592-85-8	EEC No. 209-773-0	<0.1	Acute Tox. 2 (H300) Acute Tox. 1 (H310) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Water	7732-18-5	231-791-2	86-87	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Methanol	STOT Single Exp. 1 :: >= 10 STOT Single Exp. 2 :: 3 - < 10	-	-
Nitric acid	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: 65%<=C<99% Acute Tox. 1 (inhal) :: C>=70% Acute Tox. 3 (inhal) :: 70%>C>=26.5% Acute Tox. 4 (inhal) :: 26.5%>C>=13.25% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20% Met. Corr. 1 :: C>=2% EUH071 :: C>=20%	-	-
Thiocvanic acid, mercury(2+) salt	STOT RE 2 (H373) :: C>=0.1%	-	-

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	=	=	ATE = 2.65 mg/L (vapours)

Components	Reach Registration Number	
Methanol	01-2119433307-44	
Iron (III) nitrate	01-2119978293-27	
Nitric acid	01-2119487297-23	

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

Chloride Colour Reagent Revision Date 09-Feb-2024

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: May cause blindness

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits

https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Methanol	TWA: 200 ppm 8 hr	WEL - TWA: 200 ppm	TWA / VME: 200 ppm (8	TWA: 200 ppm 8 uren	TWA / VLA-ED: 200
	TWA: 260 mg/m ³ 8 hr	TWA; 266 mg/m ³ TWA	heures). restrictive limit	TWA: 266 mg/m ³ 8 uren	ppm (8 horas)
	Skin	WEL - STEL: 250 ppm	TWA / VME: 260 mg/m ³	STEL: 250 ppm 15	TWA / VLA-ED: 266
		STEL; 333 mg/m ³ STEL	(8 heures). restrictive	minuten	mg/m³ (8 horas)
			limit	STEL: 333 mg/m ³ 15	Piel
			STEL / VLCT: 1000	minuten	
			ppm. restrictive limit	Huid	
			STEL / VLCT: 1300		
			mg/m³. restrictive limit		
			Peau		
Ferric nitrate		STEL: 2 mg/m ³ 15 min			TWA / VLA-ED: 1 mg/m ³
		TWA: 1 mg/m ³ 8 hr			(8 horas)
Nitric acid	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min	STEL / VLCT: 1 ppm.	STEL: 1 ppm 15	STEL / VLA-EC: 1 ppm
	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³ 15 min	indicative limit	minuten	(15 minutos).
	(15min)		STEL / VLCT: 2.6	STEL: 2.6 mg/m ³ 15	STEL / VLA-EC: 2.6
			mg/m ³ . indicative limit	minuten	mg/m ³ (15 minutos).
Thiocyanic acid,		STEL: 0.06 mg/m ³ 15	TWA / VME: 0.1 mg/m ³		TWA / VLA-ED: 0.02

Chloride Colour Reagent

Revision Date 09-Feb-2024

Ī	mercury(2+) salt	min	(8 heures). TWA / VME:	m	ng/m³ (8 horas)
	• ()	TWA: 0.02 mg/m ³ 8 l	nr 5 mg/m³ (8 heures).		, ,
		STEL: 15 mg/m ³ 15 n	nin Peau		
		TWA: 5 mg/m ³ 8 hr			
		Skin			

Component	Italy	Germany	Portugal	The Netherlands	Finland
Methanol	TWA: 200 ppm 8 ore. Time Weighted Average TWA: 260 mg/m³ 8 ore. Time Weighted Average Pelle	MAKSkin absorber	STEL: 250 ppm 15 minutos TWA: 200 ppm 8 horas TWA: 260 mg/m³ 8 horas Pele	huid TWA: 133 mg/m³ 8 uren	TWA: 200 ppm 8 tunteina TWA: 270 mg/m³ 8 tunteina STEL: 250 ppm 15 minuutteina STEL: 330 mg/m³ 15 minuutteina Iho
Ferric nitrate			TWA: 1 mg/m ³ 8 horas		
Nitric acid	STEL: 1 ppm 15 minuti. Short-term STEL: 2.6 mg/m³ 15 minuti. Short-term	TWA: 1 ppm (8 Stunden). AGW - TWA: 2.6 mg/m³ (8 Stunden). AGW -	STEL: 1 ppm 15 minutos STEL: 2.6 mg/m³ 15 minutos TWA: 2 ppm 8 horas	STEL: 1.3 mg/m³ 15 minuten	TWA: 0.5 ppm 8 tunteina TWA: 1.3 mg/m³ 8 tunteina STEL: 1 ppm 15 minuutteina STEL: 2.6 mg/m³ 15 minuutteina
Thiocyanic acid, mercury(2+) salt	Pelle	TWA: 0.02 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.02 mg/m³ (8 Stunden). MAK TWA: 2 mg/m³ (8 Stunden). MAK Höhepunkt: 0.16 mg/m³ Höhepunkt: 2 mg/m³	TWA: 0.02 mg/m ³ 8 horas Pele		

Component	Austria	Denmark	Switzerland	Poland	Norway
Methanol	Haut	TWA: 200 ppm 8 timer	Haut/Peau	STEL: 300 mg/m ³ 15	TWA: 100 ppm 8 timer
	MAK-KZGW: 800 ppm	TWA: 260 mg/m ³ 8 timer	STEL: 400 ppm 15	minutach	TWA: 130 mg/m ³ 8 timer
	15 Minuten	STEL: 400 ppm 15	Minuten	TWA: 100 mg/m ³ 8	STEL: 150 ppm 15
	MAK-KZGW: 1040	minutter	STEL: 520 mg/m ³ 15	godzinach	minutter. value
	mg/m ³ 15 Minuten	STEL: 520 mg/m ³ 15	Minuten		calculated
	MAK-TMW: 200 ppm 8	minutter	TWA: 200 ppm 8		STEL: 162.5 mg/m ³ 15
	Stunden	Hud	Stunden		minutter. value
	MAK-TMW: 260 mg/m ³		TWA: 260 mg/m ³ 8		calculated
	8 Stunden		Stunden		Hud
Ferric nitrate			TWA: 1 mg/m ³ 8		TWA: 1 mg/m ³ 8 timer
			Stunden		
Nitric acid	MAK-KZGW: 1 ppm 15	STEL: 1 ppm 15	STEL: 2 ppm 15	STEL: 2.6 mg/m ³ 15	TWA: 2 ppm 8 timer
	Minuten	minutter	Minuten	minutach	TWA: 5 mg/m ³ 8 timer
	MAK-KZGW: 2.6 mg/m ³	STEL: 2.6 mg/m ³ 15	STEL: 5 mg/m ³ 15	TWA: 1.4 mg/m ³ 8	STEL: 4 ppm 15
	15 Minuten	minutter	Minuten	godzinach	minutter. value
			TWA: 2 ppm 8 Stunden		calculated
			TWA: 5 mg/m ³ 8		STEL: 10 mg/m ³ 15
			Stunden		minutter. value
					calculated
Thiocyanic acid,	Haut		Haut/Peau		TWA: 0.02 mg/m ³ 8
mercury(2+) salt	MAK-KZGW: 0.08		STEL: 0.16 mg/m ³ 15		timer TWA: 5 mg/m ³ 8
	mg/m³ 15 Minuten		Minuten		timer
	MAK-KZGW: 0.1 mg/m ³		TWA: 0.02 mg/m ³ 8		Hud
	15 Minuten		Stunden TWA: 0.01		
	MAK-TMW: 0.02 mg/m ³		mg/m ³ 8 Stunden		
	8 Stunden MAK-TMW:				
	0.01 mg/m ³ 8 Stunden				

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Methanol	TWA: 200 ppm	kože	TWA: 200 ppm 8 hr.	Skin-potential for	TWA: 250 mg/m ³ 8
	TWA: 260.0 mg/m ³	TWA-GVI: 200 ppm 8	TWA: 260 mg/m ³ 8 hr.	cutaneous absorption	hodinách.
	Skin notation	satima.	STEL: 600 ppm 15 min	TWA: 200 ppm	Potential for cutaneous
		TWA-GVI: 260 mg/m ³ 8	STEL: 780 mg/m ³ 15	TWA: 260 mg/m ³	absorption
		satima.	min		Ceiling: 1000 mg/m ³
			Skin		

Revision Date 09-Feb-2024

Chloride Colour Reagent

Nitric acid	STEL : 1 ppm STEL : 2.6 mg/m³	STEL-KGVI: 1 ppm 15 minutama. STEL-KGVI: 2.6 mg/m ³	STEL: 2.6 mg/m ³ 15 min	STEL: 1 ppm STEL: 2.6 mg/m³	TWA: 1 mg/m³ 8 hodinách. Ceiling: 2.5 mg/m³
		15 minutama.			Celling. 2.5 mg/m

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Methanol	Nahk	Skin notation	skin - potential for	TWA: 260 mg/m ³ 8	TWA: 200 ppm 8
	TWA: 200 ppm 8	TWA: 200 ppm 8 hr	cutaneous absorption	órában. AK	klukkustundum.
	tundides.	TWA: 260 mg/m ³ 8 hr	STEL: 250 ppm	lehetséges borön	TWA: 260 mg/m ³ 8
	TWA: 250 mg/m ³ 8		STEL: 325 mg/m ³	keresztüli felszívódás	klukkustundum.
	tundides.		TWA: 200 ppm		Skin notation
	STEL: 250 ppm 15		TWA: 260 mg/m ³		Ceiling: 400 ppm
	minutites.				Ceiling: 520 mg/m ³
	STEL: 350 mg/m ³ 15				
	minutites.				
Nitric acid	STEL: 1 ppm 15	STEL: 1 ppm 15 min	STEL: 1 ppm	STEL: 2.6 mg/m ³ 15	STEL: 1 ppm
	minutites.	STEL: 2.6 mg/m ³ 15 min	STEL: 2.6 mg/m ³	percekben. CK	STEL: 2.6 mg/m ³
	STEL: 2.6 mg/m ³ 15	1	G	•	
	minutites.				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Methanol	skin - potential for	TWA: 200 ppm IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	TWA: 260 mg/m ³ IPRD	uptake through the skin	uptake through the skin	TWA: 200 ppm 8 ore
	TWA: 200 ppm	Oda	TWA: 200 ppm 8	TWA: 200 ppm	TWA: 260 mg/m ³ 8 ore
	TWA: 260 mg/m ³		Stunden	TWA: 260 mg/m ³	
			TWA: 260 mg/m ³ 8		
			Stunden		
Nitric acid	STEL: 1 ppm	STEL: 1 ppm	STEL: 1 ppm 15	STEL: 1 ppm 15 minuti	STEL: 1 ppm 15 minute
	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	Minuten	STEL: 2.6 mg/m ³ 15	STEL: 2.6 mg/m ³ 15
	TWA: 0.78 ppm		STEL: 2.6 mg/m ³ 15	minuti	minute
	TWA: 2 mg/m ³		Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Methanol	TWA: 5 mg/m ³ 1250	Potential for cutaneous	TWA: 200 ppm 8 urah	Indicative STEL: 250	Deri
	Skin notation	absorption	TWA: 260 mg/m ³ 8 urah	ppm 15 minuter	TWA: 200 ppm 8 saat
	MAC: 15 mg/m ³	TWA: 200 ppm	Koža	Indicative STEL: 350	TWA: 260 mg/m ³ 8 saat
		TWA: 260 mg/m ³	STEL: 800 ppm 15	mg/m³ 15 minuter	
			minutah	TLV: 200 ppm 8 timmar.	
			STEL: 1040 mg/m ³ 15	NGV	
			minutah	TLV: 250 mg/m ³ 8	
				timmar. NGV	
				Hud	
Nitric acid	Skin notation	Ceiling: 2.6 mg/m ³	TWA: 1 ppm 8 urah	Binding STEL: 1 ppm 15	STEL: 1 ppm 15 dakika
	MAC: 2 mg/m ³		TWA: 2.6 mg/m ³ 8 urah	minuter	STEL: 2.6 mg/m ³ 15
			STEL: 1 ppm 15	Binding STEL: 2.6	dakika
			minutah	mg/m ³ 15 minuter	
			STEL: 2.6 mg/m ³ 15	TLV: 0.5 ppm 8 timmar.	
			minutah	NGV	
				TLV: 1.3 mg/m ³ 8	
				timmar. NGV	

Biological limit values List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Methanol			Methanol: 15 mg/L urine	Methanol: 15 mg/L urine	Methanol: 15 mg/L urine
			end of shift	end of shift	(end of shift)
					Methanol: 15 mg/L urine
					(for long-term
					exposures: at the end of
					the shift after several
					shifts)

Component	Italy	Finland	Denmark	Bulgaria	Romania
Methanol					Methanol: 6 mg/L urine
					end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Methanol			Methanol: 30 mg/L urine		
			end of exposure or work		
			shift		

Revision Date 09-Feb-2024

Chloride Colour Reagent

Methanol: 30 mg/L urine after all work shifts for	
long-term exposure	

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Methanol		DNEL = 20mg/kg		DNEL = 20mg/kg
67-56-1 (10-12)		bw/day		bw/day

Component Acute effects loc (Inhalation)		Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
	Methanol 67-56-1 (10-12)	DNEL = 130mg/m ³	DNEL = 130mg/m ³	DNEL = 130mg/m ³	DNEL = 130mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
Ī	Methanol	PNEC = 20.8mg/L	PNEC = 77mg/kg	PNEC = 1540mg/L	PNEC = 100mg/L	PNEC = 100mg/kg
L	67-56-1 (10-12)		sediment dw			soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Methanol	PNEC = 2.08mg/L	PNEC = 7.7mg/kg			
67-56-1 (10-12)		sediment dw			

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Chloride Colour Reagent Revision Date 09-Feb-2024

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Yellow to brown

Odor
Odor No information available
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available

Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point ~ 40 °C / 104 °F Method - Estimated

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availablepH2ViscosityNo data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowMethanol-0.74Nitric acid-2.3

Vapor Pressure No data available Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)Particle characteristicsNot applicable (liquid)

9.2. Other information

explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

Chloride Colour Reagent Revision Date 09-Feb-2024

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Alcohols. Aldehydes. Amines. Strong bases. Metals.

Cyanides.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 4

Dermal Based on available data, the classification criteria are not met

Inhalation Category 3

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methanol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h
Nitric acid	-	•	LC50 = 2500 ppm. (Rat) 1h
Thiocyanic acid, mercury(2+) salt	LD50 = 46 mg/kg (Rat)	LD50 = 685 mg/kg (Rat)	-
Water	-	-	-

Component ECHA (RAC) ATE (Oral)		ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)	
Nitric acid	=	=	ATE = 2.65 mg/L (vapours)	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory SkinNo data available
No data available

	Component Test method		Test species	Study result
ſ	Methanol	OECD Test Guideline 406	guinea pig	non-sensitising
-	67-56-1 (10-12)	Guinea Pig Maximisation Test		_
1		(GPMT)		Į.

(e) germ cell mutagenicity; No data available

Chloride Colour Reagent Revision Date 09-Feb-2024

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methanol	OECD Test Guideline 416	Rat / Inhalation	NOAEC =
67-56-1 (10-12)		2 Generation	1.3 mg/l (air)

Category 1 (h) STOT-single exposure;

Results / Target organs Optic nerve, Central nervous system (CNS).

(i) STOT-repeated exposure; No data available

None known. **Target Organs**

(j) aspiration hazard; No data available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

May cause blindness.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment. .

Component	Freshwater Fish	Water Flea	Freshwater Algae
Methanol	Pimephales promelas: LC50 >	EC50 > 10000 mg/L 24h	
	10000 mg/L 96h		

Component	Microtox	M-Factor
Methanol	EC50 = 39000 mg/L 25 min	
	EC50 = 40000 mg/L 15 min	
	EC50 = 43000 mg/L 5 min	

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

Component	Degradability
Methanol	DT50 ~ 17.2d
67-56-1 (10-12)	>94% after 20d

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. However, at the concentration present, this preparation is not

expected to present significant adverse environmental effects.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Methanol	-0.74	<10 dimensionless
Nitric acid	-2.3	No data available

Chloride Colour Reagent Revision Date 09-Feb-2024

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)**

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in

compliance with local regulations.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN1986 14.1. UN number

14.2. UN proper shipping name ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

Technical Shipping Name Contains methanol

14.3. Transport hazard class(es) 3 **Subsidiary Hazard Class** 6.1

14.4. Packing group

Ш

ADR

14.1. UN number UN1986

14.2. UN proper shipping name ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

Ш

Technical Shipping Name Contains methanol

14.3. Transport hazard class(es) 3 **Subsidiary Hazard Class** 6.1

14.4. Packing group

IATA

UN1986 14.1. UN number

Chloride Colour Reagent Revision Date 09-Feb-2024

14.2. UN proper shipping name ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

Technical Shipping Name Contains methanol

14.3. Transport hazard class(es)3Subsidiary Hazard Class6.114.4. Packing groupIII

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methanol	67-56-1	200-659-6	-	-	Х	Χ	KE-23193	X	Х
Ferric nitrate	10421-48-4	233-899-5	-	-	X	Χ	KE-21136	Х	Х
Nitric acid	7697-37-2	231-714-2	1	ı	X	Χ	KE-25911	X	Χ
Thiocyanic acid, mercury(2+) salt	592-85-8	209-773-0	-	-	X	X	KE-05-081	-	X
							2		
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	Χ	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Methanol	67-56-1	X	ACTIVE	X	Ī	X	X	X
Ferric nitrate	10421-48-4	X	ACTIVE	Х	-	X	Х	X
Nitric acid	7697-37-2	Х	ACTIVE	Х	-	X	Х	Х
Thiocyanic acid, mercury(2+) salt	592-85-8	X	ACTIVE	Х	-	Х	Х	Х
Water	7732-18-5	X	ACTIVE	Х	_	X	X	X

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methanol	67-56-1	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Ferric nitrate	10421-48-4	-	-	-
Nitric acid	7697-37-2	-	Use restricted. See item 75. (see link for restriction details)	-
Thiocyanic acid, mercury(2+) salt	592-85-8	-	Use restricted. See item 18. (see link for restriction details) Use restricted. See item	-

Chloride Colour Reagent

Revision Date 09-Feb-2024

			75. (see link for restriction details)	
Water	7732-18-5	-	-	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Methanol	67-56-1	500 tonne	5000 tonne
Ferric nitrate	10421-48-4	Not applicable	Not applicable
Nitric acid	7697-37-2	Not applicable	Not applicable
Thiocyanic acid, mercury(2+) salt	592-85-8	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Thiocyanic acid, mercury(2+) salt 592-85-8 (<0.1)	p(1) — pesticide in the group of plant protection products b — ban (for the category or categories concerned) p(2) — other pesticide including biocides b — ban (for the category or categories concerned) Ref — Please refer to PIC circular at www.pic.int/		p — pesticides

https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303.

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Methanol	WGK 2	Class I: 20 mg/m³ (Massenkonzentration)
Ferric nitrate	WGK1	
Nitric acid	WGK1	
Thiocyanic acid, mercury(2+) salt	WGK3	

Component	France - INRS (Tables of occupational diseases)
Methanol	Tableaux des maladies professionnelles (TMP) - RG 84

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Methanol 67-56-1 (10-12)	Prohibited and Restricted Substances	Group I	
Nitric acid 7697-37-2 (0.3)	Prohibited and Restricted Substances		
Thiocyanic acid, mercury(2+) salt 592-85-8 (<0.1)	Prohibited and Restricted Substances		Annex I - pesticide Annex I - industrial chemical Annex II - pesticide

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapor

H272 - May intensify fire; oxidizer

H290 - May be corrosive to metals

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH071 - Corrosive to the respiratory tract

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

Chloride Colour Reagent Revision Date 09-Feb-2024

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date12-May-2011Revision Date09-Feb-2024Revision SummaryNot applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet