

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product Identifier**

Perihalan Produk: Aluminum wire  
Product Description: Aluminum wire  
Cat No. : 78326  
CAS No 7429-90-5  
Molecular Formula Al

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
Selangor Darul Ehsan, Malaysia.  
Main line: +60 3-5525 7888

**Supplier**

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
CHEMTREC Malaysia **1-800-815-308** (Malay)  
CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Label Elements**

**Hazard Statements**

**Other Hazards**

This product does not contain any known or suspected endocrine disruptors

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

Component	CAS No	Weight %
Aluminum	7429-90-5	99

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

### Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Fumes of aluminum or aluminum oxide.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

## Environmental precautions

Should not be released into the environment.

## Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Aluminum		TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 15 mg/m <sup>3</sup> (Vacated) TWA: 5 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Aluminum		STEL: 30 mg/m <sup>3</sup> 15 min STEL: 12 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr TWA: 4 mg/m <sup>3</sup> 8 hr	TWA: 1.25 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 10 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 4 mg/m <sup>3</sup> (8 Stunden). MAK TWA: 1.5 mg/m <sup>3</sup> (8 Stunden). MAK

### Exposure Controls

#### Engineering Measures

None under normal use conditions.

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles)

#### Hand Protection

Protective gloves

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

### Recommended Filter type:

No protective equipment is needed under normal use conditions

Particle filter

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance

Silver / Grey

#### Physical State

Solid; Various Form

#### Odor

Odorless

#### Odor Threshold

No data available

#### pH

Not applicable

#### Melting Point/Range

660 °C / 1220 °F

#### Softening Point

No data available

#### Boiling Point/Range

2327 °C / 4220.6 °F

@ 760 mmHg

#### Flash Point

Not applicable

Method - No information available

#### Evaporation Rate

Not applicable

Solid

#### Flammability (solid,gas)

No information available

#### Explosion Limits

No data available

#### Vapor Pressure

No data available

#### Vapor Density

Not applicable

Solid

#### Specific Gravity / Density

2.700

#### Bulk Density

No data available

#### Water Solubility

Insoluble

#### Solubility in other solvents

No information available

### Partition Coefficient (n-octanol/water)

#### Autoignition Temperature

No data available

#### Decomposition Temperature

No data available

#### Viscosity

Not applicable

Solid

#### Explosive Properties

No information available

#### Oxidizing Properties

No information available

#### Molecular Formula

Al

#### Molecular Weight

26.97

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

#### **Hazardous Polymerization Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

### Conditions to Avoid

Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to moist air or water.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

Fumes of aluminum or aluminum oxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### **Product Information**

#### **(a) acute toxicity;**

<b>Oral</b>	No data available
<b>Dermal</b>	No data available
<b>Inhalation</b>	No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminum	-	-	LC50 > 0.888 mg/L ( Rat ) 4 h

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** No data available

#### **(d) respiratory or skin sensitization;**

<b>Respiratory</b>	No data available
<b>Skin</b>	No data available

**(e) germ cell mutagenicity;** No data available

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

(f) carcinogenicity; No data available  
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed No information available.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Persistence and degradability  
Persistence Insoluble in water.  
Degradability Not relevant for inorganic substances.

Bioaccumulative potential May have some potential to bioaccumulate

Mobility in soil Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods  
Waste from Residues/Unused Products Dispose of in accordance with local regulations

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

## SECTION 14: TRANSPORT INFORMATION

<b>IMDG/IMO</b>	Not regulated
<b>Road and Rail Transport</b>	Not regulated
<b>IATA</b>	Not regulated
<b>Special Precautions for User</b>	No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Aluminum	231-072-3	X	X	X	X		X	X	KE-00881

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

# SAFETY DATA SHEET

Aluminum wire

Revision Date 27-Mar-2025

---

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

Health, Safety and Environmental Department

**Revision Date**

27-Mar-2025

**Revision Summary**

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**