

SAFETY DATA SHEET

Creation Date 27-August-2013 Revision Date 28-December-2021 Revision Number 4

1. Identification

Product Name Barium thiosulfate

Cat No.: AC453810000; AC453811000; AC453815000

CAS-No 35112-53-9

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor Manufacturer

Fisher Scientific Acros Organics Fisher Scientific Company
112 Colonnade Road, One Reagent Lane Ottawa, ON K2E 7L6, Fair Lawn, NJ 07410
Canada Fisher Scientific Company
One Reagent Lane Fair Lawn, NJ 07410
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Tel: 1-800-234-7437

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute oral toxicity Category 4
Acute Inhalation Toxicity Category 4

Label Elements

Signal Word Warning

Hazard Statements

Harmful if swallowed or if inhaled



Precautionary Statements

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER/ doctor if you feel unwell

Rinse mouth

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Thiosulfuric acid (H2S2O3), barium salt (1:1)	35112-53-9	>95

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Foam. Dry chemical.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Not applicable

Barium thiosulfate

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Sulfur oxides. Barium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Flammability Health Instability Physical hazards 2 0 0 N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

Should not be released into the environment. See Section 12 for additional Ecological **Environmental Precautions**

Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up

containers for disposal.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not
_	get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Storage.

Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Thiosulfuric acid	TWA: 0.5 mg/m ³	(Vacated) TWA:	IDLH: 50 mg/m ³				
(H2S2O3), barium salt					_	0.5 mg/m ³	TWA: 0.5 mg/m ³
(1:1)							

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical StatePowder SolidAppearanceWhiteOdorOdorless

Odor ThresholdNo information availablepHNo information availableMelting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

Flash Point No information availab Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition Temperature

Not applicable

No information available

ViscosityNot applicableMolecular FormulaBa O3 S2Molecular Weight249.46

10. Stability and reactivity

Reactive Hazard None known, based on information available

Barium thiosulfate

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Sulfur oxides, Barium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information
Component Information

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Thiosulfuric acid	35112-53-9	Not listed				
(H2S2O3), barium salt						
(1:1)						

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

Endocrine Disruptor Information

delayed

No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability

May persist based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

Revision Date 28-December-2021

Barium thiosulfate

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1564

Proper Shipping Name consumer commodity Barium compound, n.o.s.

Hazard Class 6.1 Packing Group III

TDG

UN-No UN1564

Proper Shipping Name Barium compound, n.o.s.

Hazard Class 6.1 Packing Group III

IATA

UN-No UN1564

Proper Shipping Name
Barium compound, n.o.s.
Barium thiosulfate

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN1564

Proper Shipping Name
Barium compound, n.o.s.
Barium thiosulfate

Hazard Class 6.1 Packing Group III

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Thiosulfuric acid (H2S2O3), barium salt (1:1)	35112-53-9	-	X	Х	ACTIVE	252-375-7	1	1

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Thiosulfuric acid (H2S2O3),	35112-53-9	-	KE-02101	-	-	Х	X	-	-
barium salt (1:1)									

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Restriction of

Other International Regulations

Component

Authorisation/Restrictions according to EU REACH

Component	,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Thiosulfuric acid (H2S2O3),	-	Use restricted. See item 75.	-
barium salt (1:1)		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS-No

			Pollutant	Potentiai	Substances (RoHS)
Thiosulfuric acid (H2S2O3), barium salt (1:1)	35112-53-9	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

OECD HPV

		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Thiosulfuric acid (H2S2O3),	35112-53-9	Not applicable	Not applicable	Not applicable	Not applicable
barium salt (1:1)					

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date27-August-2013Revision Date28-December-2021Print Date28-December-2021

Revision Summary This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Persistent Organic

Ozone Depletion

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS