

Page 1/10 Creation Date 29-Aug-2018 Revision Date 29-Aug-2018

Version 1

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

Product Identifier

Perihalan Produk: Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure,

Thermo Scientific

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, **Product Description:**

Thermo Scientific

Cat No.: J75831

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. No Information available Uses advised against

Details of the supplier of the safety data sheet

Fisher Scientific (M) Sdn Bhd No. 3, Jalan Sepadu 25/123, Company

Taman Perindustrian Axis, Seksyen 25,

40400 Shah Alam, Selangor Darul Ehsan, Malaysia.

Supplier

E-mail address uktech@alfa.com

www.alfa.com

Product Safety Department

Emergency Telephone Number

Carechem 24: +60 3 6207 4347 (emergency number 24 h)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 3 (H311)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Germ Cell Mutagenicity	Category 2 (H341)
Carcinogenicity	Category 2 (H351)
Reproductive Toxicity	Category 2 (H361d)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)

Label Elements



Signal Word Danger

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Thermo Scientific

Revision Date 29-Aug-2018

Hazard Statements

H314 - Causes severe skin burns and eye damage

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H361d - Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

Precautionary Statements

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

easy to do. Continue finsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other Hazards

EUH066 - Repeated exposure may cause skin dryness or cracking

Toxicity to Soil Dwelling Organisms
Toxic to terrestrial vertebrates

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Phenol	108-95-2	50.0
Chloroform	67-66-3	48.0
Isoamyl alcohol	123-51-3	2.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures	Description of	of first a	id measures
-----------------------------------	----------------	------------	-------------

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Thermo Scientific

Revision Date 29-Aug-2018

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache. dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Thermo Scientific

Revision Date 29-Aug-2018

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Phenol	-	TWA: 5 ppm	(Vacated) TWA: 5 ppm
		Skin	(Vacated) TWA: 19 mg/m ³ Skin
			TWA: 5 ppm
			TWA: 19 mg/m ³
Chloroform		TWA: 10 ppm	(Vacated) TWA: 2 ppm (Vacated) TWA: 9.78 mg/m³ Ceiling: 50 ppm Ceiling: 240 mg/m³
Isoamyl alcohol		TWA: 100 ppm	(Vacated) TWA: 100 ppm
•		STEL: 125 ppm	(Vacated) TWA: 360 mg/m ³
			(Vacated) STEL: 125 ppm
			(Vacated) STEL: 450 mg/m ³
			TWA: 100 ppm TWA: 360 mg/m ³

Component	European Union	The United Kingdom	Germany
Phenol	Phenol TWA: 2 ppm (8h)		TWA: 2 ppm (8 Stunden). AGW -
	TWA: 8 mg/m ³ (8h)	STEL: 16 mg/m ³ 15 min	exposure factor 2
	STEL: 4 ppm (15min)	TWA: 2 ppm 8 hr	TWA: 8 mg/m³ (8 Stunden). AGW -
	STEL: 16 mg/m³ (15min)	TWA: 7.8 mg/m ³ 8 hr	exposure factor 2
	Skin	Skin	Haut
Chloroform	TWA: 2 ppm (8h)	TWA: 2 ppm	0.5 ppm TWA MAK
	TWA: 10 mg/m ³ (8h)	TWA: 9.9 mg/m ³	2.5 mg/m ³ TWA MAK
	Skin	STEL: 6 ppm	
		STEL: 29.7 mg/m ³	
Isoamyl alcohol		STEL: 125 ppm 15 min	TWA: 20 ppm (8 Stunden). AGW -
		STEL: 458 mg/m ³ 15 min	exposure factor 2
		TWA: 100 ppm 8 hr	TWA: 73 mg/m³ (8 Stunden). AGW -
		TWA: 366 mg/m ³ 8 hr	exposure factor 2
			TWA: 20 ppm (8 Stunden). MAK
			TWA: 73 mg/m³ (8 Stunden). MAK
			Höhepunkt: 40 ppm
			Höhepunkt: 146 mg/m ³

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Revision Date 29-Aug-2018 Thermo Scientific

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory ProtectionWhen workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls Prevent product from entering drains Do not allow material to contaminate ground water

system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range61 °C / 141.8 °F

Flash Point No information available Method - No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available Lower 1.3 Vol %

Upper 9.5 Vol %

Vapor Pressure
No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density

No data available

Bulk Density Not applicable Liquid

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowPhenol1.5

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Revision Date 29-Aug-2018 Thermo Scientific

Chloroform 2 Isoamyl alcohol 1.28

Autoignition Temperature Decomposition Temperature

595 °C / 1103 °F
No data available
No data available
No information available
No information available

Viscosity Explosive Properties Oxidizing Properties

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

No information available. None under normal processing.

Conditions to Avoid

Heat.

Incompatible Materials

Acids. Oxidizing agent.

<u>Hazardous Decomposition Products</u>

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Phenol	LD50 = 340 mg/kg (Rat)	LD50 = 630 mg/kg (Rabbit)			
Chloroform	LD50 = 450 mg/kg (Rat)	LD50 > 20 g/kg (Rabbit)	47,702 mg/L (Rat) 4 h		

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Thermo Scientific

Revision Date 29-Aug-2018

Isoamyl alcohol	LD50 = 5770 mg/kg (Rat)	LD50 = 3250 mg/kg (Rabbit)	LC50 > 2000 ppm (Rat) 8 h

Chronic Toxicity

Carcinogenicity	The table below	indicates whether each agency has	listed any ingredient as a carcinogen
Component		IARC	UK
Chloroform		Group 2B	

SensitizationNo information availableMutagenic EffectsNo information availableReproductive EffectsNo information availableDevelopmental EffectsNo information available

Target Organs Kidney, Liver, Skin, Central nervous system (CNS).

Symptoms Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness,

nausea and vomiting.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Contains a substance which is:. The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Phenol	4-7 mg/L LC50 96 h 32 mg/L LC50 96 h	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)	EC50: 187 - 279 mg/L, 72h static (Desmodesmus subspicatus) EC50: 0.0188 - 0.1044 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 46.42 mg/L, 96h (Pseudokirchneriella subcapitata)	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min
Chloroform	LC50: = 18 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 300 mg/L, 96h static (Poecilia reticulata) LC50: = 18 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 71 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 28.9 mg/L/48h	EC50 = 560 mg/L/48h	Photobacterium phosphoreum: EC50 = 520 mg/L/5 min Photobacterium phosphoreum: EC50 = 670 mg/L/15 min Photobacterium phosphoreum: EC50 = 670 mg/L/30min
Isoamyl alcohol	LC50 96 h 700 mg/L (rainbow trout)	EC50: = 260 mg/L, 48h (Daphnia magna)	EC50: = 181 mg/L, 96h (Desmodesmus subspicatus) EC50: = 493 mg/L, 72h (Desmodesmus	EC50 = 2500 mg/L 17 h

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Thermo Scientific

Revision Date 29-Aug-2018

			subspicatus)	
--	--	--	--------------	--

Persistence and degradability

Persistence Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Phenol	1.5	No data available
Chloroform	2	1.4 - 13
Isoamyl alcohol	1.28	No data available

Mobility in soil The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air.

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Large amounts will

affect pH and harm aquatic organisms

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name Corrosive liquid, toxic, n.o.s. (PHENOL, CHLOROFORM)

Road and Rail Transport

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name Corrosive liquid, toxic, n.o.s. (PHENOL, CHLOROFORM)

<u>IATA</u>

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, **Thermo Scientific**

Revision Date 29-Aug-2018

Proper Shipping Name Corrosive liquid, toxic, n.o.s. (PHENOL, CHLOROFORM)

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Phenol	203-632-7	Х	Х	Х	X	X	Χ	Χ	KE-28209
Chloroform	200-663-8	Х	X	X	X	X	Χ	Χ	KE-34076
Isoamyl alcohol	204-633-5	Х	Х	Х	X	X	Χ	Χ	KE-23575

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Phenol				Annex I - Y39
Chloroform				Annex I - Y45

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC (volatile organic compound)

Key literature references and sources for data

Phenol:Chloroform:Isoamyl Alcohol (25:24:1), Molecular Biology Grade, Ultrapure, Thermo Scientific

Revision Date 29-Aug-2018

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 29-Aug-2018 Revision Summary Initial Release.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet