

## SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name 2-Methylbutyric acid

**CAS No** 116-53-0

Product Code L06358

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

No hazards identified

#### **Health hazards**

Acute Oral ToxicityCategory 4Acute Dermal ToxicityCategory 4Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1

#### **Environmental hazards**

No hazards identified

**Label Elements** 

ALFAAL06358 Version 2 18-Nov-2022 Page 1/9





Signal Word

Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H302 + H312 - Harmful if swallowed or in contact with skin

Combustible liquid

#### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

Stench

Toxic to terrestrial vertebrates

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Butanoic acid, 2-methyl-	116-53-0	98

## Section 4 - First Aid Measures

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Call a physician immediately. If possible drink milk afterwards.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

ALFAAL06358 Version 2 18-Nov-2022 Page 2 / 9

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

Self-Protection of the First Aider

effects

Difficulty in breathing. Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation

Ensure that medical personnel are aware of the material(s) involved, take precautions to

of stomach or esophagus should be investigated

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Alcohol resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Hazardous Decomposition Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

#### **Decomposition Temperature**

> 400°C

#### Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment. Remove all sources of ignition.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

ALFAAL06358 Version 2 18-Nov-2022 Page 3 / 9

#### **Precautions for Safe Handling**

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep refrigerated. Keep container tightly closed. Keep away from heat, sparks and flame. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

The product does not contain any hazardous materials with occupational exposure limits established.

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material Nitrile rubber Neoprene Natural rubber	Breakthrough time See manufacturers recommendations	Glove thickness	AUS/NZ Standard AS/NZS 2161	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Repiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ

equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

ALFAAL06358 Version 2 18-Nov-2022 Page 4/9

\_\_\_\_\_

**Environmental exposure controls** No information available.

### Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear Physical State Liquid

**Odor** pungent

Odor Threshold
PH
No information available
No information available
No information available
No information available
-70 °C / -94 °F

Softening Point No data available

**Boiling Point/Range** 176 - 177 °C / 348.8 - 350.6 °F

Flash Point 77 °C / 170.6 °F Method - No information available

Evaporation Rate No data available
Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 1.2

Upper 5.7

Vapor Pressure 0.5 hPa @ 20 °C

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 0.936

Bulk Density Not applicable Liquid

Water Solubility 45 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Component** log Pow Butanoic acid, 2-methyl- 1.8

Autoignition Temperature 495 °C / 923 °F

**Decomposition Temperature** > 400°C

Viscosity 2.1 mPa s at 20 °C

Explosive Properties explosive air/vapour mixtures possible

Oxidizing Properties No information available

Other information

Molecular Formula C5 H10 O2
Molecular Weight 102.13

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products, Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Bases, Reducing Agent.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

Hazardous Polymerization No information available.

## Section 11 - Toxicological Information

Information on Toxicological Effects

ALFAAL06358 Version 2 18-Nov-2022 Page 5/9

#### **Product Information**

(a) acute toxicity;

Category 4 Oral **Dermal** Category 4

Inhalation Based on available data, the classification criteria are not met

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Butanoic acid, 2-methyl-	LD50 = 1870 μL/kg (Rat)	LD50 = 1367 mg/kg (Rabbit) LD50 = 2228 mg/kg (Rabbit)	
1			LD50 = 2228 mg/kg (Rabbit)	

Category 1 B (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available No data available Skin

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

No data available (j) aspiration hazard;

**Other Adverse Effects** The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

# Section 12 - Ecological Information

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Butanoic acid, 2-methyl-	LC50: > 1000 mg/L, 96h static (Danio rerio)			

Persistence and Degradability

Readily biodegradable

**Persistence** 

Soluble in water, Persistence is unlikely, based on information available.

**Bioaccumulative Potential** Bioaccumulation is unlikely

	Component	log Pow	Bioconcentration factor (BCF)
	Butanoic acid, 2-methyl-	1.8	No data available
Mobility		The product is water soluble, and may spread	in water systems. Will likely be mobile in the

ALFAAL06358 Version 2 18-Nov-2022 Page 6/9

### SAFETY DATA SHEET

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential environment due to its water solubility Highly mobile in soils

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

## Section 14 - Transport Information

#### IMDG/IMO

UN-No UN3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s.

Technical Shipping Name Butanoic acid, 2-methyl-

Hazard Class 8
Packing Group ||

<u>ADG</u>

UN-No UN3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s.

Technical Shipping Name Butanoic acid, 2-methyl-

Hazard Class 8
Packing Group

<u>IATA</u>

UN-No UN3265

**Proper Shipping Name** Corrosive liquid, acidic, organic, n.o.s.

**Technical Shipping Name** Butanoic acid, 2-methyl-

Hazard Class 8
Packing Group ||

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

ALFAAL06358 Version 2 18-Nov-2022 Page 7/9

See section 8 for national exposure control parameters.

#### Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Butanoic acid, 2-methyl 116-53-0	Present	-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Butanoic acid,	X	Х	204-145-2	-	X	Х	-	Х	Х	Х	Х	KE-23544
2-methyl-												

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### **International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

# Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of	Seveso III Directive	Seveso III Directive
·			Hazardous	(2012/18/EC) -	(2012/18/EC) -

ALFAAL06358 Version 2 18-Nov-2022 Page 8 / 9

### SAFETY DATA SHEET

			Substances (RoHS)	<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>
				for Major Accident	for Safety Report
				Notification	Requirements
Butanoic acid, 2-methyl-	116-53-0	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

### Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Revision Date** 18-Nov-2022 **Revision Summary** Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

ALFAAL06358 Version 2 18-Nov-2022 Page 9/9