

Page 1 / 10 Creation Date 20-Oct-2009 Revision Date 23-Mar-2025 Version 4

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Chloroform 99.8+%, stabilised with amylene Product Description: Chloroform 99.8+%, stabilised with amylene

**Cat No. :** C/4963/17, C/4963/15

Synonyms Methane trichloride; Methenyl trichloride; Formyl trichloride

CAS No 67-66-3 Molecular Formula C H Cl3

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Uses advised against

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Acute oral toxicity	Category 4 (H302)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Carcinogenicity	Category 2 (H351)
Reproductive Toxicity	Category 2 (H361d)
Specific target organ toxicity - (single exposure)	Category 3 (H336)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)

## Label Elements



## Signal Word

#### Danger

#### **Hazard Statements**

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H361d - Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

## **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection/ face protection

## Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P330 - Rinse mouth

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## **Other Hazards**

Cardiac and respiratory depression

Overexposure may cause decreased heart rate, decreased blood pressure, heart block, and cardiac failure

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Chloroform	67-66-3	>99
1-Pentene	109-67-1	0.01

Revision Date 23-Mar-2025

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Self-Protection of the First Aider** Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. Causes central nervous system

depression.

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. Signs of overdose include stupor and respiratory depression.

Symptoms may be delayed.

# **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

## **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

## Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas.

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Revision Date 23-Mar-2025

## Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental precautions**

Should not be released into the environment.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store under an inert atmosphere. Protect from moisture.

## Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control Parameters** 

Component	Malaysia	ACGIH TLV	OSHA PEL
Chloroform	·	TWA: 10 ppm	(Vacated) TWA: 2 ppm (Vacated) TWA: 9.78 mg/m³ Ceiling: 50 ppm Ceiling: 240 mg/m³

Component	European Union	The United Kingdom	Germany
Chloroform	TWA: 2 ppm 8 hr	TWA: 2 ppm	0.5 ppm TWA MAK
	TWA: 10 mg/m <sup>3</sup> 8 hr	TWA: 9.9 mg/m <sup>3</sup>	2.5 mg/m <sup>3</sup> TWA MAK
	Possibility of significant uptake	STEL: 6 ppm	-
	through the skin	STEL: 29.7 mg/m <sup>3</sup>	

## **Exposure Controls**

## **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Chloroform 99.8+%, stabilised with amylene

\_\_\_\_\_

Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Revision Date 23-Mar-2025

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor Aromatic sweet
Odor Threshold No data available
pH No information available

Melting Point/Range-63 °C / -81.4 °FSoftening PointNo data availableBoiling Point/Range61 °C / 141.8 °F

Flash Point No information available Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure 213 mbar @ 20 °C

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 1.480

Bulk Density Not applicable Liquid

Water Solubility 8 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

Chloroform 2

#### Chloroform 99.8+%, stabilised with amylene

1-Pentene

**Autoignition Temperature Decomposition Temperature** 

**Viscosity Explosive Properties Oxidizing Properties** 

No data available No data available 0.56 mPa s at 20 °C No information available No information available

Molecular Formula C H CI3 **Molecular Weight** 119.38 VOC Content(%) 100

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions. UNSTABLE (REACTIVE) UPON DEPLETION OF

INHIBITOR. Light sensitive.

Possibility of Hazardous Reactions

**Hazardous Polymerization Hazardous Reactions** 

Hazardous polymerization does not occur.

None under normal processing.

**Conditions to Avoid** 

Incompatible products. Heat, flames and sparks. Excess heat. Exposure to light. Protect

from moisture.

Incompatible Materials

Strong oxidizing agents. Alkali metals. Aluminium. Acetone.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

# **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 3 Revision Date 23-Mar-2025

#### Chloroform 99.8+%, stabilised with amylene

Component LD50 Oral LD50 Dermal LC50 Inhalation Chloroform LD50 = 908 mg/kg (rat) LD50 > 20 g/kg ( Rabbit ) LC50 = 10.5 mg/L (Rat) 4 h LD50 = 695 mg/kg ( Rat ) LD50 = 450 mg/kg (Rat)1-Pentene >2000 mg/kg (Rat) >2000 mg/kg (Rabbit) LC50 = 10000 ppm (Rat) 4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Chloroform				Group 2B

(g) reproductive toxicity; Category 2

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

**Developmental Effects** Developmental effects have occurred in experimental animals.

**Teratogenicity** Study result . negative.

Category 3 (h) STOT-single exposure;

Results / Target organs Central nervous system (CNS).

(i) STOT-repeated exposure; Category 1

LOAEL = 15 mg/kg bw/day Study result

 $NOAEC = 25 \text{ mg/m}^3$ 

Route of exposure Inhalation **Target Organs** Liver, Kidney.

Based on available data, the classification criteria are not met (j) aspiration hazard;

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects, both acute and Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,

cessation of breathing. Causes central nervous system depression.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. The product contains following substances which are hazardous

for the environment. Contains a substance which is:. Harmful to aquatic organisms.

Revision Date 23-Mar-2025

## Chloroform 99.8+%, stabilised with amylene

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Chloroform	LC50: = 300 mg/L, 96h	EC50 = 28.9 mg/L/48h	EC50 = 560  mg/L/48h	Photobacterium
	static (Poecilia			phosphoreum: EC50 =
	reticulata)			520 mg/L/5 min
	LC50: = 18 mg/L, 96h			Photobacterium
	flow-through (Lepomis			phosphoreum: EC50 =
	macrochirus)			670 mg/L/15 min
	LC50: = 18 mg/L, 96h			Photobacterium
	flow-through			phosphoreum: EC50 =
	(Oncorhynchus mykiss)			670 mg/L/30min
	LC50: = 71 mg/L, 96h			
	flow-through			
	(Pimephales promelas)			

Persistence and degradability

Product is biodegradable

**Persistence** 

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

Revision Date 23-Mar-2025

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Chloroform	2	1.4 - 13 dimensionless
1-Pentene	2.66	No data available

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1888
Hazard Class 6.1
Packing Group III

Proper Shipping Name Chloroform

#### Chloroform 99.8+%, stabilised with amylene

**Road and Rail Transport** 

**UN-No UN1888 Hazard Class** 6.1 **Packing Group** Ш

**Proper Shipping Name** Chloroform

IATA

UN-No **UN1888 Hazard Class** 6.1 **Packing Group** Ш

**Proper Shipping Name** Chloroform

**Special Precautions for User** No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listed**International Inventories** 

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Chloroform	200-663-8	Х	Х	Х	X	X	Х	Χ	Х
1-Pentene	203-694-5	Х	Х	Х	X	X	Х	Х	KE-28027

Note

Amylene is used as a stabilizer, but there is evidence that it may not prevent phosgene generation. Chloroform stabilized with amylene should be tested for phosgene content.

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chloroform				Annex I - Y45

## **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment

LD50 - Lethal Dose 50%

FSUC4963

Revision Date 23-Mar-2025

#### Chloroform 99.8+%, stabilised with amylene

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

Revision Date 23-Mar-2025

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 23-Mar-2025

**Revision Summary** SDS sections updated, 7.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**