

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name <u>Diethylene glycol</u>

**CAS No** 111-46-6

**Synonyms** 2,2`-Oxydiethanol; Bis(2-hydroxyethyl)ether

Product Code D/2951/08, D/2951/17; D/2951/17X

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

### Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

**Health hazards** 

Acute Oral Toxicity Category 4

**Environmental hazards** 

No hazards identified

**Label Elements** 



FSUD2951 Version 3 18-Nov-2022 Page 1/9

Signal Word Warning

#### **Hazard Statements**

H302 - Harmful if swallowed

#### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P330 - Rinse mouth

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

No information available

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %	
Diethylene glycol	111-46-6	<=100	

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**General Advice** If symptoms persist, call a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

FSUD2951 Version 3 18-Nov-2022 Page 2/9

#### **Hazardous Decomposition Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation.

#### **Environmental Precautions**

Should not be released into the environment.

#### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Diethylene glycol	TWA: 23 ppm	TWA: 10 ppm		TWA: 23ppm	TWA: 10 ppm
	TWA: 100 mg/m <sup>3</sup>	TWA: 44 mg/m <sup>3</sup>		TWA: 101 mg/m <sup>3</sup>	TWA: 44 mg/m <sup>3</sup>

FSUD2951 Version 3 18-Nov-2022 Page 3 / 9

STEL: 40 ppm	STEL: 69 ppm	
STEL: 176 mg/m <sup>3</sup>	STFL: 303 mg/m <sup>3</sup>	
0122: 170 mg/m	0122: 000 mg/m	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial **Eye Protection** 

applications)

**Hand Protection** Protective gloves

Glove material Breakthrough time		naterial Breakthrough time Glove thickness AUS/NZ Standard		Glove comments		
Neoprene gloves	> 480 minutes	0.45 mm	AS/NZS 2161	(minimum requirement)		
Nitrile rubber	> 360 minutes	0.38 mm				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or **Repiratory Protection** 

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ

equivalent)

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) Recommended half mask:-

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

No information available. **Environmental exposure controls** 

# Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Colorless, Viscous **Appearance** 

**Physical State** Liquid

Odorless

**Odor Threshold** No data available

5-8 Hq

Melting Point/Range -10 °C / 14 °F **Softening Point** No data available **Boiling Point/Range** 

245 °C / 473 °F @ 760 mmHg

**FSUD2951** 18-Nov-2022 Version 3 Page 4/9

Flash Point 143 °C / 289.4 °F Method - No information available

Evaporation Rate No data available
Flammability (solid,qas) Not applicable Liquid

Flammability (solid,gas)

Explosion Limits

Not applicable
Lower 1.8

Upper 12.2

Vapor PressureNo data availableVapor DensityNo data available(Air = 1.0)

Specific Gravity / Density

Bulk Density

Not applicable

Soluble

Liquid

Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowDiethylene glycol-1.98

Autoignition Temperature

Decomposition Temperature

Viscosity

Explosive Properties

225 - °C / 437 - °F

No data available

No data available

No information available

Oxidizing Properties No information available

Other information

Molecular Formula C4 H10 O3 Molecular Weight 106.12

# Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions. Hygroscopic.

Conditions to Avoid Excess heat, Exposure to moisture, Exposure to moist air or water.

**Incompatible Materials** Strong oxidizing agents, Strong acids, Metals.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

**Hazardous Polymerization** No information available.

# Section 11 - Toxicological Information

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral Category 4

DermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol	LD50 = 12565 mg/kg (Rat)	LD50 = 11890 mg/kg ( Rabbit )	LC50 > 4600 mg/m <sup>3</sup> (Rat) 4 h
	Lethal dose Humans = 0.014		
	mg/kg bw		

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

FSUD2951 Version 3 18-Nov-2022 Page 5/9

(d) respiratory or skin sensitization;

Respiratory Skin Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting delayed

## Section 12 - Ecological Information

**Ecotoxicity effects** Do not empty into drains.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Diethylene glycol	LC50: = 75200 mg/L,	EC50: = 84000 mg/L,		EC50 = 29228 mg/L 15
	96h flow-through	48h (Daphnia magna)		min
	(Pimephales promelas)			

**Persistence and Degradability** 

PersistencePersistence is unlikely.Bioaccumulative PotentialBioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Diethylene glycol	-1.98	100 - 180 dimensionless

Mobility

The product is water soluble, and may spread in water systems. : Will likely be mobile in

the environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Waste codes should be assigned by the user based on the application for which

the product was used. Do not empty into drains.

FSUD2951 Version 3 18-Nov-2022 Page 6 / 9

\_\_\_\_\_

# Section 14 - Transport Information

IMDG/IMO Not regulated

ADG Not regulated

**IATA** Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

#### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Diethylene glycol - 111-46-6	Schedule 5 listed - except its salts and derivatives;in preparations containing >=10 mg/kg of
	Denatonium benzoate as a bittering agent except in paints or paint tinters;in toothpastes or
	mouthwashes containing >0.25% of Diethylene glycol, or in other preparations containing <=2.5% of
	Diethylene glycol
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5, in paints or
	paint tinters, in toothpastes or mouthwashes containing >0.25% of Diethylene glycol, or in other
	preparations containing <=2.5% of Diethylene glycol
	Schedule 10 listed

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Diethylene glycol - 111-46-6	Present	-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

FSUD2951 Version 3 18-Nov-2022 Page 7 / 9

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

	Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Ī	Diethylene glycol	X	X	203-872-2	-	X	Х	-	Х	Х	Х	Х	KE-27694

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### **International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Diethylene glycol	111-46-6	Listed	Not applicable	Not applicable	Not applicable

#### Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Diethylene glycol	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

FSUD2951 Version 3 18-Nov-2022 Page 8/9

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from Shins

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative **VOC** - (Volatile Organic Compound)

**ACGIH** - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

18-Nov-2022 **Revision Date** 

**Revision Summary** SDS sections updated.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

**FSUD2951** Version 3 18-Nov-2022 Page 9/9