

Page 1 / 10 Revision Date 30-Mar-2025 Version 4

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml Product Description: Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

Cat No.: 14372

Molecular Formula Cu in 5% HN O3

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1 (H290)
Acute Inhalation Toxicity - Vapors	Category 4 (H332)
Skin Corrosion/Irritation	Category 1 (H314) B
Serious Eye Damage/Eye Irritation	Category 1 (H318)

#### Label Elements



Signal Word Danger

**Hazard Statements** 

#### Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

H290 - May be corrosive to metals

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

#### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

#### Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors Toxic to terrestrial vertebrates

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Water	7732-18-5	94.00
Nitric acid% [C ≤ 70 %]	7697-37-2	5.00
Copper	7440-50-8	1.00

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

## Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

mouth-to-mouth method if victim indested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

Revision Date 30-Mar-2025

medical device. Call a physician immediately.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Not combustible. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

## **Hazardous Combustion Products**

Nitrogen oxides (NOx), Metal oxides.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control Parameters** 

Component	Malaysia	ACGIH TLV	OSHA PEL
Nitric acid% [C ≤ 70 %]		TWA: 2 ppm	(Vacated) TWA: 2 ppm
		STEL: 4 ppm	(Vacated) TWA: 5 mg/m <sup>3</sup>
			(Vacated) STEL: 4 ppm
			(Vacated) STEL: 10 mg/m <sup>3</sup>
			TWA: 2 ppm
			TWA: 5 mg/m <sup>3</sup>
Copper		TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>
			TWA: 0.1 mg/m <sup>3</sup>
			TWA: 1 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Nitric acid% [C ≤ 70 %]	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min	TWA: 1 ppm (8 Stunden). AGW -
	STEL: 2.6 mg/m <sup>3</sup> (15min)	STEL: 2.6 mg/m <sup>3</sup> 15 min	TWA: 2.6 mg/m³ (8 Stunden). AGW
			-
Copper		STEL: 0.6 mg/m <sup>3</sup> 15 min	TWA: 0.01 mg/m <sup>3</sup> (8 Stunden). MAK
		STEL: 2 mg/m <sup>3</sup> 15 min	Höhepunkt: 0.02 mg/m <sup>3</sup>
		TWA: 1 mg/m <sup>3</sup> 8 hr	
		TWA: 0.2 mg/m <sup>3</sup> 8 hr	

#### **Exposure Controls**

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Acid gases filter

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Revision Date 30-Mar-2025

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

system Local authorities should be advised if significant spillages cannot be contained

Liquid

(Air = 1.0)

Liquid

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Clear Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

No information available **Method -** No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure23 hPa @ 20 °CVapor DensityNo data available

Specific Gravity / Density No data available
Bulk Density Not applicable

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowNitric acid ...% [C  $\leq$  70 %]-2.3

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Molecular Formula Cu in 5% HN O3

ALFAA14372

Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

None known.

Incompatible Materials

Strong bases.

**Hazardous Decomposition Products** 

Nitrogen oxides (NOx). Metal oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met

Inhalation Category 4

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid% [C ≤ 70 %]	-	-	LC50 = 2500 ppm. (Rat) 1h
Copper	-	-	LC50 > 5.11 mg/L (Rat) 4 h

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid% [C ≤ 70 %]	-	-	ATE = 2.65 mg/L (vapours)

ECHA (RAC) - Committee for Risk Assessment - European CHemicals Agency

ATE - Acute Toxiciy Estimate

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

None known. **Target Organs** 

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties** 

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

Contains a substance which is:. Very toxic to aquatic organisms. The product contains **Ecotoxicity effects** 

following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water

system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Copper	Onchorhynchys mykiss:	EC50: = 0.03 mg/L, 48h	0.0426-0.0535 mg/L	
	LC50=0.15 mg/L 96h	Static (Daphnia magna)	EC50 72 h	
	Cuprinus carpio:		0.031-0.054 mg/L EC50	
	LC50=0.8 mg/L 96h		96 h	

Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** 

Degradation in sewage treatment plant

based on information available, May persist.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential May have some potential to bioaccumulate

may have come peternian to broadcamanate							
Component	log Pow	Bioconcentration factor (BCF)					
Nitric acid% [C ≤ 70 %]	-2.3	No data available					

The product is water soluble, and may spread in water systems. Will likely be mobile in the **Mobility in soil** 

environment due to its water solubility. Highly mobile in soils.

**ALFAA14372** 

Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

No information available Other adverse effects

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused **Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

Revision Date 30-Mar-2025

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Large amounts will

affect pH and harm aquatic organisms

## SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

**UN-No** UN2031 **Hazard Class Packing Group** 

NITRIC ACID **Proper Shipping Name** 

Road and Rail Transport

UN2031 **UN-No Hazard Class** 8 **Packing Group** 

**Proper Shipping Name** NITRIC ACID

**IATA** 

UN2031 UN-No **Hazard Class Packing Group** 

**Proper Shipping Name** NITRIC ACID

**Special Precautions for User** No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe

(EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS) Taiwan (TCSI) Japan (ISHL) New Zealand (NZIoC) Japan (ISHL)

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	X	Χ	Х	Χ		Х	Х	KE-35400
Nitric acid% [C ≤ 70 %]	231-714-2	Х	Х	Х	Х	Х	Х	Χ	KE-25911
Copper	231-159-6	Х	Χ	Х	Χ		X	Х	KE-08896

Copper, plasma standard solution, Specpure®, Cu 10,000µg/ml

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Nitric acid% [C ≤ 70 %]				Annex I - Y34

**National Regulations** 

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Revision Date 30-Mar-2025

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

Substances/EU List of Notified Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances
NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

 $\mbox{\bf MARPOL}$  - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 30-Mar-2025

**Revision Summary** SDS sections updated.

# In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Revision Date 30-Mar-2025

## **End of Safety Data Sheet**

ALFAA14372