

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Sodium chromate tetrahydrate

CAS No 10034-82-9

Product Code 13453

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice

for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Acute Oral Toxicity Category 3 **Acute Dermal Toxicity** Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 1 Skin Corrosion/Irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Respiratory Sensitization Category 1 Skin Sensitization Category 1 Germ Cell Mutagenicity Category 1A Carcinogenicity Category 1A Reproductive Toxicity Category 1A Specific target organ toxicity - (repeated exposure) Category 1

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

ALFAA13453 Version 2 18-Nov-2022 Page 1/10

Label Elements







Health Hazard



Corrosion



Environment

Signal Word

Danger

Hazard Statements

- H301 Toxic if swallowed
- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H330 Fatal if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P284 In case of inadequate ventilation wear respiratory protection
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P363 Wash contaminated clothing before reuse
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

Other information

Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Chromic acid (H2CrO4), disodium salt, tetrahydrate	10034-82-9	<=100

ALFAA13453 Version 2 18-Nov-2022 Page 2 / 10

Section 4 - First Aid Measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use

of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Not combustible. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Sodium oxides, Chromium oxide.

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

ALFAA13453 Version 2 18-Nov-2022 Page 3/10

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation.

Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Store under an inert atmosphere. Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Chromic acid	TWA: 0.05 mg/m ³		TWA: 0.0002 mg/m ³	STEL: 0.03 mg/m ³ 15	Haut
(H2CrO4), disodium			STEL: 0.0005 mg/m ³	min	
salt, tetrahydrate			Skin	STEL: 0.065 mg/m ³ 15	
				min	
				TWA: 0.01 mg/m ³ 8 hr	
				TWA: 0.025 mg/m ³ 8 hr	
				Carc. as Cr	
				Resp. Sens.	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls Engineering Measures

ALFAA13453 Version 2 18-Nov-2022 Page 4/10

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber	480 minutes	0.11 mm	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Yellow

Physical State Solid Crystalline

Odor Odorless

Odor Threshold
PH
No information available
No information available
No data available
No data available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure No data available

Vapor DensityNot applicableSolidSpecific Gravity / Density2.73 g/cm3@ 20 °C

Bulk DensityNo data availableWater SolubilityNo information availableSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

ALFAA13453 Version 2 18-Nov-2022 Page 5 / 10

Solid

Autoignition Temperature No data available **Decomposition Temperature**

No data available **Viscosity** Not applicable **Explosive Properties**

No information available No information available **Oxidizing Properties**

Other information

Na2 CrO4.4H2 O Molecular Formula **Molecular Weight** 234.04 (161.97anhy)

Section 10 - Stability and Reactivity

None known, based on information available Reactivity

Stability Hygroscopic.

Conditions to Avoid Exposure to moist air or water.

Incompatible Materials Reducing Agent, Organic materials.

Hazardous Decomposition Products Sodium oxides. Chromium oxide.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Category 3 Oral Category 4 **Dermal** Inhalation Category 1

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Category 1 Skin Category 1

Sensitization No information available

Category 1A (e) germ cell mutagenicity;

(f) carcinogenicity; Category 1A

There are no known carcinogenic chemicals in this product

Category 1A (g) reproductive toxicity;

No data available (h) STOT-single exposure;

ALFAA13453 Version 2 18-Nov-2022 Page 6/10

(i) STOT-repeated exposure; Category 1

Kidney, Nasal Septum, Lungs. **Target Organs**

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

> environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow

material to contaminate ground water system.

Product contains heavy metals. Discharge into the environment must be avoided. Special Persistence and Degradability

pre-treatment is necessary

May persist. **Persistence** Contains substances known to be hazardous to the environment or not degradable in waste

Degradation in sewage treatment plant

water treatment plants.

Product has a high potential to bioconcentrate **Bioaccumulative Potential**

No information available.

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

Section 14 - Transport Information

IMDG/IMO

UN-No UN3288

Toxic solid, inorganic, n.o.s. **Proper Shipping Name Technical Shipping Name** (Sodium chromate tetrahydrate)

Hazard Class 6.1 **Packing Group**

ADG

ALFAA13453 Page 7/10 Version 2 18-Nov-2022

UN-No UN3288

Proper Shipping Name Toxic solid, inorganic, n.o.s.

Technical Shipping Name (Sodium chromate tetrahydrate)

Hazard Class 6.1 Packing Group

IATA

UN-No UN3288

Proper Shipping Name Toxic solid, inorganic, n.o.s.

Technical Shipping Name (Sodium chromate tetrahydrate)

Hazard Class 6.1
Packing Group

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Component	Health Surveillance
Chromic acid (H2CrO4), disodium salt, tetrahydrate	Listed
10034-82-9 (<=100)	Demographic, medical and occupational history
	Physical examination with emphasis on the respiratory system
	and skin
	Weekly skin inspection of hands and forearms by a competent
	person

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

	Component	Standard for the Uniform Scheduling of Medicines and Poisons
Ī	Chromic acid (H2CrO4), disodium salt,	Schedule 6 listed - except in paints or tinters containing <=5% of Chromium as the Ammonium,
-	tetrahydrate - 10034-82-9	Barium, Calcium, Iron, Potassium, Sodium, Strontium or Zinc chromate calculated on the non-volatile
-		content of the paint or tinter

Australian Industrial Chemicals Introduction Scheme (AICIS)

	Component	Australian Industrial	Additional information
1		Chemicals Introduction	
L		Scheme (AICIS)	
Γ	Chromic acid (H2CrO4), disodium salt,	Present	-
L	tetrahydrate - 10034-82-9		

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

ALFAA13453 Version 2 18-Nov-2022 Page 8 / 10

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Chromic acid (H2CrO4), disodium salt, tetrahydrate - 10034-82-9	Category 2	

Legend

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Chromic acid (H2CrO4), disodium	Х	X	-	-	-	-	-	Х	-		Х	-
salt, tetrahydrate												

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Chromic acid (H2CrO4), disodium salt, tetrahydrate - 10034-82-9	Annex I - Y21	Y21

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Chromic acid (H2CrO4), disodium salt, tetrahydrate	10034-82-9	Not applicable	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
-	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High

ALFAA13453 Version 2 18-Nov-2022 Page 9/10

			Concern (SVHC)
Chromic acid (H2CrO4),	-	Use restricted. See item 28.	-
disodium salt, tetrahydrate		(see link for restriction details)	
		Use restricted. See item 47.	
		(see link for restriction details)	
		Use restricted. See item 75.	
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

 $\mbox{\bf MARPOL}$ - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road

and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate
RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

Revision Date 18-Nov-2022 Revision Summary Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAA13453 Version 2 18-Nov-2022 Page 10 / 10