Thermo Fisher

SAFETY DATA SHEET

Page 1/8 Creation Date 04-Nov-2010 Revision Date 31-May-2024 Version 4

AI FAA00622

Copper powder

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 铜粉, -625 目, APS 2-3.25 微米

Product Description: Copper powder

Cat No.: 00622

Bronze Powder **Synonyms** CAS No 7440-50-8 Cu

Molecular Formula

Avocado Research Chemicals Ltd. **Supplier**

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY. United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Laboratory chemicals. **Recommended Use** Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State Odor **Appearance** Solid Red brown No information available

Emergency Overview

Flammable solid. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Moisture sensitive. Air sensitive. May form

combustible dust concentrations in air.

Classification of the substance or mixture

Flammable solids.	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 2

Label Elements



Page 2/8 Revision Date 31-May-2024

Copper powder

Signal Word

Warning

Hazard Statements

H228 - Flammable solid

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P370 + P378 - In case of fire: Use fire-fighting equipment on basis class D to extinguish

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Combustible material. May form combustible dust concentrations in air.

Health Hazards

The product contains no substances which at their given concentration are considered to be hazardous to health.

Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

Other Hazards

May form explosible dust-air mixture if dispersed. Toxicity to Soil Dwelling Organisms. Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Copper	7440-50-8	<=100

SECTION 4. FIRST AID MEASURES

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects

None reasonably foreseeable.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of

Page 3/8 Revision Date 31-May-2024

Copper powder

contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry sand, approved class D extinguishers.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Specific Hazards Arising from the Chemical

Flammable. Dust can form an explosive mixture with air. Fine dust dispersed in air may ignite. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Use personal protective equipment as required. Avoid dust formation. Ensure adequate ventilation.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Prevent product from entering drains.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Ensure adequate ventilation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
Copper	TWA: 1 mg/m ³	TWA: 0.2 mg/m ³		TWA: 0.2 mg/m ³
	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³		TWA: 1 mg/m ³

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union

Page 4/8 Revision Date 31-May-2024

Copper powder

Copper	TWA: 0.2 mg/m ³	(Vacated) TWA: 0.1 mg/m³ TWA: 0.1 mg/m³	IDLH: 100 mg/m³ TWA: 1 mg/m³ TWA: 0.1 mg/m³	STEL: 0.6 mg/m³ 15 min STEL: 2 mg/m³ 15 min	
		TWA: 1 mg/m ³		TWA: 1 mg/m ³ 8 hr TWA: 0.2 mg/m ³ 8 hr	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS 99 Metals in air by ICP-AES MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove materi	al Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubbe Nitrile rubbe Neoprene PVC		-	EN 374	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Small scale/Laboratory use Maintain adequate ventilation

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Page 5/8 Revision Date 31-May-2024

Copper powder

Appearance Red brown **Physical State** Solid

No information available Odor **Odor Threshold** No data available No information available рΗ Melting Point/Range 1083 °C / 1981.4 °F **Softening Point** No data available

2580 °C / 4676 °F **Boiling Point/Range** @ 760 mmHg

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available No data available

Explosion Limits

1 mmHg @ 1628 °C **Vapor Pressure**

Not applicable **Vapor Density** Solid

Specific Gravity / Density 8.9200

No data available **Bulk Density**

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available **Decomposition Temperature** No data available **Viscosity** Not applicable

Explosive Properties No information available **Oxidizing Properties** No information available

Cu **Molecular Formula Molecular Weight** 63.54

SECTION 10. STABILITY AND REACTIVITY

Stability Moisture sensitive. Air sensitive.

Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Incompatible products. Excess heat. Avoid dust formation. Keep away from open flames, **Conditions to Avoid**

hot surfaces and sources of ignition. Exposure to air. Exposure to moist air or water.

Solid

Materials to avoid Strong oxidizing agents.

Hazardous Decomposition Products Copper oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Copper			LC50 > 5.11 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

Page 6/8 Revision Date 31-May-2024

Copper powder

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(q) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs**

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not

allow material to contaminate ground water system.

Component		Freshwater Fish	Water Flea	Freshwater Algae	Microtox
	Copper	Onchorhynchys mykiss:	EC50: = 0.03 mg/L, 48h	0.0426-0.0535 mg/L	
		LC50=0.15 mg/L 96h	Static (Daphnia magna)	EC50 72 h	
		Cuprinus carpio:		0.031-0.054 mg/L EC50	
		LC50=0.8 mg/L 96h		96 h	

Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence Insoluble in water, May persist. Degradability

Not relevant for inorganic substances.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility

Endocrine Disruptor Information Persistent Organic Pollutant

Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Page 7/8 Revision Date 31-May-2024

Copper powder

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Technical Shipping Name Copper Hazard Class 4.1
Packing Group III

IMDG/IMO

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Technical Shipping Name
Hazard Class
Packing Group

Copper
4.1
III

IATA

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Technical Shipping Name Copper Hazard Class 4.1 HIII

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
		f dangerous goods GB 12268 - 2012										
Copper	- 1	Х	Х	Х	231-159-6	Х	Х	Х	Х		Х	KE-08896

National Regulations

Page 8/8 Revision Date 31-May-2024

Copper powder

SECTION 16. OTHER INFORMATION

Health, Safety and Environmental Department **Prepared By**

Creation Date 04-Nov-2010 **Revision Date** 31-May-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet