

# **SAFETY DATA SHEET**

Revision Date 01-Apr-2024 Revision Number 4

1. Identification

Product Name Sulfur in Light mineral Oil, standard solution, Specpure®, 20,000 μg/g

(2.0%)

Cat No.: 42171

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### **Label Elements**

### **Hazard Statements**

May cause respiratory irritation



### **Precautionary Statements**

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %		
White mineral oil	8042-47-5	90.88		
Butane, 1,1'-thiobis-	544-40-1	9.12		

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

**Flash Point** > 232 °C / > 449.6 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper
Lower
No data available
No data available
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No information available
No information available

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

None known.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health Flammability Instability Physical hazards

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal.

Up

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

ingestion and inhalation. Avoid contact with skin, eyes or clothing.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

**Engineering Measures** None under normal use conditions.

Personal Protective Equipment

**Eve/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Recommended Filter type: Particle filter.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorUnpleasant

Odor Threshold No information available

pHNo information availableMelting Point/RangeNo data availableBoiling Point/Range> 315 °C / 599 °FFlash Point> 232 °C / > 449.6 °FEvaporation RateNo information available

Flammability (solid.gas)

Not applicable

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.75 g/cm3

**Solubility** No information available

No data available

No information available

Partition coefficient; n-octanol/water **Autoignition Temperature** 

**Decomposition Temperature** 

No information available No information available **Viscosity** 

# 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Stable under normal conditions.

Incompatible products. **Conditions to Avoid Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions** 

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Vapor LC50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	Component LD50 Oral		LC50 Inhalation	
White mineral oil >5000 mg/kg (Rat)		>3000 mg/kg (Rabbit)	Not listed	
Butane, 1,1'-thiobis- LD50 = 2220 mg/kg (		Not listed	Not listed	

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
White mineral oil	8042-47-5	Not listed				
Butane, 1,1'-thiobis-	544-40-1	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
White mineral oil	Not listed	LC50: > 10000 mg/L, 96h (Lepomis macrochirus)	Not listed	Not listed	
Butane, 1,1'-thiobis-	Not listed	LC50: = 3.58 mg/L, 96h flow-through (Pimephales promelas)	Not listed	Not listed	

Persistence and Degradability

May persist

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

Is not likely mobile in the environment due its low water solubility.

Component	log Pow	
White mineral oil	6	

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

11	<b>Transport</b>	informat	tion
14.	Hallsport	. IIIIOIIIIa	LIOII

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

## 15. Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
White mineral oil	8042-47-5	Χ	ACTIVE	-
Butane, 1,1'-thiobis-	544-40-1	Χ	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
White mineral oil	8042-47-5	Х	-	232-455-8	Χ	Χ	Χ	Х	Х	KE-35412
Butane, 1,1'-thiobis-	544-40-1	Х	-	208-870-5	Χ	Χ	Χ	Х	Х	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

	Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-	-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -

		Subject to Authorization	·	Candidate List of Substances of Very High Concern (SVHC)
White mineral oil	8042-47-5	-	-	-
Butane, 1,1'-thiobis-	544-40-1	-	-	-

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
White mineral oil	8042-47-5	Listed	Not applicable	Not applicable	Not applicable
Butane, 1,1'-thiobis-	544-40-1	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		
White mineral oil	8042-47-5	Not applicable	Not applicable	Not applicable	Not applicable
Butane, 1,1'-thiobis-	544-40-1	Not applicable	Not applicable	Not applicable	Not applicable

- 1	44 011 1 6 11
- 1	16. Other information
- 1	10. Other information

Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Revision Date 01-Apr-2024 Print Date 01-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### Disclaimer

**Prepared By** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**