

## SAFETY DATA SHEET

## Classified as hazardous in accordance with the criteria of EPA New Zealand

## **Section 1 - Identification**

**Product Identifier** 

Product Name <u>2-lodopropane</u>

**CAS No** 75-30-9

Synonyms Isopropyl iodide

Molecular Formula C3 H7 I Molecular Weight 169.99

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code I/0831/PB05

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

## **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002495

**GHS Classification** 

Physical hazards

Flammable liquids Category 3

Health hazards

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2
Specific target organ toxicity - (single exposure) Category 3

**Environmental hazards** 

Based on available data, the classification criteria are not met

Label Elements

FSUI0831 Version 2 13-Mar-2023 Page 1/10



Signal Word

Warning

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

#### **Precautionary Statements**

#### Prevention

P233 - Keep container tightly closed

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P243 - Take action to prevent static discharges

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P380 - Evacuate area

P374 - Fight fire with normal precautions from a reasonable distance

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

## **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
Copper	7440-50-8	0
2-lodopropane	75-30-9	100

## **Section 4 - First Aid Measures**

#### Description of first aid measures

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

FSUI0831 Version 2 13-Mar-2023 Page 2/10

**Eye Contact** 

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

**Ingestion** Do NOT induce vomiting. Get medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

 $\hbox{ Difficulty in breathing.} \ . \ \hbox{ Symptoms of overexposure may be headache, dizziness, tiredness, } \\$ 

nausea and vomiting

Notes to Physician Treat symptomatically.

## **Section 5 - Fire Fighting Measures**

### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen iodide.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **Section 6 - Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Ensure adequate ventilation. Wear protective gloves/clothing and eye/face protection. Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental Precautions**

See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **Section 7 - Handling and Storage**

FSUI0831 Version 2 13-Mar-2023 Page 3 / 10

\_\_\_\_\_

#### **Precautions for Safe Handling**

#### Advice on safe handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### Conditions for Safe Storage, Including any Incompatibilities

### **Storage Conditions**

Flammables area. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep container tightly closed in a dry and well-ventilated place.

#### **Incompatible Materials**

Strong oxidizing agents. Strong bases.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

## **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

#### **Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Copper	TWA: 0.01 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	STEL: 0.6 mg/m <sup>3</sup> 15 min
		TWA: 0.2 mg/m <sup>3</sup>		STEL: 2 mg/m <sup>3</sup> 15 min
				TWA: 1 mg/m <sup>3</sup> 8 hr
				TWA: 0.2 mg/m <sup>3</sup> 8 hr

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Appropriate engineering controls

## **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

FSUI0831 Version 2 13-Mar-2023 Page 4/10

\_\_\_\_\_

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves.	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## **Section 9 - Physical and Chemical Properties**

### Information on basic physical and chemical properties

Physical State Liquid

AppearanceLight yellowOdorOdorless

Odor Threshold
pH
No information available
No information available
No information available
-90 °C / -130 °F
Softening Point
No data available

**Boiling Point/Range** 90 - 90 °C / 194 - 194 °F

Flammability (liquid) Flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point 42 °C / 107.6 °F Method - No information available

Autoignition Temperature

Decomposition Temperature

Viscosity

Water Solubility

No data available
No data available
slightly soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure 43 mmHg @ 25 °C

Density / Specific Gravity 1.700

Bulk DensityNot applicableLiquidVapor Density5.88(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

Molecular Formula C3 H7 I Molecular Weight 169.99

**Explosive Properties** explosive air/vapour mixtures possible

FSUI0831 Version 2 13-Mar-2023 Page 5 / 10

## **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available

Stability Stable under normal conditions. Light sensitive.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions No information available.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition, Exposure to light,

Incompatible products.

**Incompatible Materials** Strong oxidizing agents, Strong bases.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen iodide.

## **Section 11 - Toxicological Information**

### **Acute Effects**

### Information on likely routes of exposure

**Product Information**No acute toxicity information is available for this product

**Inhalation** Avoid breathing vapors or mists.

**Eyes** Avoid contact with eyes. Irritating to eyes. Vapor may cause irritation.

**Skin** Avoid contact with skin. May cause irritation. Prolonged skin contact may defat the skin and

produce dermatitis.

**Ingestion** May be harmful if swallowed.

#### Numerical measures of toxicity

(a) acute toxicity;

Oral No data available
Dermal No data available
Inhalation No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Copper			LC50 > 5.11 mg/L (Rat) 4 h
2-lodopropane			LC50 = 320 g/m <sup>3</sup> (Rat) 30 min
1			_ ` ` ′

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

**Respiratory Skin**No data available
No data available

(e) germ cell mutagenicity; No data available

FSUI0831 Version 2 13-Mar-2023 Page 6 / 10

(f) carcinogenicity;

\_\_\_\_\_

No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

Symptoms / effects,both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

## **Section 12 - Ecological Information**

### **Ecotoxicity**

**Aquatic ecotoxicity** Do not empty into drains.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Copper	Onchorhynchys mykiss:	EC50: = 0.03  mg/L, 48h	0.0426-0.0535 mg/L	
	LC50=0.15 mg/L 96h	Static (Daphnia magna)	EC50 72 h	
	Cuprinus carpio:		0.031-0.054 mg/L EC50	
	LC50=0.8 mg/L 96h		96 h	

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

Bioaccumulative Potential Bioaccumulation is unlikely

**Mobility**The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

FSUI0831 Version 2 13-Mar-2023 Page 7/10

Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

## **Section 14 - Transport Information**

#### NZS 5433:2020

**UN-No** UN2392

**Proper Shipping Name IODOPROPANES** 

**Hazard Class** 3 Ш **Packing Group** 

IATA

**UN-No** UN2392

**IODOPROPANES Proper Shipping Name** 

**Hazard Class Packing Group** Ш

IMDG/IMO

UN2392 **UN-No** 

**Proper Shipping Name IODOPROPANES** 

**Hazard Class** 3 **Packing Group** Ш

Component	IMDG Marine Pollutant
Copper	IMDG regulated marine pollutant (Listed in the index, listed under
7440-50-8 ( 0 )	Copper metal powder)

No hazards identified **Environmental hazards** 

Transport in bulk according to Annex II of MARPOL 73/78 and the Not applicable, packaged goods

**Special Precautions** 

**IBC Code** 

No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

## **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002495	HSNO Approval Number	HSR002495
--------------------------------	----------------------	-----------

**National Regulations** 

**FSUI0831** Version 2 13-Mar-2023 Page 8/10 Any applicable tolerable exposure limits and environmental exposure limits according to the EPA Controls for Hazardous Substances are listed below

Component	Tolerable Exposure Limit (TEL) Air	Tolerable Exposure Limit (TEL) Water	Tolerable Exposure Limit (TEL) Surface	Environmental Exposure Limits (EEL)
Copper	, ,	,	,	0.0014 mg/L (Freshwater)
				0.0013 mg/L (Marine water)

### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

#### **International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	IMDG Marine Pollutant
Copper			IMDG regulated marine pollutant (Listed in the index, listed under Copper metal powder)

## Authorisation/Restrictions according to EU REACH

Not applicable

	Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances		
١	Copper	-	Use restricted. See item 75.	-	
-			(see link for restriction details)		

## **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Copper	7440-50-8	Х	Х	-	-	-	KE-08896	X	X
2-lodopropane	75-30-9	Х	Х	-	-	-	-	-	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Copper	7440-50-8	X	ACTIVE	X	-	X	-	Х
2-lodopropane	75-30-9	Х	ACTIVE	Х	-	Х	Х	Х

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## **Section 16 - Other Information**

FSUI0831 Version 2 13-Mar-2023 Page 9/10

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

### Legend

NZIoC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**LC50** - Lethal Concentration 50% **ATE** - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 13-Mar-2023 Revision Summary Not applicable

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

FSUI0831 Version 2 13-Mar-2023 Page 10 / 10