

# **SAFETY DATA SHEET**

Creation Date 17-November-2009 Revision Date 05-September-2023 Revision Number 3

1. Identification

Product Name 4-Pyridylmethylamine

Cat No. : CC04213R3

 CAS-No
 3731-53-1

 Synonyms
 4-Picolylamine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

Company

Importer/DistributorFisher ScientificFisher ScientificOne Reagent Lane112 Colonnade Road,Fair Lawn, NJ 07410Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Skin Corrosion/IrritationCategory 1BSerious Eye Damage/Eye IrritationCategory 1Specific target organ toxicity (single exposure)Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

**Hazard Statements** 

Causes severe skin burns and eye damage May cause respiratory irritation





## **Precautionary Statements**

#### Prevention

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eve protection/face protection

## Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

| Component             | CAS-No    | Weight % |
|-----------------------|-----------|----------|
| 4-Pyridinemethanamine | 3731-53-1 | >95      |

## 4. First-aid measures

**General Advice** Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Eve Contact** 

Immediate medical attention is required. Keep eye wide open while rinsing.

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash **Skin Contact** 

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie

down. Call a physician immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water. Call a physician immediately.

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric Most important symptoms/effects

> lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Treat symptomatically **Notes to Physician** 

## 5. Fire-fighting measures

Suitable Extinguishing Media CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 108 °C / 226.4 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3      | 1            | 1           | N/A              |

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional Ecological

Information.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

|          | 7. Handling and storage                                                                                                                                                                                                                     |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Handling | Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. |
| Storage. | Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Incompatible Materials. Strong oxidizing agents. Strong acids.                                                   |

### 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Nitrile rubber | See manufacturers | -               | Splash protection only |
| Neoprene       | recommendations   |                 |                        |
| Natural rubber |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability. Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

## **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

| $\circ$ | Dlavialasi | اء مرم | ا م ما م ما م |              |
|---------|------------|--------|---------------|--------------|
| 9.      | PHVSICAL   | and    | спеписа       | l properties |

**Physical State** Liquid No information available **Appearance** No information available Odor **Odor Threshold** No information available рΗ 10-11

**Melting Point/Range** 8 °C / 46.4 °F

**Boiling Point/Range** 228 - 230 °C / 442.4 - 446 °F

108 °C / 226.4 °F **Flash Point Evaporation Rate** No information available Not applicable

Flammability (solid,gas)

Flammability or explosive limits

No data available Upper No data available Lower **Vapor Pressure** No information available **Vapor Density** No information available

**Specific Gravity** 1.065

No information available Solubility Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available No information available **Decomposition Temperature Viscosity** No information available

### 4-Pyridylmethylamine

Molecular Formula C6 H8 N2 **Molecular Weight** 108.14

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

**Stability** Air sensitive.

**Conditions to Avoid** Incompatible products. Excess heat. Exposure to air.

**Incompatible Materials** Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx), Thermal

decomposition can lead to release of irritating gases and vapors

**Hazardous Polymerization** No information available.

None under normal processing. **Hazardous Reactions** 

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** No acute toxicity information is available for this product

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Component Information** 

| Component             | LD50 Oral          | LD50 Dermal | LC50 Inhalation |  |  |
|-----------------------|--------------------|-------------|-----------------|--|--|
| 4-Pyridinemethanamine | >10690 mg/kg (Rat) | Not listed  | Not listed      |  |  |

**Toxicologically Synergistic** 

**Products** 

Causes burns by all exposure routes Irritation

No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component            | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------------|-----------|------------|------------|------------|------------|------------|
| 4-Pyridinemethanamin | 3731-53-1 | Not listed |
| ۾ ا                  |           |            |            |            |            |            |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

No information available. **Teratogenicity** 

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. **Other Adverse Effects** 

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available.

**Mobility** No information available.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

**Technical Name** 4-Pyridinemethanamine

Hazard Class 8
Packing Group || |

<u>TDG</u>

UN-No UN2735

**Proper Shipping Name** AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

IATA

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group |

## 15. Regulatory information

## International Inventories

| Component             | CAS-No    | DSL | NDSL | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | EINECS    | ELINCS | NLP |
|-----------------------|-----------|-----|------|------|-----------------------------------------------------|-----------|--------|-----|
| 4-Pyridinemethanamine | 3731-53-1 | -   | X    | X    | ACTIVE                                              | 223-092-6 | -      | ı   |

| _                     |           |       |      |      |      |      |      |       |       |
|-----------------------|-----------|-------|------|------|------|------|------|-------|-------|
| Component             | CAS-No    | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
| 4-Pvridinemethanamine | 3731-53-1 | -     | -    | Х    | Х    | Х    | -    | -     | -     |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances ENCS - Japanese Existing and New Chemical Substances

Restriction of

### 4-Pyridylmethylamine

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### Other International Regulations

Component

Authorisation/Restrictions according to EU REACH

CAS-No

Not applicable

### Safety, health and environmental regulations/legislation specific for the substance or mixture

|                       |           |                      | Pollutant                               | Potential        | Hazardous<br>Substances (RoHS) |
|-----------------------|-----------|----------------------|-----------------------------------------|------------------|--------------------------------|
| 4-Pyridinemethanamine | 3731-53-1 | Not applicable       | Not applicable                          | Not applicable   | Not applicable                 |
| Component             | CAS-No    | Seveso III Directive | Seveso III Directive                    | Rotterdam        | Basel Convention               |
| ·                     |           | , , ,                | (2012/18/EC) -<br>Qualifying Quantities | Convention (PIC) | (Hazardous Waste)              |
|                       |           | for Major Accident   | for Safety Penort                       |                  |                                |

|                       |           | Qualitying Quantities |                   |                |                |
|-----------------------|-----------|-----------------------|-------------------|----------------|----------------|
|                       |           | for Major Accident    | for Safety Report |                |                |
|                       |           | Notification          | Requirements      |                |                |
| 4-Pyridinemethanamine | 3731-53-1 | Not applicable        | Not applicable    | Not applicable | Not applicable |
|                       |           |                       |                   |                |                |

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

OECD HPV

Creation Date17-November-2009Revision Date05-September-2023Print Date05-September-2023

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS