

SAFETY DATA SHEET

Creation Date 25-Jul-2018 Revision Date 02-Apr-2024 Revision Number 4

1. Identification

Product Name Hastelloy C gauze

Cat No. : 46563

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory Sensitization Category 1B
Skin Sensitization Category 1
Germ Cell Mutagenicity Category 2
Carcinogenicity Category 1B
Reproductive Toxicity Category 1B
Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Lungs.

Label Elements

Signal Word

Danger

Hazard Statements

Hastelloy C gauze

May cause an allergic skin reaction
May cause allergy or asthma symptoms or breathing difficulties if inhaled
Suspected of causing genetic defects
May cause cancer
May damage fertility
Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Skir

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Nickel	7440-02-0	57.5
Molybdenum	7439-98-7	15.5
Chromium	7440-47-3	15.5
Iron	7439-89-6	6.0
Tungsten	7440-33-7	3.5
Cobalt	7440-48-4	1.5
Manganese	7439-96-5	0.5

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Hastelloy C gauze Revision Date 02-Apr-2024

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

Notes to Physician

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media approved class D extinguishers.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point Method -No information available

No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Metal fumes and oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Handling

Health Flammability Instability Physical hazards
2 0 0 N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. No special precautions required.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed **Up** containers for disposal. Pick up and transfer to properly labelled containers.

7. Handling and storage

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hastelloy C gauze

Storage.

Keep in a dry place. Keep away from acids. Incompatible Materials. Acids. Strong

oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Nickel	TWA: 1.5 mg/m ³	(Vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³	TWA: 1.5 mg/m ³
	_	TWA: 1 mg/m ³	TWA: 0.015 mg/m ³	_
Molybdenum	TWA: 10 mg/m ³	(Vacated) TWA: 10 mg/m ³	IDLH: 5000 mg/m ³	TWA: 10 mg/m ³
	TWA: 3 mg/m ³		_	TWA: 3 mg/m ³
Chromium	TWA: 0.5 mg/m ³	(Vacated) TWA: 1 mg/m ³	IDLH: 250 mg/m ³	TWA: 0.5 mg/m ³
		TWA: 1 mg/m ³	TWA: 0.5 mg/m ³	
Tungsten	TWA: 3 mg/m ³	(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
		(Vacated) STEL: 10 mg/m ³	STEL: 10 mg/m ³	STEL: 10 mg/m ³
Cobalt	TWA: 0.02 mg/m ³	(Vacated) TWA: 0.05 mg/m ³	IDLH: 20 mg/m ³	TWA: 0.02 mg/m ³
		TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	
Manganese	TWA: 0.02 mg/m ³	(Vacated) TWA: 1 mg/m ³	IDLH: 500 mg/m ³	TWA: 0.2 mg/m ³
	TWA: 0.1 mg/m ³	Ceiling: 5 mg/m ³	TWA: 1 mg/m ³	
		(Vacated) STEL: 3 mg/m ³	STEL: 3 mg/m ³	
		(Vacated) Ceiling: 5 mg/m ³	-	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No special protective equipment required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Solid

Appearance No information available

Odor Odorless

Odor Threshold
pHNo information available
No information available

Melting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific GravityNo information availableSolubilityInsoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Strong oxidizing agents

Hazardous Decomposition Products Metal fumes and oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Dermal LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Mist LC50Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Nickel	LD50 > 9000 mg/kg (Rat)	Not listed	LC50 > 10.2 mg/L (Rat) 1 h	
Molybdenum	Not listed	LD50 > 2000 mg/kg (Rat)	LC50 > 5.84 mg/L (Rat) 4 h	
Iron	7500 mg/kg (Rat)	Not listed	Not listed	
Tungsten	Not listed	LD50 > 2000 mg/kg (Rat)	Not listed	
Cobalt	LD50 = 6171 mg/kg (Rat)	Not listed	LC50 < 0.05 mg/L (Rat) 4 h	
Manganese	LD50 = 9 g/kg (Rat)	Not listed	LC50 > 5.14 mg/L (Rat) 4 h	

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel	7440-02-0	Group 2B	Reasonably	Not listed	X	Not listed
		•	Anticipated			
Molybdenum	7439-98-7	Not listed	Not listed	Not listed	Not listed	Not listed
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed
Iron	7439-89-6	Not listed	Not listed	Not listed	Not listed	Not listed
Tungsten	7440-33-7	Not listed	Not listed	Not listed	Not listed	Not listed
Cobalt	7440-48-4	Group 2A	Reasonably	A3	X	A3

Hastelloy C gauze

			Anticipated			
Manganese	7439-96-5	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Mexico - Occupational Exposure Limits - Carcinogens

Reproductive Effects No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure Lungs

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	Not listed	EC50 = 510 μg/L 96h
Cobalt	Not listed	LC50: > 100 mg/L, 96h static (Brachydanio rerio)	Not listed	Not listed
Manganese	Not listed	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)	Not listed	Not listed

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Cobalt	5

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Nickel	7440-02-0	X	ACTIVE	-
Molybdenum	7439-98-7	Х	ACTIVE	-
Chromium	7440-47-3	Х	ACTIVE	-
Iron	7439-89-6	X	ACTIVE	-
Tungsten	7440-33-7	Х	ACTIVE	-
Cobalt	7440-48-4	Х	ACTIVE	-
Manganese	7439-96-5	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Nickel	7440-02-0	Х	-	231-111-4	Х	Х		Х	Х	KE-25818
Molybdenum	7439-98-7	Х	-	231-107-2	Х	Х		Х	Х	KE-25427
Chromium	7440-47-3	Х	-	231-157-5	Х	Х		Х	Х	KE-05970
Iron	7439-89-6	Х	-	231-096-4	Х	Х		Х	Х	KE-21059
Tungsten	7440-33-7	Х	-	231-143-9	Х	Х		Х	Х	KE-35000
Cobalt	7440-48-4	Х	-	231-158-0	Х	Х		Х	Х	KE-06060
Manganese	7439-96-5	Х	-	231-105-1	Х	Х		Х	Х	KE-22999

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

^{&#}x27;-' - Not Listed

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Nickel	7440-02-0	57.5	0.1 %	-
Chromium	7440-47-3	15.5	1.0 %	-
Cobalt	7440-48-4	1.5	0.1 %	-
Manganese	7439-96-5	0.5	1.0 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel	-	-	Х	X
Chromium	-	=	X	X

Clean Air Act

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Nickel	100 lb	-	100 lb
			45.4 kg
Chromium	5000 lb	-	5000 lb
			2270 kg

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Nickel	7440-02-0	Carcinogen	-	Carcinogen
Cobalt	7440-48-4	Carcinogen	-	Carcinogen

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nickel	Х	Х	X	X	Х
Molybdenum	X	Х	Х	-	-
Chromium	X	X	X	X	X
Tungsten	X	Х	X	-	-
Cobalt	X	X	X	X	Х
Manganese	Х	Х	Х	Х	-

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		Candidate List of
			Substances	Substances of Very High Concern (SVHC)
Nickel	7440-02-0	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	- Contactin (Corner)
Molybdenum	7439-98-7	-	-	-
Chromium	7440-47-3	-	Use restricted. See item 75. (see link for restriction details)	-
Iron	7439-89-6	-	-	-
Tungsten	7440-33-7	-	-	-
Cobalt	7440-48-4	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Manganese	7439-96-5	-		-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Listed	Not applicable	Not applicable	Not applicable
Tungsten	7440-33-7	Listed	Not applicable	Not applicable	Not applicable
Cobalt	7440-48-4	Listed	Not applicable	Not applicable	Not applicable
Manganese	7439-96-5	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

• •

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Not applicable	Not applicable	Not applicable	Not applicable
Tungsten	7440-33-7	Not applicable	Not applicable	Not applicable	Not applicable
Cobalt	7440-48-4	Not applicable	Not applicable	Not applicable	Not applicable
Manganese	7439-96-5	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 25-Jul-2018

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS