

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name <u>Di-n-butyl phthalate</u>

CAS No 84-74-2

Synonyms DBP; n-Butyl phthalate

Product Code A13257

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Reproductive Toxicity Category 1B

Environmental hazards

Acute aquatic toxicity Category 1

Label Elements

ALFAAA13257 Version 3 12-Jan-2024 Page 1/11





Signal Word Danger

Hazard Statements

H360 - May damage fertility or the unborn child

H400 - Very toxic to aquatic life

Precautionary Statements

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Contains a known or suspected endocrine disruptor

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

Contains a substance on the National Authorities Endocrine Disruptor Lists

Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Dibutyl phthalate	84-74-2	<=100

Section 4 - First Aid Measures

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

ALFAAA13257 Version 3 12-Jan-2024 Page 2 / 11

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO₂).

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

ALFAAA13257 Version 3 12-Jan-2024 Page 3/11

Keep container tightly closed. Keep in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Dibutyl phthalate	TWA: 5 mg/m ³	TWA: 0.05 ppm	TWA: 5 mg/m ³	STEL: 10 mg/m ³ 15 min	TWA: 0.05 ppm (8
	_	TWA: 0.58 mg/m ³		TWA: 5 mg/m ³ 8 hr	Stunden). AGW -
					exposure factor 2
					TWA: 0.58 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 0.05 ppm (8
					Stunden). MAK can
					occur as vapor and
					aerosol at the same
					time
					TWA: 0.58 mg/m³ (8
					Stunden). MAK can
					occur as vapor and
					aerosol at the same
					time
					Höhepunkt: 0.1 ppm
					Höhepunkt: 1.16 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber	> 480 minutes	0.1 - 0.2 mm	AS/NZS 2161	As tested under EN374-3 Determination of
Neoprene	> 480 minutes	0.45 mm		Resistance to Permeation by Chemicals
Butyl rubber	> 480 minutes	0.35 mm		
Viton (R)	> 480 minutes	0.30 mm		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

ALFAAA13257 Version 3 12-Jan-2024 Page 4/11

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Wear appropriate protective gloves and clothing to prevent skin exposure Skin and body protection

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ Recommended Filter type:

equivalent)

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) Recommended half mask:-

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls**

system. Local authorities should be advised if significant spillages cannot be contained.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Colorless **Appearance Physical State** Liquid

Odorless Odor

Odor Threshold No data available pН Not applicable -35 °C / -31 °F Melting Point/Range No data available **Softening Point Boiling Point/Range** 340 °C / 644 °F Flash Point 157 °C / 314.6 °F **Evaporation Rate** No data available

Not applicable Flammability (solid,gas)

Explosion Limits No data available

No data available **Vapor Pressure** No data available **Vapor Density**

Specific Gravity / Density 1.043

Bulk Density Not applicable **Water Solubility** 0.13 g/l (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Dibutyl phthalate 4.79

390 °C / 734 °F **Autoignition Temperature** No data available **Decomposition Temperature** No data available **Viscosity**

Explosive Properties No information available **Oxidizing Properties** No information available

Other information

Molecular Formula C16 H22 O4 **Molecular Weight** 278.34

Method - No information available

Liquid

(Air = 1.0)

Liquid

practically insoluble

ALFAAA13257 Version 3 12-Jan-2024 Page 5/11

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Bases, Chlorine.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Dibutyl phthalate	LD50 = 7499 mg/kg (Rat)	>20000 mg/kg (Rabbit)	LC50 >= 15.68 mg/L (Rat) 4 h		

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

RespiratorySkin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

(g) reproductive toxicity; Category 1B Based on available data, the classification criteria are not met

Reproductive Effects Possible risk of impaired fertility

Developmental Effects Component substance is listed on California Proposition 65 as a developmental hazard

Teratogenicity May cause harm to the unborn child

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

ALFAAA13257 Version 3 12-Jan-2024 Page 6 / 11

Symptoms / effects, both acute and No information available delayed

Section 12 - Ecological Information

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Dibutyl phthalate	LC50: 0.42 - 1.28 mg/L,	EC50: = 3.4 mg/L, 48h	EC50: = 0.4 mg/L, 96h	EC50 = 10.9 mg/L 30
	96h static (Lepomis	(Daphnia magna)	static	min
	macrochirus)	EC50: = 2.99 mg/L, 48h	(Pseudokirchneriella	EC50 = 10.9 mg/L 5 min
	LC50: 1.24 - 5.3 mg/L,	Static (Daphnia magna)	subcapitata)	EC50 = 11.1 mg/L 15
	96h static		EC50: = 1.2 mg/L , $72h$	min
	(Oncorhynchus mykiss)		(Desmodesmus	EC50 = 2.2 mg/L 24 h
	LC50: > 1.24 mg/L, 96h		subspicatus)	
	flow-through			
	(Oncorhynchus mykiss)			
	LC50: 0.31 - 5.45 mg/L,			
	96h static (Pimephales			
	promelas)			
	LC50: 0.71 - 1.2 mg/L,			
	96h flow-through			
	(Pimephales promelas)			
	LC50: 1.38 - 1.74 mg/L,			
	96h flow-through			
	(Lepomis macrochirus)			

Persistence and Degradability

Persistence

Degradation in sewage treatment plant

Bioaccumulative Potential

Expected to be biodegradable

May persist.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Dibutyl phthalate	4.79	No data available
Mobility	Spillage unlikely to penetrate soil. The product	t is insoluble and sinks in water. : Is not likely

mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

Endocrine Disruptor Information

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Dibutyl phthalate	Group I Chemical	High Exposure Concern	

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused **Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

Section 14 - Transport Information

ALFAAA13257 Version 3 12-Jan-2024 Page 7/11

SAFETY DATA SHEET

IMDG/IMO

UN-No UN3082

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s.

Technical Shipping Name Dibutyl phthalate

Hazard Class 9
Packing Group III

Component	IMDG Marine Pollutant
Dibutyl phthalate	IMDG regulated marine pollutant (Listed in the index)
84-74-2 (<=100)	

ADG

UN-No UN3082

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s.

Technical Shipping Name Dibutyl phthalate

Hazard Class 9
Packing Group III

IATA

UN-No UN3082

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s.

Technical Shipping Name Dibutyl phthalate

Hazard Class 9
Packing Group III

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Dibutyl phthalate - 84-74-2	Schedule 10 listed

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Dibutyl phthalate - 84-74-2	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.

ALFAAA13257 Version 3 12-Jan-2024 Page 8/11

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Dibutyl phthalate - 84-74-2	10 tonne/yr. Threshold category 1

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Dibutyl phthalate	X	Х	201-557-4	-	X	X	-	X	X	Х	Х	KE-02214

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

MARPOL - International Convention for the

Prevention of Pollution from Ships

Component	IMDG Marine Pollutant
Dibutyl phthalate - 84-74-2	IMDG regulated marine pollutant (Listed in the index)

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Dibutyl phthalate	84-74-2	Listed	0.1% (Max. Conc.)	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Г	Component REACH (1907/2006) - Annex XIV -		REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
		Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization		Substances	List of Substances of Very High
				Concern (SVHC)
	Dibutyl phthalate	Toxic for reproduction Category	Use restricted. See item 30.	SVHC Candidate list - 201-557-4 -

ALFAAA13257 Version 3 12-Jan-2024 Page 9 / 11

SAFETY DATA SHEET

	1B,Article 57 Application date: August 21, 2013 Sunset date: February 21, 2015 Exemption - None Endocrine disrupting properties (Article 57(f) - environment) Application date: August 21, 2013 Sunset date: February 21, 2015 Exemption - None	(see link for restriction details) Use restricted. See item 51[b]. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	Toxic for reproduction, Article 57c;Endocrine disrupting properties Article 57f - human health
--	---	---	--

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

Dangerous Goods Code **ADG** - Australian Code for the Transport of Dangerous Goods by Road

and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

Revision Date 12-Jan-2024

Revision Summary SDS sections updated.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

ALFAAA13257 Version 3 12-Jan-2024 Page 10 / 11

End of Safety Data Sheet

ALFAAA13257 Version 3 12-Jan-2024 Page 11 / 11