

Material Safety Data Sheet

Creation Date 30-Sep-2009 Revision Date 03-Feb-2011 Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PK/5 GRAM SAFRANIN 250ml

Cat No. R40059

Synonyms No information available.

Recommended Use Laboratory chemicals

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Emergency Telephone Number Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

2. HAZARDS IDENTIFICATION

WARNING!

Emergency Overview

Flammable Liquid. Vapors may cause drowsiness and dizziness. May cause central nervous system effects. May cause eye, skin, and respiratory tract irritation .

cyc, skin, and respiratory tract initiation

 Appearance Red
 Physical State
 Liquid
 odor No information available

Target Organs Blood, Reproductive System, Central nervous system (CNS), Eyes, Respiratory system, Liver,

Skin, Optic nerve

Potential Health Effects

Acute Effects

Principle Routes of Exposure

EyesMay cause irritationSkinMay cause irritationInhalationVapor harmful.

Ingestion Poison, may be fatal or cause blindness if swallowed. Cannot be made non-poisonous.

Chronic Effects None known

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions Central nervous system disorders. Preexisting eye disorders. Liver disorders. Skin disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	10
Methyl alcohol	67-56-1	< 1
Phenazinium, 3,7-diamino-2,8-dimethyl-5-phenyl-,	477-73-6	< 1
chloride		

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

Skin Contact Wash off immediately with plenty of water for at least 15 minutes

Inhalation Move to fresh air

 Ingestion
 Do not induce vomiting

 Notes to Physician
 Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point 48.9°C / 120°F

Method No information available.

Autoignition TemperatureNo information available.

Explosion Limits

UpperNo data availableLowerNo data available

Unsuitable Extinguishing Media No information available.

Hazardous Combustion Products

No information available.

Sensitivity to mechanical impactNo information available.Sensitivity to static dischargeNo information available.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA Health 1 Flammability 2 Instability 0 Physical hazards N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation

Environmental Precautions Should not be released into the environment

Methods for Containment and Clean No information available

Up

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation

Storage Keep containers tightly closed in a dry, cool and well-ventilated place

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures

Ensure adequate ventilation, especially in confined areas

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	TWA: 1000 ppm	(Vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm
		(Vacated) TWA: 1000 ppm	TWA: 1000 ppm
		TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
		TWA: 1000 ppm	_
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm
	STEL: 250 ppm	(Vacated) TWA: 260 mg/m ³	TWA: 200 ppm
	Skin	(Vacated) STEL: 325 mg/m ³	TWA: 260 mg/m ³
		(Vacated) STEL: 250 ppm	STEL: 250 ppm
		Skin	STEL: 325 mg/m ³
		TWA: 200 ppm	_
		TWA: 260 mg/m ³	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 ppm
	TWA: 1880 mg/m ³	TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
	TWA: 262 mg/m ³	TWA: 260 mg/m ³	TWA: 260 mg/m ³
	STEL: 328 mg/m ³	STEL: 250 ppm	STEL: 325 mg/m ³
	STEL: 250 ppm	STEL: 310 mg/m ³	STEL: 250 ppm
	Skin	_	Skin

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Skin and body protection Respiratory Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

Wear appropriate protective gloves and clothing to prevent skin exposure

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Appearance Red

odorNo information availableOdor ThresholdNo information available.pHNo information available.

Vapor PressureNo information available.Vapor DensityNo information available.ViscosityNo information available.Boiling Point/RangeNo information available.Melting Point/RangeNo information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Decomposition temperatureNo information available.Flash Point48.9°C / 120°FEvaporation RateNo information available.Specific GravityNo information available.SolubilityNo information available.log PowNo data available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products

None under normal use

Hazardous Polymerization Hazardous polymerization does not occur

Hazardous Reactions . None under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)	Not listed	20000 ppm/10H (Rat)
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat) 4 h
			83.2 mg/L (Rat) 4 h

Irritation No information available.

Toxicologically Synergistic

Products

No information available.

Chronic Toxicity

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

IARC: (International Agency for Research on Cancer)
IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Sensitization No information available.

Mutagenic Effects No information available.

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	Not listed	Leucidus idus: LC50 = 8.14	Photobacterium	EC50 = 9268 mg/L/48h
		mg/L/48h	phosphoreum:EC50 = 34634	EC50 = 10800 mg/L/24h
			mg/L/30 min	_
			Photobacterium	
			phosphoreum:EC50 = 35470	
			mg/L/5 min	
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	
			EC50 = 43000 mg/L 5 min	

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility .

Component	log Pow
Ethyl alcohol	0
Methyl alcohol	-0.74

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

14. TRANSPORT INFORMATION

DOT Not regulated

Proper Shipping Name AQUEOUS ALCOHOL SOLUTION: NOT REGULATED BY CONFORMING TO

49CFR 173.150(E)

14. TRANSPORT INFORMATION

TDG

UN-No UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

IATA

UN-No UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group III

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Ethyl alcohol	Х	Х	-	200-578-	-		Х	Х	Х	Х	KE-
				6							13217
											Χ
Methyl alcohol	Χ	Х	-	200-659-	-		Х	Х	Χ	Χ	KE-
				6							23193
											Χ
Phenazinium, 3,7-diamino-2,8-	Χ	Х	-	207-518-	-		Х	Х	Х	Χ	KE-
dimethyl-5-phenyl-, chloride				8							09729
											X

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	< 1	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		-

OSHA

Not applicable

CFRCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals:

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Ethyl alcohol	64-17-5	Developmental	-

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	X	X	X	-	Х
Methyl alcohol	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B3 Combustible liquid D2A Very toxic materials



16. OTHER INFORMATION

Prepared By Regulatory Affairs

Remel

Tel: 1-800-255-6730

Creation Date 30-Sep-2009

Print Date 03-Feb-2011

Revision Summary No information available.

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS