

Creation Date 20-Feb-2023

Revision Date 04-May-2023

Revision Number 1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1. Product identifier**

Product Description: DOSIURA Mobile Phase B
Cat No. : 228-40703-58

Unique Formula Identifier (UFI) 93G0-072Y-WX0A-5X97

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------------------|---|
| Recommended Use | Laboratory chemicals. |
| Sector of use | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites |
| Product category | PC21 - Laboratory chemicals |
| Process categories | PROC15 - Use as a laboratory reagent |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet**Company****EU entity/business name**

Thermo Fisher Scientific
Janssen Pharmaceuticaaan 3a
2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK
Bishop Meadow Road, Loughborough,
Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG

Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
e-mail - infoch@thermofisher.com

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166
Chemtrec US: (800) 424-9300
Chemtrec EU: 001-703-527-3887

For customers in Switzerland:

Tox Info Suisse Emergency Number: **145 (24hr)**

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402

Chemtrec Local: +41-43 508 20 11 (Zurich)

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

Poison Centre - Emergency
information services

Ireland : National Poisons Information Centre (NPIC) -
01 809 2166 (8am-10pm, 7 days a week)
Malta : +356 2395 2000
Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids

Category 2 (H225)

Health hazards

Acute oral toxicity

Category 4 (H302)

Acute dermal toxicity

Category 4 (H312)

Acute Inhalation Toxicity - Vapors

Category 4 (H332)

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

Contains Acetonitrile



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

H319 - Causes serious eye irritation

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

2.3. Other hazards

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|--------------|---------|-----------|----------|---|
| Acetonitrile | 75-05-8 | 200-835-2 | >99.5 | Flam. Liq. 2 (H225) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Irrit. 2 (H319) Acute Tox. 4 (H332) |
| Acetic acid | 64-19-7 | 200-580-7 | <0.5 | Flam. Liq. 3 (H226) Skin Corr. 1A (H314) Eye Dam. 1 (H318) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------|--|----------|-----------------|
| Acetic acid | Skin Corr. 1A (H314) :: C>=90% Skin Corr. 1B (H314) :: 25%<=C<90% Eye Irrit. 2 (H319) :: 10%<=C<25% Skin Irrit. 2 (H315) :: 10%<=C<25% | - | - |

| Component | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|--------------|-----------------------|-------------------------|-----------------------------|
| Acetonitrile | ATE = 617 mg/kg | - | - |

| Components | Reach Registration Number |
|--------------|---------------------------|
| Acetonitrile | 01-2119471307-38 |
| Acetic acid | 01-2119475328-30 |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|-----------------------|---|
| General Advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

| | |
|---|--|
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Inhalation | Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| Self-Protection of the First Aider | Remove all sources of ignition. Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|---|
| Notes to Physician | Treat symptomatically. The effects may be delayed therefore medical observation is essential. Effects may be delayed 7 to 10 hours. May be metabolized to cyanide which in turn acts by inhibiting cytochrome oxidase impairing cellular respiration. |
|---------------------------|---|

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray. CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

6.3. Methods and material for containment and cleaning up

Remove all sources of ignition. Take precautionary measures against static discharges. Provide adequate ventilation. Use spark-proof tools and explosion-proof equipment. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Prevent product from entering drains.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Hygiene Measures

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|--------------|--|---|--|--|--|
| Acetonitrile | TWA: 40 ppm (8hr) TWA: 70 mg/m ³ (8hr) Skin | STEL: 60 ppm 15 min STEL: 102 mg/m ³ 15 min TWA: 40 ppm 8 hr TWA: 68 mg/m ³ 8 hr | TWA / VME: 40 ppm (8 heures). restrictive limit TWA / VME: 70 mg/m ³ (8 heures). restrictive limit TWA / VME: 5 mg/m ³ (8 heures). Peau | TWA: 20 ppm 8 uren TWA: 34 mg/m ³ 8 uren Huid | TWA / VLA-ED: 40 ppm (8 horas) TWA / VLA-ED: 68 mg/m ³ (8 horas) Piel |

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

| | | | | | |
|-------------|--|--|---|--|--|
| Acetic acid | TWA: 25 mg/m ³ (15min) TWA: 10 ppm (15min) STEL: 50 mg/m ³ (8h) STEL: 20 ppm (8h) | STEL: 37 mg/m ³ STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³ | TWA / VME: 10 ppm (8 heures). TWA / VME: 25 mg/m ³ (8 heures). STEL / VLCT: 20 ppm. indicative limit STEL / VLCT: 50 mg/m ³ . indicative limit | TWA: 10 ppm 8 uren TWA: 25 mg/m ³ 8 uren STEL: 15 ppm 15 minuten STEL: 38 mg/m ³ 15 minuten | STEL / VLA-EC: 20 ppm (15 minutos). STEL / VLA-EC: 50 mg/m ³ (15 minutos). TWA / VLA-ED: 10 ppm (8 horas) TWA / VLA-ED: 25 mg/m ³ (8 horas) |
|-------------|--|--|---|--|--|

| Component | Italy | Germany | Portugal | The Netherlands | Finland |
|--------------|--|---|--|----------------------------------|---|
| Acetonitrile | TWA: 20 ppm 8 ore. Time Weighted Average TWA: 35 mg/m ³ 8 ore. Time Weighted Average Pelle | TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 17 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 17 mg/m ³ (8 Stunden). MAK TWA: 2 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 34 mg/m ³ Höhepunkt: 2 mg/m ³ Haut | TWA: 40 ppm 8 horas TWA: 70 mg/m ³ 8 horas Pele | TWA: 34 mg/m ³ 8 uren | TWA: 20 ppm 8 tunteina TWA: 34 mg/m ³ 8 tunteina STEL: 40 ppm 15 minuutteina STEL: 68 mg/m ³ 15 minuutteina Iho |
| Acetic acid | TWA: 25 ppm 8 ore. Time Weighted Average TWA: 10 mg/m ³ 8 ore. Time Weighted Average STEL: 50 mg/m ³ 15 minuti. Short-term STEL: 20 ppm 15 minuti. Short-term | TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 25 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m ³ | STEL: 20 ppm 15 minutos STEL: 50 mg/m ³ 15 minutos TWA: 10 ppm 8 horas TWA: 25 mg/m ³ 8 horas | MAC-TGG 25 mg/m ³ | TWA: 5 ppm 8 tunteina TWA: 13 mg/m ³ 8 tunteina STEL: 10 ppm 15 minuutteina STEL: 25 mg/m ³ 15 minuutteina |

| Component | Austria | Denmark | Switzerland | Poland | Norway |
|--------------|--|--|---|--|---|
| Acetonitrile | Haut MAK-KZGW: 160 ppm 15 Minuten MAK-KZGW: 280 mg/m ³ 15 Minuten MAK-TMW: 40 ppm 8 Stunden MAK-TMW: 70 mg/m ³ 8 Stunden | TWA: 40 ppm 8 timer TWA: 70 mg/m ³ 8 timer STEL: 80 ppm 15 minutter STEL: 140 mg/m ³ 15 minutter Hud | Haut/Peau STEL: 40 ppm 15 Minuten STEL: 68 mg/m ³ 15 Minuten TWA: 20 ppm 8 Stunden TWA: 34 mg/m ³ 8 Stunden | STEL: 140 mg/m ³ 15 minutach TWA: 70 mg/m ³ 8 godzinach | TWA: 30 ppm 8 timer TWA: 50 mg/m ³ 8 timer TWA: 5 mg/m ³ 8 timer STEL: 45 ppm 15 minutter. value calculated STEL: 75 mg/m ³ 15 minutter. value calculated Hud |
| Acetic acid | MAK-KZGW: 20 ppm 15 Minuten MAK-KZGW: 50 mg/m ³ 15 Minuten MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 25 mg/m ³ 8 Stunden | TWA: 10 ppm 8 timer TWA: 25 mg/m ³ 8 timer STEL: 50 mg/m ³ 15 minutter STEL: 20 ppm 15 minutter | STEL: 20 ppm 15 Minuten STEL: 50 mg/m ³ 15 Minuten TWA: 10 ppm 8 Stunden TWA: 25 mg/m ³ 8 Stunden | STEL: 50 mg/m ³ 15 minutach TWA: 25 mg/m ³ 8 godzinach | TWA: 10 ppm 8 timer TWA: 25 mg/m ³ 8 timer STEL: 20 ppm 15 minutter. value from the regulation STEL: 50 mg/m ³ 15 minutter. value from the regulation |

| Component | Bulgaria | Croatia | Ireland | Cyprus | Czech Republic |
|--------------|--|--|--|---|---|
| Acetonitrile | TWA: 40 ppm TWA: 70 mg/m ³ Skin notation | kože TWA-GVI: 40 ppm 8 satima. TWA-GVI: 70 mg/m ³ 8 satima. | TWA: 40 ppm 8 hr. TWA: 70 mg/m ³ 8 hr. STEL: 120 ppm 15 min STEL: 310 mg/m ³ 15 min Skin | TWA: 40 ppm TWA: 70 mg/m ³ | TWA: 70 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 100 mg/m ³ |
| Acetic acid | TWA: 25 mg/m ³ TWA: 10 ppm STEL: 50 mg/m ³ | TWA-GVI: 10 ppm 8 satima. TWA-GVI: 25 mg/m ³ 8 | TWA: 20 ppm 8 hr. TWA: 50 mg/m ³ 8 hr. STEL: 20 ppm 15 min | STEL: 50 mg/m ³ STEL: 20 ppm TWA: 10 ppm | TWA: 25 mg/m ³ 8 hodinách. Ceiling: 50 mg/m ³ |

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

| | | | | | |
|--|---------------|---|-----------------------------------|---------------------------|--|
| | STEL : 20 ppm | satima. STEL-KGVI: 20 ppm 15 minutama. STEL-KGVI: 50 mg/m ³ 15 minutama. | STEL: 50 mg/m ³ 15 min | TWA: 25 mg/m ³ | |
|--|---------------|---|-----------------------------------|---------------------------|--|

| Component | Estonia | Gibraltar | Greece | Hungary | Iceland |
|--------------|--|--|---|---|--|
| Acetonitrile | Nahk TWA: 40 ppm 8 tundides. TWA: 70 mg/m ³ 8 tundides. | Skin notation TWA: 40 ppm 8 hr TWA: 70 mg/m ³ 8 hr | STEL: 60 ppm STEL: 105 mg/m ³ TWA: 40 ppm TWA: 70 mg/m ³ | TWA: 70 mg/m ³ 8 órában. AK lehetséges bőrön keresztüli felszívódás | TWA: 40 ppm 8 klukkustundum. TWA: 70 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 80 ppm Ceiling: 140 mg/m ³ |
| Acetic acid | TWA: 10 ppm 8 tundides. TWA: 25 mg/m ³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 25 mg/m ³ 15 minutites. | TWA: 25 mg/m ³ 8 hr TWA: 10 ppm 8 hr STEL: 50 mg/m ³ 15 min STEL: 20 ppm 15 min | STEL: 15 ppm STEL: 37 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³ | STEL: 50 mg/m ³ 15 percekben. CK TWA: 25 mg/m ³ 8 órában. AK | STEL: 20 ppm STEL: 50 mg/m ³ TWA: 10 ppm 8 klukkustundum. TWA: 25 mg/m ³ 8 klukkustundum. |

| Component | Latvia | Lithuania | Luxembourg | Malta | Romania |
|--------------|--|--|--|--|--|
| Acetonitrile | skin - potential for cutaneous exposure TWA: 40 ppm TWA: 70 mg/m ³ | TWA: 40 ppm IPRD TWA: 70 mg/m ³ IPRD Oda | Possibility of significant uptake through the skin TWA: 40 ppm 8 Stunden TWA: 70 mg/m ³ 8 Stunden | possibility of significant uptake through the skin TWA: 40 ppm TWA: 70 mg/m ³ | Skin notation TWA: 40 ppm 8 ore TWA: 70 mg/m ³ 8 ore |
| Acetic acid | STEL: 50 mg/m ³ STEL: 20 ppm TWA: 10 ppm TWA: 25 mg/m ³ | TWA: 10 ppm IPRD TWA: 25 mg/m ³ IPRD STEL: 50 mg/m ³ STEL: 20 ppm | TWA: 10 ppm 8 Stunden TWA: 25 mg/m ³ 8 Stunden STEL: 50 mg/m ³ 15 Minuten STEL: 20 ppm 15 Minuten | TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm 15 minuti STEL: 50 mg/m ³ 15 minuti | TWA: 10 ppm 8 ore TWA: 25 mg/m ³ 8 ore STEL: 20 ppm 15 minute STEL: 50 mg/m ³ 15 minute |

| Component | Russia | Slovak Republic | Slovenia | Sweden | Turkey |
|--------------|---|--|---|---|--|
| Acetonitrile | MAC: 10 mg/m ³ | Potential for cutaneous absorption TWA: 40 ppm TWA: 70 mg/m ³ | TWA: 40 ppm 8 urah TWA: 70 mg/m ³ 8 urah Koža STEL: 140 mg/m ³ 15 minutah STEL: 80 ppm 15 minutah | Indicative STEL: 60 ppm 15 minuter Indicative STEL: 100 mg/m ³ 15 minuter TLV: 30 ppm 8 timmar. NGV TLV: 50 mg/m ³ 8 timmar. NGV Hud | Deri TWA: 40 ppm 8 saat TWA: 70 mg/m ³ 8 saat |
| Acetic acid | Skin notation MAC: 5 mg/m ³ | Ceiling: 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³ | TWA: 10 ppm 8 urah TWA: 25 mg/m ³ 8 urah STEL: 50 mg/m ³ 15 minutah STEL: 20 ppm 15 minutah | Binding STEL: 10 ppm 15 minuter Binding STEL: 25 mg/m ³ 15 minuter TLV: 5 ppm 8 timmar. NGV TLV: 13 mg/m ³ 8 timmar. NGV | TWA: 10 ppm 8 saat TWA: 25 mg/m ³ 8 saat |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-----------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Acetonitrile 75-05-8 (>99.5) | | | | DNEL = 32.2mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|-----------------------------------|--|--|--|--|
| Acetonitrile 75-05-8 (>99.5) | DNEL = 40.6 ppm (68 mg/m ³) | DNEL = 40.6 ppm (68 mg/m ³) | DNEL = 40.6 ppm (68 mg/m ³) | DNEL = 40.6 ppm (68 mg/m ³) |
| Acetic acid 64-19-7 (<0.5) | DNEL = 25mg/m ³ | | DNEL = 25mg/m ³ | |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|-----------------------------------|------------------|-------------------------------------|--------------------|------------------------------------|-----------------------------|
| Acetonitrile 75-05-8 (>99.5) | PNEC = 10mg/L | PNEC = 7.53mg/kg sediment dw | PNEC = 10mg/L | PNEC = 32mg/L | PNEC = 2.41mg/kg soil dw |
| Acetic acid 64-19-7 (<0.5) | PNEC = 3.058mg/L | PNEC = 11.36mg/kg sediment dw | PNEC = 30.58mg/L | PNEC = 85mg/L | PNEC = 0.47mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water Intermittent | Food chain | Air |
|-----------------------------------|----------------------|-------------------------------------|---------------------------|------------|-----|
| Acetonitrile 75-05-8 (>99.5) | PNEC = 1mg/L | | | | |
| Acetic acid 64-19-7 (<0.5) | PNEC = 0.3058mg/L | PNEC = 1.136mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|-----------------|-------------------|-----------------|-------------------|--|
| Butyl rubber | > 480 minutes | 0.35 mm | EN 374 Level 6 | As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
| Neoprene gloves | < 60 minutes | 0.45 mm | | |

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|--|---|--|
| Physical State | Liquid | |
| Appearance | Colorless | |
| Odor | aromatic | |
| Odor Threshold | 170 ppm | |
| Melting Point/Range | -46 °C / -50.8 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 81 - 82 °C / 177.8 - 179.6 °F | @ 760 mmHg |
| Flammability (liquid) | Highly flammable | On basis of test data |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | Lower 3 vol % Upper 16 vol % | |
| Flash Point | 12.8 °C / 55 °F | Method - No information available |
| Autoignition Temperature | 525 °C / 977 °F | |
| Decomposition Temperature | No data available | |
| pH | No information available | |
| Viscosity | 0.36 cP at 20 °C | |
| Water Solubility | Miscible | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| Acetonitrile | -0.34 | |
| Acetic acid | -0.2 | |
| Vapor Pressure | 97 mbar @ 20 °C | |
| Density / Specific Gravity | 0.78 | Estimated |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | 1.42 | (Air = 1.0) |

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

Particle characteristics Not applicable (liquid)

9.2. Other information

Explosive Properties Not explosive Vapors may form explosive mixtures with air
Oxidizing Properties Not oxidising
Evaporation Rate 5.79 - (Butyl Acetate = 1.0)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions No information available.

10.4. Conditions to avoid Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
Exposure to moisture.

10.5. Incompatible materials Strong oxidizing agents. Strong acids. Reducing Agent. Bases.

10.6. Hazardous decomposition products Hydrogen cyanide (hydrocyanic acid). Nitrogen oxides (NO_x). Carbon monoxide (CO).
Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;
Oral Category 4
Dermal Category 4
Inhalation Category 4

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------|---|-------------------------|---|
| Acetonitrile | 450-787 mg/kg (Rat) 2460 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | LC50 = 3587 ppm (6.022 mg/l) (Mouse) 4h LC50 = 16,000 ppm (26.8 mg/l) (Rat) 4h |
| Acetic acid | 3310 mg/kg (Rat) | - | > 40 mg/L (Rat) 4 h |

| Component | ECHA (RAC) ATE (Oral) | ECHA (RAC) ATE (Dermal) | ECHA (RAC) ATE (Inhalation) |
|--------------|-----------------------|-------------------------|-----------------------------|
| Acetonitrile | ATE = 617 mg/kg | - | - |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

(d) respiratory or skin sensitization;

Respiratory
Skin

Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

(f) carcinogenicity;

Based on available data, the classification criteria are not met
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

(h) STOT-single exposure;

Based on available data, the classification criteria are not met

(i) STOT-repeated exposure;

Target Organs

Based on available data, the classification criteria are not met

None known.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|--------------|---|--------------------|------------------|
| Acetonitrile | LC50: = 1850 mg/L, 96h static (Lepomis macrochirus) LC50: = 1000 mg/L, 96h static (Pimephales promelas) LC50: 1600 - 1690 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1650 mg/L, 96h static (Poecilia reticulata) | | |
| Acetic acid | Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h | - |

| Component | Microtox | M-Factor |
|-----------|----------|----------|
|-----------|----------|----------|

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

| | | |
|--------------|---|--|
| Acetonitrile | EC50 = 28000 mg/L 48 h EC50 = 73 mg/L 24 h EC50 = 7500 mg/L 15 h | |
| Acetic acid | Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min | |

12.2. Persistence and degradability

Persistence

Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|--------------|---------|-------------------------------|
| Acetonitrile | -0.34 | No data available |
| Acetic acid | -0.2 | No data available |

12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant

Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1648
14.2. UN proper shipping name ACETONITRILE
14.3. Transport hazard class(es) 3
14.4. Packing group II

ADR

14.1. UN number UN1648
14.2. UN proper shipping name ACETONITRILE
14.3. Transport hazard class(es) 3
14.4. Packing group II

IATA

14.1. UN number UN1648
14.2. UN proper shipping name ACETONITRILE
14.3. Transport hazard class(es) 3
14.4. Packing group II

14.5. Environmental hazards No hazards identified
14.6. Special precautions for user No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|--------------|---------|-----------|--------|-----|-------|------|----------|------|------|
| Acetonitrile | 75-05-8 | 200-835-2 | - | - | X | X | KE-00067 | X | X |
| Acetic acid | 64-19-7 | 200-580-7 | - | - | X | X | X | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|--------------|---------|------|---|-----|------|------|-------|-------|
| Acetonitrile | 75-05-8 | X | ACTIVE | X | - | X | X | X |
| Acetic acid | 64-19-7 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High |
|-----------|--------|---|---|--|
| | | | | |

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

| | | | | Concern (SVHC) |
|--------------|---------|---|--|----------------|
| Acetonitrile | 75-05-8 | - | Use restricted. See item 75. (see link for restriction details) | - |
| Acetic acid | 64-19-7 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|--------------|---------|---|--|
| Acetonitrile | 75-05-8 | Not applicable | Not applicable |
| Acetic acid | 64-19-7 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|--------------|---------------------------------------|--|
| Acetonitrile | WGK2 | |
| Acetic acid | WGK1 | Class II : 0.10 g/m ³ (Massenkonzentration) |

| Component | France - INRS (Tables of occupational diseases) |
|--------------|--|
| Acetonitrile | Tableaux des maladies professionnelles (TMP) - RG 84 |

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

| Component | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---------------------------------|--|---|---|
| Acetic acid 64-19-7 (<0.5) | Prohibited and Restricted Substances | Group I | |

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/MDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Physical hazards

Data from closely analogous substances

Health Hazards

Bridging principle "Dilution"

Environmental hazards

Bridging principle "Dilution"

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date

20-Feb-2023

Revision Date

04-May-2023

Revision Summary

Initial Release.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006**

SAFETY DATA SHEET

DOSIURA Mobile Phase B

Revision Date 04-May-2023

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet