

according to Regulation (EC) No. 1907/2006

Creation Date 29-Aug-2014 Revision Date 02-Feb-2024 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Graphite plate, highly orientated pyrolytic graphite</u>

Cat No.: 43834

Synonyms mineral carbon; crystallized carbon; Black lead

CAS No 7782-42-5 **EC No** 231-955-3

Molecular Formula C REACH registration number -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

ALFAA43834

Graphite plate, highly orientated pyrolytic graphite

Revision Date 02-Feb-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Graphite	7782-42-5	EEC No. 231-955-3	<=100	-

READITIOGISTICATION HUMBSI	REACH registration number	-
----------------------------	---------------------------	---

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Revision Date 02-Feb-2024

Graphite plate, highly orientated pyrolytic graphite

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Graphite plate, highly orientated pyrolytic graphite

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs, Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before

re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 11

Switzerland - Storage of hazardous substances

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits

https://www.kvu.ch/it/temi/sostanze-e-prodotti Storage class - SC

Revision Date 02-Feb-2024

11/13

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): UK - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. IRE - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Graphite		STEL: 30 mg/m ³ 15 min	TWA / VME: 2 mg/m³ (8	TWA: 2 mg/m ³ 8 uren	TWA / VLA-ED: 2 mg/m ³
		STEL: 12 mg/m ³ 15 min	heures).	_	(8 horas)
		TWA: 10 mg/m ³ 8 hr	ŕ		, ,
		TWA: 4 mg/m ³ 8 hr			

	Component	Italy	Germany	Portugal	The Netherlands	Finland
ſ	Graphite		TWA: 1.5 mg/m ³ (8	TWA: 2 mg/m ³ 8 horas		TWA: 2 mg/m ³ 8
1	·		Stunden)			tunteina
-			MAKTWA: 4 mg/m ³			
-			(8Stunden). MAK			

Component	Austria	Denmark	Switzerland	Poland	Norway
Graphite	MAK-KZGW: 10 mg/m ³	TWA: 2.5 mg/m ³ 8 timer	TWA: 3 mg/m ³ 8	TWA: 4.0 mg/m ³ 8	TWA: 5 mg/m ³ 8 timer
	15 Minuten	STEL: 5 mg/m ³ 15	Stunden	godzinach	TWA: 2 mg/m ³ 8 timer
	MAK-TMW: 5 mg/m ³ 8	minutter	TWA: 10 mg/m ³ 8	TWA: 1.0 mg/m ³ 8	TWA: 10 mg/m ³ 8 timer
	Stunden		Stunden	godzinach	TWA: 4 mg/m ³ 8 timer
					STEL: 10 mg/m ³ 15
					minutter. natural;value
					calculated total dust
					STEL: 4 mg/m ³ 15
					minutter. natural;value
					calculated respirable
					dust
					STEL: 20 mg/m ³ 15
					minutter. synthetic;value
					calculated total dust
					STEL: 8 mg/m ³ 15
					minutter. synthetic;value
					calculated respirable
					dust

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Graphite	TWA: 5.0 mg/m ³	TWA-GVI: 4 mg/m ³ 8	TWA: 2 mg/m ³ 8 hr. all		TWA: 2.0 mg/m ³ 8

Graphite plate, highly orientated pyrolytic graphite

Revision Date 02-Feb-2024

satima. respirable dust	forms except fibres;	hodinách. respirable
TWA-GVI: 10 mg/m ³ 8	respirable fraction	fraction, <=5% Silica,
satima. total dust,	STEL: 6 mg/m ³ 15 min	Cristobalite, Tridymite
inhalable particles	_	and .gammaAluminium
·		oxide dust

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Graphite	TWA: 5 mg/m ³ 8		TWA: 10 mg/m ³	TWA: 5 mg/m ³ 8	TWA: 5 mg/m ³ 8
	tundides. total dust		TWA: 5 mg/m ³	órában. AK	klukkustundum. total
				TWA: 2 mg/m ³ 8	dust
				órában. AK	TWA: 2.5 mg/m ³ 8
					klukkustundum.
					respirable fraction
					Ceiling: 10 mg/m³ total
					dust
					Ceiling: 5 mg/m ³
					respirable dust

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Graphite	TWA: 2 mg/m ³	TWA: 5 mg/m ³ dust			TWA: 2 mg/m ³ 8 ore
	_	IPRD			_

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Graphite		TWA: 10 mg/m ³ total			
		aerosol			
		TWA: 2 mg/m ³			
		respirable fraction			

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Graphite 7782-42-5 (<=100)			DNEL = 1.2mg/m ³	DNEL = 1.2mg/m ³

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment Eye Protection

Graphite plate, highly orientated pyrolytic graphite

Revision Date 02-Feb-2024

Hand Protection Protective gloves

Breakthrough time Glove thickness **EU** standard Glove comments Glove material Disposable gloves See manufacturers EN 374 (minimum requirement) recommendations

Skin and body protection Long sleeved clothing.

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

No protective equipment is needed under normal use conditions. **Respiratory Protection**

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Solid **Physical State**

Greenish-blue **Appearance** Odorless Odor

Odor Threshold No data available

Melting Point/Range 3652.2 - 3697.2 °C / 6606 - 6687

Softening Point No data available 4200 °C / 7592 °F **Boiling Point/Range**

Flammability (liquid) Not applicable Solid

Flammability (solid,gas) No information available No data available **Explosion Limits**

Flash Point No information available Method - No information available

730 - °C / 1346 - °F **Autoignition Temperature** No data available **Decomposition Temperature**

рΗ No information available

Viscosity Not applicable Solid Insoluble

Water Solubility

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure negligible **Density / Specific Gravity** 2.09 - 2.25**Bulk Density** No data available **Vapor Density** Not applicable

Solid No data available Particle characteristics

9.2. Other information

Molecular Formula С **Molecular Weight** 12

Evaporation Rate Not applicable - Solid Revision Date 02-Feb-2024

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Excess heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

Oral No data available **Dermal** No data available Inhalation No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Graphite	-	-	LC50 > 2000 mg/m ³ (Rat) 4 h

No data available (b) skin corrosion/irritation;

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

Graphite plate, highly orientated pyrolytic graphite

Revision Date 02-Feb-2024

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Graphite	LC50: > 100 mg/L, 96h semi-static (Danio rerio)		

12.2. Persistence and degradability No information available

12.3. Bioaccumulative potential No information available

12.4. Mobility in soilNo information available

12.5. Results of PBT and vPvB

<u>assessment</u>

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Graphite plate, highly orientated pyrolytic graphite

Revision Date 02-Feb-2024

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

Not regulated IMDG/IMO

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

No special precautions required. 14.6. Special precautions for user

14.7. Maritime transport in bulk

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable, packaged goods

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Graphite	7782-42-5	231-955-3	-	-	X	X	X	-	-
	•								

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Graphite	7782-42-5	X	ACTIVE	X	ı	X	X	X

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Graphite plate, highly orientated pyrolytic graphite

Authorisation/Restrictions according to EU REACH

Revision Date 02-Feb-2024

	g			
Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
•		Annex XIV - Substances	Annex XVIÌ - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High

Not applicable

Seveso III Directive (2012/18/EC)

Component	CAS No Seveso III Directive (2012/18/EC) -		Seveso III Directive (2012/18/EC) -		
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report		
		Notification	Requirements		
Graphite	7782-42-5	Not applicable	Not applicable		

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Graphite	nwg	

Component	France - INRS (Tables of occupational diseases)	
Graphite	Tableaux des maladies professionnelles (TMP) - RG 16	
	Tableaux des maladies professionnelles (TMP) - RG 25	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances | DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances | Substances List | Substances List | PICCS - Philippines Inventory of Chemicals and Chemical Substances | ENCS - Japanese Existing and New Chemical Substances | ENCS - Japanese Existing | Substances | ENCS - Japanese | Existing | ENCS - Japanese | ENCS - Jap

Graphite plate, highly orientated pyrolytic graphite

IECSC - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By Health, Safety and Environmental Department

Creation Date 29-Aug-2014 **Revision Date** 02-Feb-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Revision Date 02-Feb-2024

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)