

SAFETY DATA SHEET

Revision Date 02-Apr-2024 Revision Number 4

1. Identification

Product Name Aluminum rod, alloy 6061

Cat No.: 42051

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Hazard Statements

Precautionary Statements
Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Aluminum	7429-90-5	97.9
Magnesium	7439-95-4	1.0
Silicon	7440-21-3	0.6
Copper	7440-50-8	0.27
Chromium	7440-47-3	0.2

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air.

Ingestion Do NOT induce vomiting.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media approved class D extinguishers.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards020W

Accidental release measures

Personal Precautions No special precautions required.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Pick up and transfer to properly labelled containers.

Un

7. Handling and storage

Handling Ensure adequate ventilation.

Storage. Keep in a dry place. Keep away from acids.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Aluminum	TWA: 1 mg/m ³	(Vacated) TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³
		(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	
		TWA: 15 mg/m ³		
		TWA: 5 mg/m ³		
Silicon		(Vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³	
		(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	
		TWA: 15 mg/m ³		
		TWA: 5 mg/m ³		
Copper	TWA: 0.2 mg/m ³	(Vacated) TWA: 0.1 mg/m ³	IDLH: 100 mg/m ³	TWA: 0.2 mg/m ³
		TWA: 0.1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
		TWA: 1 mg/m ³	TWA: 0.1 mg/m ³	
Chromium	TWA: 0.5 mg/m ³	(Vacated) TWA: 1 mg/m ³	IDLH: 250 mg/m ³	TWA: 0.5 mg/m ³
	_	TWA: 1 mg/m ³	TWA: 0.5 mg/m ³	_

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No special protective equipment required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceSilver / GreyOdorOdorless

Odor Threshold No information available

No information available

Melting Point/Range 660.4 °C

Boiling Point/Range
No information available
Flash Point
Evaporation Rate
No information available
No information available
No information available
No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity No information available

Bulk Density 2.7 g/cm3

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
No information available
No information available
No information available
No information available

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Dermal LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Mist LC50Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.Vapor LC50Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminum	Not listed	Not listed	LC50 > 0.888 mg/L (Rat) 4 h
Magnesium	LD50 = 230 mg/kg (Rat)	Not listed	Not listed
Silicon	LD50 = 3160 mg/kg (Rat)	Not listed	Not listed
Copper	Not listed	Not listed	LC50 > 5.11 mg/L (Rat) 4 h

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Aluminum	7429-90-5	Not listed				
Magnesium	7439-95-4	Not listed				
Silicon	7440-21-3	Not listed				
Copper	7440-50-8	Not listed				
Chromium	7440-47-3	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

No information available. **Developmental Effects**

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
	EC50: 0.031 - 0.054 mg/L,	Freshwater Fish LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales	Not listed	Water Flea EC50: = 0.03 mg/L, 48h Static (Daphnia magna)

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

No information available. **Mobility**

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods**

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

Not regulated DOT Not regulated TDG Not regulated IATA Not regulated IMDG/IMO

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Aluminum	7429-90-5	Χ	ACTIVE	-
Magnesium	7439-95-4	Χ	ACTIVE	-
Silicon	7440-21-3	Χ	ACTIVE	-
Copper	7440-50-8	Χ	ACTIVE	-
Chromium	7440-47-3	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aluminum	7429-90-5	Х	-	231-072-3	Х	Х		Х	Х	KE-00881
Magnesium	7439-95-4	Х	-	231-104-6	Х	Х		Х	Х	KE-22673
Silicon	7440-21-3	Х	-	231-130-8	Х	Х		Х	Х	KE-31029
Copper	7440-50-8	Х	-	231-159-6	Х	Х		Х	Х	KE-08896
Chromium	7440-47-3	Х	-	231-157-5	Х	X		Х	Х	KE-05970

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Aluminum	7429-90-5	97.9	1.0 %	-
Copper	7440-50-8	0.27	1.0 %	-
Chromium	7440-47-3	0.2	1.0 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper	-	-	Х	X
Chromium	-	-	X	X

Clean Air Act

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Copper	5000 lb	-	5000 lb 2270 kg
Chromium	5000 lb	-	5000 lb 2270 kg

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum	X	X	X	-	X
Magnesium	X	Х	Х	-	X
Silicon	X	X	X	-	X
Copper	Х	Х	X	X	X
Chromium	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum	-
Magnesium	-

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminum	7429-90-5	-	Use restricted. See item 75. (see link for restriction details)	-
Magnesium	7439-95-4	-	-	-
Silicon	7440-21-3	-	-	-
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-

Chromium	7440-47-3	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Aluminum	7429-90-5	Listed	Not applicable	Not applicable	Not applicable
Magnesium	7439-95-4	Listed	Not applicable	Not applicable	Not applicable
Silicon	7440-21-3	Listed	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Aluminum	7429-90-5	Not applicable	Not applicable	Not applicable	Not applicable
Magnesium	7439-95-4	Not applicable	Not applicable	Not applicable	Not applicable
Silicon	7440-21-3	Not applicable	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS