

Page 1/9 Creation Date 05-Oct-2010 Revision Date 31-Mar-2025 Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Thallium(I) nitrate, 99.5+% (metals basis)
Product Description: Thallium(I) nitrate, 99.5+% (metals basis)

 Cat No. :
 S55208

 Synonyms
 Thallous Nitrate

 CAS No
 10102-45-1

 Molecular Formula
 N O3 TI

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Oxidizing solids	Category 3 (H272)
Acute oral toxicity	Category 2 (H300)
Acute Inhalation Toxicity - Dusts and Mists	Category 2 (H330)
Specific target organ toxicity - (repeated exposure)	Category 2 (H373)
Chronic aquatic toxicity	Category 2 (H411)

#### Label Elements



## Signal Word Danger

#### **Hazard Statements**

H272 - May intensify fire; oxidizer

H300 - Fatal if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H330 - Fatal if inhaled

#### **Precautionary Statements**

#### Prevention

P220 - Keep away from clothing and other combustible materials

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P221 - Take any precaution to avoid mixing with combustibles

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

#### Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Thallium(I) nitrate	10102-45-1	>95

# **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

ALFAAS55208

Revision Date 31-Mar-2025

#### Thallium(I) nitrate, 99.5+% (metals basis)

Revision Date 31-Mar-2025

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention

is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or

other proper respiratory medical device.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Extinguishing media which must not be used for safety reasons

No information available.

#### Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx).

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

# Environmental precautions

Should not be released into the environment.

## Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Revision Date 31-Mar-2025

# **SECTION 7: HANDLING AND STORAGE**

# Precautions for Safe Handling

Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance. Use only under a chemical fume hood.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Store under an inert atmosphere. Protect from moisture. Keep container tightly closed in a dry and well-ventilated place.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL	
Thallium(I) nitrate	Thallium(I) nitrate		Skin	
		Skin		

Component	European Union	The United Kingdom	Germany
Thallium(I) nitrate		STEL: 0.3 mg/m <sup>3</sup> 15 min	
		TWA: 0.1 mg/m <sup>3</sup> 8 hr	
		Skin	

#### **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

## Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Thallium(I) nitrate, 99.5+% (metals basis)

Revision Date 31-Mar-2025

Handle in accordance with good industrial hygiene and safety practice **Hygiene Measures** 

Prevent product from entering drains Do not allow material to contaminate ground water **Environmental exposure controls** 

system

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

@ 760 mmHg

Solid

Solid

Information on basic physical and chemical properties

White **Appearance Physical State** Solid Odor Odorless

**Odor Threshold** No data available No information available Hq

Melting Point/Range 206 °C / 402.8 °F **Softening Point** No data available 433 °C / 811.4 °F **Boiling Point/Range** 

Method - No information available Flash Point No information available

Not applicable Solid **Evaporation Rate** 

Flammability (solid,gas) No information available No data available **Explosion Limits** 

**Vapor Pressure** No data available

**Vapor Density** Not applicable No data available Specific Gravity / Density **Bulk Density** No data available Water Solubility 95 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available **Autoignition Temperature** 

450 °C **Decomposition Temperature** 

**Viscosity** Not applicable

**Explosive Properties** No information available

**Oxidizing Properties** Oxidizer

N O<sub>3</sub> TI **Molecular Formula** 266.38 **Molecular Weight** 

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Yes.

**Chemical Stability** 

Thallium(I) nitrate, 99.5+% (metals basis)

Revision Date 31-Mar-2025

Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

**Conditions to Avoid** 

Incompatible products. Excess heat. Combustible material. Avoid dust formation. Exposure

to moist air or water.

Incompatible Materials

Strong oxidizing agents. Reducing Agent. Strong acids. Strong reducing agents.

Combustible material.

**Hazardous Decomposition Products** 

Nitrogen oxides (NOx).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on Toxicological Effects

**Product Information** 

(a) acute toxicity;

OralCategory 2DermalNo data availableInhalationCategory 2

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

Thallium(I) nitrate, 99.5+% (metals basis)

(i) STOT-repeated exposure; Category 2

**Target Organs** Liver, Kidney.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available.

delayed

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic **Ecotoxicity effects** 

environment. The product contains following substances which are hazardous for the

environment.

Persistence and degradability

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Degradability Not relevant for inorganic substances.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

No information available Other adverse effects

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Do not let this chemical enter the environment Waste codes should

be assigned by the user based on the application for which the product was used Do not

empty into drains

ALFAAS55208

Revision Date 31-Mar-2025

Thallium(I) nitrate, 99.5+% (metals basis)

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN2727
Hazard Class 6.1
Subsidiary Hazard Class 5.1
Packing Group II

Proper Shipping Name THALLIUM NITRATE

Road and Rail Transport

UN-No UN2727
Hazard Class 6.1
Subsidiary Hazard Class 5.1
Packing Group II

Proper Shipping Name THALLIUM NITRATE

**IATA** 

UN-No UN2727
Hazard Class 6.1
Subsidiary Hazard Class 5.1
Packing Group II

Proper Shipping Name THALLIUM NITRATE

Special Precautions for User No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Thallium(I) nitrate	233-273-1	Х	-	Х	X	Х	X	Х	Х

Component	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention
-	(2012/18/EC) - Qualifying	(2012/18/EC) - Qualifying	(PIC)	(Hazardous Waste)
	Quantities for Major	Quantities for Safety	• •	, ,
	Accident Notification	Report Requirements		
Thallium(I) nitrate				Annex I - Y30

## **National Regulations**

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

## Legend

**CAS** - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

Revision Date 31-Mar-2025

#### Thallium(I) nitrate, 99.5+% (metals basis)

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment **LC50** - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

Revision Date 31-Mar-2025

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 31-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**