

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name Aluminum, plasma standard solution, Specpure®, Al 2.5µg/ml

Product Code S55510

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary

National Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal Category 1

**Health hazards** 

Skin Corrosion/Irritation Category 1 A
Serious Eye Damage/Eye Irritation Category 1

Environmental hazards
No hazards identified

Label Elements



ALFAAS55510 Version 2 19-Nov-2022 Page 1/10

### Signal Word Danger

### **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

### **Precautionary Statements**

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %		
Water	7732-18-5	94.99		
Nitric acid …% [C ≤ 70 %]	7697-37-2	5		
Aluminium nitrate nonahydrate	7784-27-2	0.004		

# Section 4 - First Aid Measures

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

ALFAAS55510 Version 2 19-Nov-2022 Page 2/10

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

# Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Not combustible. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

#### **Hazardous Decomposition Products**

Nitrogen oxides (NOx), Fumes of aluminum or aluminum oxide.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### Section 6 - Accidental Release Measures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

ALFAAS55510 Version 2 19-Nov-2022 Page 3 / 10

### Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]
Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Nitric acid% [C ≤ 70 %]	STEL: 4 ppm STEL: 10 mg/m³ TWA: 2 ppm TWA: 5.2 mg/m³	TWA: 2 ppm TWA: 5.2 mg/m³ STEL: 4 ppm STEL: 10 mg/m³	TWA: 2 ppm STEL: 4 ppm	STEL: 1 ppm 15 min STEL: 2.6 mg/m³ 15 min	TWA: 1 ppm (8 Stunden). AGW - TWA: 2.6 mg/m³ (8 Stunden). AGW -
Aluminium nitrate nonahydrate	TWA: 2 mg/m <sup>3</sup>			STEL: 6 mg/m³ 15 min TWA: 2 mg/m³ 8 hr	

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### **Exposure Controls**

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Г	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
	Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)
=					

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

ALFAAS55510 Version 2 19-Nov-2022 Page 4/10

# Aluminum, plasma standard solution, Specpure®, Al 2.5µg/ml

### SAFETY DATA SHEET

Method - No information available

Liquid

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

**Recommended half mask:-** Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Appearance** 

Physical State Liquid

**Odor** No information available

Odor Threshold No data available

**pH** No information available

Melting Point/Range
Softening Point
Railing Point/Pange
No data available
No data available
No information available

Boiling Point/Range No information available Flash Point No information available

Evaporation Rate No data available
Flammability (solid,gas) Not applicable Liquid

Flammability (solid,gas) Not applicable Explosion Limits No data available

Vapor Pressure 23 hPa @ 20 °C

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density No data available Bulk Density Not applicable

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component  $[C \le 70 \%]$  | Component | Comp

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

**Explosive Properties**No information available
No information available

Other information

## Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials Strong bases.

Hazardous Decomposition Products Nitrogen oxides (NOx). Fumes of aluminum or aluminum oxide.

**Hazardous Polymerization**No information available.

## Section 11 - Toxicological Information

ALFAAS55510 Version 2 19-Nov-2022 Page 5 / 10

### Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral

**Dermal** No data available Inhalation No data available

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid% [C ≤ 70 %]			LC50 = 2500 ppm. (Rat) 1h

(b) skin corrosion/irritation;

Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

# Section 12 - Ecological Information

**Ecotoxicity effects** 

Persistence and Degradability

**Persistence** 

Miscible with water, Persistence is unlikely, based on information available.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Nitric acid% [C ≤ 70 %]	-2.3	No data available
Mobility	The product is water soluble, and may spread	in water systems. Will likely be mobile in the

**Endocrine Disruptor Information Persistent Organic Pollutant** 

environment due to its water solubility Highly mobile in soils

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance

ALFAAS55510 Version 2 19-Nov-2022 Page 6/10

**Ozone Depletion Potential** 

This product does not contain any known or suspected substance

# Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will

affect pH and harm aquatic organisms.

# Section 14 - Transport Information

### IMDG/IMO

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group III

### ADG

UN-No UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group III

r doking Group	
Component	Hazchem Code
Nitric acid% [C ≤ 70 %]	2R
7697-37-2 ( 5 )	2P
	2PF

### IATA

UN-No UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group

Environmental hazards No hazards identified

**Special Precautions**No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

ALFAAS55510 Version 2 19-Nov-2022 Page 7/10

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons					
Nitric acid% [C ≤ 70 %] - 7697-37-2	Schedule 5 listed - except its salts and derivatives; in preparations except in preparations containing					
	<=0.5% of Nitric acid					
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5, or in					
	preparations containing <=0.5% of Nitric acid					

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Present	-
Aluminium nitrate nonahydrate - 7784-27-2	Present	÷

### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Compoi	nent	Australian - Illicit Drug	Chemicals of Security Concern
		Precursors/Reagents Substance List	
Nitric acid …% [C ≤ 7	0 %] - 7697-37-2		Listed in Appendix A
Ī	-		Precursors to homemade explosives -
			concentration >=30%

### Legend

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/security.concerns

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Nitric acid% [C ≤ 70 %] - 7697-37-2	10 tonne/yr. Threshold category 1

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	Х	-	Х	Х		Х	KE-35400
Nitric acid% [C ≤ 70 %]	Х	Х	231-714-2	-	Х	Х	-	Х	Х	Х	Х	KE-25911
Aluminium nitrate nonahydrate	Х	Х	ı	-	ı	ı	-	Х	Х		Х	-

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

ALFAAS55510 Version 2 19-Nov-2022 Page 8/10

\_\_\_\_\_

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Nitric acid% [C ≤ 70 %] - 7697-37-2	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
Aluminium nitrate nonahydrate	7784-27-2	Not applicable	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	1907/2006) article 59 - Candidate List of Substances of Very High
			Concern (SVHC)
Nitric acid% [C ≤ 70 %]	- -	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

## **Section 16 - Other Information**

### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

ALFAAS55510 Version 2 19-Nov-2022 Page 9/10

# Aluminum, plasma standard solution, Specpure®, Al 2.5µg/ml

### SAFETY DATA SHEET

WEL - Workplace Exposure Limit RPE - Respiratory Protective Equipment

WEL - Workplace Exposure Limit

NOEL - Derived No Effect Level

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

**VOC** - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health Hazards Calculation method
Environmental hazards Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 19-Nov-2022 Revision Summary Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ALFAAS55510 Version 2 19-Nov-2022 Page 10 / 10