

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk: **Beryllium sulfate tetrahydrate**  
 Product Description: **Beryllium sulfate tetrahydrate**  
 Cat No. : 16104  
 CAS No 7787-56-6  
 Molecular Formula BeSO<sub>4</sub>.4H<sub>2</sub>O

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

Acute oral toxicity	Category 3 (H301)
Acute Inhalation Toxicity - Dusts and Mists	Category 2 (H330)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Skin Sensitization	Category 1 (H317)
Specific target organ toxicity - (single exposure)	Category 3 (H335)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)
Chronic aquatic toxicity	Category 2 (H411)

**Label Elements**


# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

## Signal Word

## Danger

### Hazard Statements

H301 - Toxic if swallowed  
H330 - Fatal if inhaled  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H350i - May cause cancer by inhalation  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

### Precautionary Statements

#### Prevention

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P284 - Wear respiratory protection

#### Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other Hazards

Toxic to terrestrial vertebrates  
This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Beryllium sulfate tetrahydrate	7787-56-6	<=100

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

<b>Eye Contact</b>	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## **Most important symptoms and effects, both acute and delayed**

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

## **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors.

### **Hazardous Combustion Products**

None under normal use conditions.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

### **Environmental precautions**

Do not flush into surface water or sanitary sewer system.

# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

## Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Beryllium sulfate tetrahydrate		TWA: 0.00005 mg/m <sup>3</sup>	(Vacated) TWA: 2 µg/m <sup>3</sup> (Vacated) STEL: 25 µg/m <sup>3</sup> (Vacated) Ceiling: 5 µg/m <sup>3</sup> Ceiling: 2 µg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Beryllium sulfate tetrahydrate		STEL: 0.006 mg/m <sup>3</sup> 15 min TWA: 0.002 mg/m <sup>3</sup> 8 hr Carc.	TWA: 0.00006 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1 TWA: 0.00014 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### **Eye Protection**

Goggles

##### **Hand Protection**

Protective gloves

##### **Skin and body protection**

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

## Recommended Filter type:

Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance

White

#### Physical State

Solid Crystalline

#### Odor

No information available

#### Odor Threshold

No data available

#### pH

No information available

#### Melting Point/Range

550 - 600 °C / 1022 - 1112 °F

#### Softening Point

No data available

#### Boiling Point/Range

No information available

#### Flash Point

No information available

Method - No information available

#### Evaporation Rate

Not applicable

Solid

#### Flammability (solid,gas)

No information available

#### Explosion Limits

No data available

#### Vapor Pressure

No data available

#### Vapor Density

Not applicable

Solid

#### Specific Gravity / Density

1.17 g/cm<sup>3</sup>

@ 20 °C

#### Bulk Density

800 kg/m<sup>3</sup>

#### Water Solubility

No information available

#### Solubility in other solvents

No information available

### Partition Coefficient (n-octanol/water)

#### Autoignition Temperature

No data available

#### Decomposition Temperature

No data available

#### Viscosity

Not applicable

Solid

#### Explosive Properties

No information available

#### Oxidizing Properties

No information available

#### Molecular Formula

BeSO<sub>4</sub>.4H<sub>2</sub>O

#### Molecular Weight

177.14 (105.07anhy)

# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

**Hazardous Polymerization**  
**Hazardous Reactions**

No information available.  
None under normal processing.

### Conditions to Avoid

None known.

### Incompatible Materials

None known.

### Hazardous Decomposition Products

None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

#### (a) acute toxicity;

Oral

Category 3

Dermal

No data available

Inhalation

Category 2

#### (b) skin corrosion/irritation;

Category 2

#### (c) serious eye damage/irritation;

Category 2

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

Category 1

May cause sensitization by skin contact

#### (e) germ cell mutagenicity;

No data available

#### (f) carcinogenicity;

No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

Component	EU	UK	Germany	IARC
Beryllium sulfate tetrahydrate				Group 1

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 1

Route of exposure Inhalation  
Target Organs Lungs.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Beryllium sulfate tetrahydrate				EC50 = 252.5 mg/L 5 min

Persistence and degradability No information available  
Degradability Not relevant for inorganic substances.  
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential No information available

Mobility in soil No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods  
Waste from Residues/Unused Waste is classified as hazardous Dispose of in accordance with the European Directives on

# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

Products	waste and hazardous waste Dispose of in accordance with local regulations
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
Other Information	Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not let this chemical enter the environment

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No	UN1566
Hazard Class	6.1
Packing Group	II
Proper Shipping Name	BERYLLIUM COMPOUND, N.O.S. (Beryllium sulfate tetrahydrate)

### Road and Rail Transport

UN-No	UN1566
Hazard Class	6.1
Packing Group	II
Proper Shipping Name	BERYLLIUM COMPOUND, N.O.S. (Beryllium sulfate tetrahydrate)

### IATA

UN-No	UN1566
Hazard Class	6.1
Packing Group	II
Proper Shipping Name	BERYLLIUM COMPOUND, N.O.S. (Beryllium sulfate tetrahydrate)

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Beryllium sulfate tetrahydrate	-	-	-	X	X	X	X	X	-

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Beryllium sulfate tetrahydrate				Annex I - Y20

### National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION



# SAFETY DATA SHEET

Beryllium sulfate tetrahydrate

Revision Date 28-Mar-2025

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

**Revision Date**

**Revision Summary**

Health, Safety and Environmental Department

28-Mar-2025

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**