# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 03-Sep-2009 Revision Date 07-Apr-2024 Version 6

ACR32717

# N,N-Dimethylformamide

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: N,N-二甲基甲酰胺

Product Description: N,N-Dimethylformamide

Cat No.: 327170000; 327170025; 327170100; 327171000; 327175000

SynonymsDMFCAS No68-12-2Molecular FormulaC3 H7 N O

Supplier UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidColorlessRotten-egg like

**Emergency Overview** 

May be harmful if swallowed. Flammable liquid and vapor. Causes serious eye irritation. May damage fertility or the unborn child. Harmful in contact with skin. Harmful if inhaled.

### Classification of the substance or mixture

Flammable liquids.	Category 3
Acute Oral Toxicity	Category 5
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Serious Eye Damage/Eye Irritation	Category 2
Reproductive Toxicity	Category 1B

## **Label Elements**

## N,N-Dimethylformamide



#### Signal Word

#### Danger

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H303 - May be harmful if swallowed

H319 - Causes serious eye irritation

H312 + H332 - Harmful in contact with skin or if inhaled

H360 - May damage fertility or the unborn child

## **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Flammable liquid.

## **Health Hazards**

May be harmful if swallowed. Causes serious eye irritation. May damage fertility or the unborn child. Harmful in contact with skin. Harmful if inhaled.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility but will likely degrade over time. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

#### Other Hazards

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Dimethylformamide	68-12-2	>95

Page 3/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

## **SECTION 4. FIRST AID MEASURES**

## **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

#### Ingestion

Do NOT induce vomiting. Get medical attention.

## Most important symptoms and effects

Irritating to eyes. Difficulty in breathing. May be harmful if absorbed through skin: Gastrointestinal discomfort: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### **Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Do not use water jetstream.

### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

## Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

Page 4/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

## **SECTION 7. HANDLING AND STORAGE**

### Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

## Specific Use(s)

Use in laboratories

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	omponent China Taiwan		Thailand	Hong Kong
Dimethylformamide	TWA: 20 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
	Skin	TWA: 30 mg/m <sup>3</sup>	1	TWA: 30 mg/m <sup>3</sup>

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Dimethylformamide	TWA: 5 ppm	(Vacated) TWA: 10	IDLH: 500 ppm	STEL: 10 ppm 15 min	TWA: 15 mg/m <sup>3</sup> (8h)
	Skin	ppm	TWA: 10 ppm	STEL: 30 mg/m <sup>3</sup> 15	TWA: 5 ppm (8h)
		(Vacated) TWA: 30	TWA: 30 mg/m <sup>3</sup>	min	Skin
		mg/m³	_	TWA: 5 ppm 8 hr	
		Skin		TWA: 15 mg/m <sup>3</sup> 8 hr	
		TWA: 10 ppm		Skin	STEL: 10 ppm (15min)
		TWA: 30 mg/m <sup>3</sup>			STEL: 30 mg/m <sup>3</sup>
					(15min) -
					STEL: 30 mg/m <sup>3</sup> (8h)
					STEL: 10 ppm (8h)

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

## **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	> 480 minutes	0.5 mm	EN 374	As tested under EN374-3 Determination of
Neoprene	< 100 minutes	0.45 mm		Resistance to Permeation by Chemicals

Page 5/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Type A Organic gases and vapours filter Brown conforming to

EN14387

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

20% aq.sol

141

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

**Environmental exposure controls** Prevent product from entering drains.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Colorless **Appearance Physical State** Liquid

Rotten-egg like Odor No data available **Odor Threshold** 

6-8 @ 20°C pН -61 °C / -77.8 °F **Melting Point/Range** 

**Softening Point** No data available **Boiling Point/Range** 153 °C / 307.4 °F

Flash Point 58 °C / 136.4 °F Method - Abel-Pensky (DIN 51755)

**Evaporation Rate** 0.17 (Butyl Acetate = 1.0)

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** Lower 2.2 vol% Upper 16 vol%

**Vapor Pressure** 4.9 mbar @ 20 °C **Vapor Density** 2.5

(Air = 1.0)@ 20 °C Specific Gravity / Density 0.945 **Bulk Density** Not applicable Liquid **Water Solubility** Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Dimethylformamide -1.028

445 °C / 833 °F **Autoignition Temperature** 

> 350°C **Decomposition Temperature** 

**Viscosity** 0.8 mPa.s at 20 °C **Explosive Properties** Not explosive

explosive air/vapour mixtures possible

**Oxidizing Properties** No information available

Page 6/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

Molecular Formula C3 H7 N O Molecular Weight 73.09

Surface tension 36.42 mN/m (25 °C)

## **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions.

**Hazardous Reactions**None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Materials to avoid Strong oxidizing agents. Halogens. Halogenated compounds. Reducing Agent. .

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethylformamide	3040 mg/kg (Rat)	1500 mg/kg (Rabbit)	>5.58 mg/L/4h (Rat)
		3.2 g/kg ( Rat )	1

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2 Test species Category 2

Observation end point Irritating to eyes

(d) respiratory or skin sensitization;

**Respiratory**Skin

Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

Compor	nent	Test method	Test species	Study result
Dimethylforr	mamide Guinea	Pig Maximisation Test	guinea pig	<ul> <li>non-sensitising</li> </ul>
68-12-2 (	>95)	(GPMT)		_

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC	
Dimethylformamide				Group 2A	

(g) reproductive toxicity; Category 1B

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects May cause harm to the unborn child. Developmental effects have occurred in experimental

animals.

**Teratogenicity** Teratogenic effects have occurred in experimental animals.

Page 7/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

Based on available data, the classification criteria are not met (j) aspiration hazard;

delayed

Symptoms / effects,both acute and May be harmful if absorbed through skin: Gastrointestinal discomfort: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity effects**

**Persistence** 

**Water Flea** Component Freshwater Fish Freshwater Algae **Microtox** Dimethylformamide EC50 = 2000 mg/L 5 Pimephales promelas: EC50 = 7500 mg/L/48hEC50 = 7500 mg/L/96hLC50 = 10.6 g/L/96hmin Onchorhynchus mykiss: EC50 = 570 mg/L 240 h LC50 = 9.8 g/L/96hLepomis macrochirus: LC50 = 6.3 g/L/96h

Persistence and Degradability

Readily biodegradable Persistence is unlikely.

Component	Degradability
Dimethylformamide	100 % (OECD 301E (21d))
68-12-2 ( >95 )	

Degradation in sewage treatment plant

Contains no substances known to be hazardous to the environment or not degradable in

waste water treatment plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Dimethylformamide	-1.028	0.3 - 1.2 L/kg

Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility but will likely degrade over time Will likely be mobile

in the environment due to its water solubility Highly mobile in soils

Surface tension 36.42 mN/m (25 °C)

**Endocrine Disruptor Information** 

ſ	Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor		
L		Candidate List	Evaluated Substances	Information		
Dimethylformamide		Group III Chemical				
Ē	Persistent Organic Pollutant	This product does not contain	any known or suspected subs	tance		
Ozona Danlation Potential This product does not contain any known or suspected substance						

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused **Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Page 8/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with

local regulations.

## **SECTION 14. TRANSPORT INFORMATION**

#### Road and Rail Transport

UN-No UN2265

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Hazard Class 3
Packing Group III

## IMDG/IMO

UN-No UN2265

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN2265

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Hazard Class 3
Packing Group III

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

## **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	<b>ENCS</b>	ISHL	AICS	KECL
	Inventory of Hazardous Chemicals (2015 Edition)	•										
Dimethylformamide	Х	Х	Х	Х	200-679-5	Х	Х	Х	Х	Х	Х	KE-11411

## **National Regulations**

Component	Toxic Chemical Substances Control Act
Dimethylformamide	Class II (30 wt%)
68-12-2 ( >95 )	TRQ = 50 kg

## **SECTION 16. OTHER INFORMATION**

Creation Date03-Sep-2009Revision Date07-Apr-2024Revision SummaryNot applicable.

Page 9/9 Revision Date 07-Apr-2024

## N,N-Dimethylformamide

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**