

SAFETY DATA SHEET

Creation Date 12-Jun-2009 Revision Date 01-Sep-2023 Revision Number 2

1. Identification

Product Name Benzylamine

Cat No. : SB00810R3

CAS No 100-46-9

Synonyms Benzenemethanamine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Thermo Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Category 4

Acute dermal toxicity

Category 4

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Combustible liquid

Causes severe skin burns and eye damage May cause respiratory irritation Harmful if swallowed or in contact with skin



Precautionary Statements

Prevention

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Wear protective gloves/protective clothing/eye protection/face protection

Ground/bond container and receiving equipment

Keep container tightly closed

Take precautionary measures against static discharge

Avoid breathing dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Wash face, hands and any exposed skin thoroughly after handling

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Immediately call a POISON CENTER or doctor/physician

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Ingestion

Rinse mouth

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Fire

Fight fire with normal precautions from a reasonable distance

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Benzenemethanamine	100-46-9	>95

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

·

Eve ContactRinse immediately with plenty of water, also under the evelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 72 °C / 161.6 °F

Method - CC (closed cup)

Autoignition Temperature 405 °C / 761 °F

Explosion Limits

Upper 8.20 vol % **Lower** 0.70 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards320N/A

6. Accidental release measures

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin,

eyes or clothing.

Environmental Precautions Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up

Remove all sources of ignition.

7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment/face protection.

Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with skin,

eyes or clothing. Avoid ingestion and inhalation. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Flammables area. Corrosives area. Incompatible Materials.

Strong oxidizing agents. Acids.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

are close to the workstation location. Use explosion-proof electrical/ventilating/lighting

equipment. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Recommended Filter type:

Eve/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Clear

Odor Ammonia-like

Odor Threshold No information available

pH 11.6 100 g/l aq. sol **Melting Point/Range** -30 °C / -22 °F

Boiling Point/Range 182 - 185 °C / 359.6 - 365 °F @ 760 mmHg

Flash Point 72 °C / 161.6 °F Method - CC (closed cup)

Evaporation RateNo information available

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

Upper 8.20 vol % **Lower** 0.70 vol %

 Vapor Pressure
 0.6 mbar @ 20 °C

 Vapor Density
 3.70 (Air = 1.0)

Specific Gravity 0.980

Benzylamine

Solubility Partition coefficient; n-octanol/water **Autoignition Temperature**

Decomposition Temperature Viscosity

Molecular Formula **Molecular Weight**

Slightly soluble in water No data available 405 °C / 761 °F No information available 1.82 mPa.s @ 20 °C

C7 H9 N 107.15

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Carbon monoxide (CO₂), Carbon dioxide (CO₂), Nitrogen oxides (NOx)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Benzenemethanamine	552 mg/kg (Rat)	1350 mg/kg (Rat)	LC50 > 0.65 mg/L (Rat) 3 h		

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Benzenemethanamine	100-46-9	Not listed				

Not mutagenic in AMES Test **Mutagenic Effects**

No information available. **Reproductive Effects Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is:. Harmful to aquatic organisms. Do not empty into drains. Do not flush into surface water or sanitary sewer system. The product contains following substances which are hazardous for the environment.

	Component Freshwater Algae		nponent Freshwater Algae Freshwater Fish M		Water Flea
ı	Benzenemethanamine	Not listed	Pimephales promelas: LC50:	EC50 = 17.0 mg/L 15 min	EC50: 60 mg/L/48h
			102 mg/L/96h	EC50 = 17.0 mg/L 30 min	_
				$FC50 = 21.4 \text{ mg/L} \cdot 5 \text{ min}$	

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow	
Benzenemethanamine	1.09	

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Technical Name (BENZYLAMINE)

Hazard Class 8
Packing Group ||

TDG

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group

<u>IATA</u>

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory	
			Active-Inactive	Flags	

Revision Date 01-Sep-2023

Benzylamine

Benzenemethanamine	100-46-9	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ī	Benzenemethanamine	100-46-9	Х	-	202-854-1	X	X	Х	Х	Х	KE-02568

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
		-	Substances	Substances of Very High

Benzylamine

				Concern (SVHC)
Benzenemethanamine	100-46-9	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzenemethanamine	100-46-9	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities	• •	, ,	
		for Major Accident	for Safety Report		
		Notification	Requirements		
Benzenemethanamine	100-46-9	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information	
Prepared By	Regulatory Affairs	

Email: EMSDS.RA@thermofisher.com

Thermo Fisher Scientific

 Creation Date
 12-Jun-2009

 Revision Date
 01-Sep-2023

 Print Date
 01-Sep-2023

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS