

Page 1/8 Revision Date 12-May-2024 Version 3

ALFAAH36793

# Zirconium Metal powder, Grade ZM, dry

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Zirconium Metal powder, Grade ZM, dry Product Description: Zirconium Metal powder, Grade ZM, dry

Cat No.: H36793

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceSolid PowderNo information available

Odor No information available

**Emergency Overview** 

Flammable solid. Self-heating; may catch fire.

### Classification of the substance or mixture

Flammable solids.	Category 2 Category 1
Self-heating substances/mixtures	Category 1

# **Label Elements**



Signal Word Danger

Hazard Statements H228 - Flammable solid

H251 - Self-heating: may catch fire

Page 2/8 Revision Date 12-May-2024

## Zirconium Metal powder, Grade ZM, dry

**Precautionary Statements** 

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

# Storage

P403 - Store in a well-ventilated place

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Combustible material. Self-heating; may catch fire.

#### **Health Hazards**

The product contains no substances which at their given concentration are considered to be hazardous to health.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

This product does not contain any known or suspected endocrine disruptors.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %		
Zirconium	7440-67-7	90-100		
Hafnium	7440-58-6	1-2.5		

### **SECTION 4. FIRST AID MEASURES**

#### **Eye Contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

### Inhalation

Remove to fresh air.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water.

### Most important symptoms and effects

No information available.

# Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### **Notes to Physician**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

Page 3/8 Revision Date 12-May-2024

Zirconium Metal powder, Grade ZM, dry

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information. Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

#### Handling

Ensure adequate ventilation.

#### Storage

Keep container tightly closed in a dry and well-ventilated place.

## Specific Use(s)

Use in laboratories

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Zirconium	TWA: 5 mg/m³ STEL: 10 mg/m³	-		-
Hafnium	-	TWA: 0.5 mg/m <sup>3</sup>		-

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Zirconium	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	(Vacated) TWA: 5 mg/m³ (Vacated) STEL: 10 mg/m³	IDLH: 50 mg/m³ TWA: 5 mg/m³ STEL: 10 mg/m³	-	
Hafnium	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 0.5 mg/m³ TWA: 0.5 mg/m³	IDLH: 50 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	-	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and

Page 4/8 Revision Date 12-May-2024

Zirconium Metal powder, Grade ZM, dry

inhalable dust

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Method - No information available

Solid

and maintained properly

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits Large scale/emergency use

are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** 

Flash Point

**Physical State** Solid Powder

No information available Odor **Odor Threshold** No data available

pН Not applicable Melting Point/Range 1855 °C / 3371 °F **Softening Point** No data available **Boiling Point/Range** 3577 °C / 6470.6 °F

**Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

No information available

ALFAAH36793

# SAFETY DATA SHEET

Page 5 / 8 Revision Date 12-May-2024

Zirconium Metal powder, Grade ZM, dry

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density Not applicable Solid

Specific Gravity / Density 6.434

Bulk DensityNo data availableWater SolubilityNo information availableSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available Decomposition Temperature No data available

Viscosity Not applicable Solid

Explosive Properties No information available Oxidizing Properties No information available

# **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions.

Hazardous ReactionsNo information available.Hazardous PolymerizationNo information available.

Conditions to Avoid None known.

Materials to avoid No information available.

Hazardous Decomposition Products Zirconium oxide. Hafnium oxide.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Product Information**No acute toxicity information is available for this product

(a) acute toxicity;

Toxicology data for the components

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

Page 6 / 8 Revision Date 12-May-2024

Zirconium Metal powder, Grade ZM, dry

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence May persist.

Degradability

Degradation in sewage

treatment plant

Not relevant for inorganic substances.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Product has a high potential to bioconcentrate

Mobility in soil No information available

**Endocrine Disruptor Information Persistent Organic Pollutant** 

Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with

local regulations.

## **SECTION 14. TRANSPORT INFORMATION**

**Road and Rail Transport** 

UN-No UN2008

Proper Shipping Name ZIRCONIUM POWDER, DRY

Hazard Class 4.2 Packing Group

Page 7/8 Revision Date 12-May-2024

Zirconium Metal powder, Grade ZM, dry

IMDG/IMO

UN2008 **UN-No** 

ZIRCONIUM POWDER, DRY **Proper Shipping Name** 

**Hazard Class** 4.2 **Packing Group** 

FORBIDDEN FOR IATA TRANSPORT IATA

**Special Precautions for User** No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Zirconium	X	X	X	Х	231-176-9	Х	X	Х	Х		Х	KE-35607
Hafnium	Х	Х	Х	-	231-166-4	Х	Х	Х	Х		-	KE-18170

#### **National Regulations**

## **SECTION 16. OTHER INFORMATION**

Health, Safety and Environmental Department **Prepared By** 

**Revision Date** 12-May-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List **ENCS** - Japanese Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit **ACGIH** - American Conference of Governmental Industrial Hygienists TWA - Time Weighted Average IARC - International Agency for Research on Cancer

**DNEL** - Derived No Effect Level

PNEC - Predicted No Effect Concentration

RPE - Respiratory Protective Equipment

LD50 - Lethal Dose 50%

ALFAAH36793

# SAFETY DATA SHEET

Page 8 / 8 Revision Date 12-May-2024

## Zirconium Metal powder, Grade ZM, dry

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic **EC50** - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships **ATE** - Acute Toxicity Estimate **VOC** - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards

Health Hazards

Calculation method

Environmental hazards

Cn basis of test data

Calculation method

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**