

## SAFETY DATA SHEET

Revision Date 01-April-2024

Revision Number 3

### 1. Identification

**Product Name** Isopropylmagnesium chloride, 1M in MeTHF

**Cat No. :** H51155

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

<b>Flammable liquids</b>	Category 2	
<b>Substances/mixtures which, in contact with water, emit flammable gases</b>	Category 1	Gas(es) = Isopropane
<b>Acute oral toxicity</b>	Category 4	
<b>Skin Corrosion/Irritation</b>	Category 1 B	
<b>Serious Eye Damage/Eye Irritation</b>	Category 1	
<b>Specific target organ toxicity (single exposure)</b>	Category 3	
Target Organs - Respiratory system.		
<b>Physical Hazards Not Otherwise Classified</b>	Category 1	
Reacts violently with water		
May form explosive peroxides		

#### Label Elements

**Signal Word**

Danger

**Hazard Statements**

Highly flammable liquid and vapor  
In contact with water releases flammable gases which may ignite spontaneously  
Harmful if swallowed  
Causes severe skin burns and eye damage  
May cause respiratory irritation  
Reacts violently with water  
May form explosive peroxides

**Precautionary Statements****Prevention**

Do not allow contact with water  
Keep container tightly closed  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Ground/bond container and receiving equipment  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection  
Use non-sparking tools  
Take action to prevent static discharges  
Handle and store contents under inert gas. Protect from moisture

**Response**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER/doctor  
Rinse mouth  
Do NOT induce vomiting  
Wash contaminated clothing before reuse  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
IF ON SKIN: Brush off loose particles from skin. Immerse in cool water

**Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed  
Store in a dry place. Store in a closed container

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
2-Methyltetrahydrofuran	96-47-9	89.71
Magnesium, chloro(1-methylethyl)-	1068-55-9	10.29

## 4. First-aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
<b>Inhalation</b>	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
<b>Most important symptoms/effects</b>	Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
<b>Notes to Physician</b>	Treat symptomatically

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
<b>Unsuitable Extinguishing Media</b>	No information available
<b>Flash Point</b>	No information available
<b>Method -</b>	No information available
<b>Autoignition Temperature</b>	No information available
<b>Explosion Limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Sensitivity to Mechanical Impact</b>	No information available
<b>Sensitivity to Static Discharge</b>	No information available

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Isopropane. Hydrogen chloride. Magnesium hydroxides. Magnesium oxides. Carbon monoxide (CO). Carbon oxides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
3

**Instability**  
2

**Physical hazards**  
W

## 6. Accidental release measures

<b>Personal Precautions</b>	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.
<b>Environmental Precautions</b>	Should not be released into the environment. See Section 12 for additional Ecological Information.
<b>Methods for Containment and Clean Up</b>	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

<b>Handling</b>	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
<b>Storage.</b>	Corrosives area. Keep away from water or moist air. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame.

## 8. Exposure controls / personal protection

<b>Exposure Guidelines</b>	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
<b>Engineering Measures</b>	Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

<b>Eye Protection</b>	Goggles
<b>Hand Protection</b>	Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber Viton (R)	See manufacturers recommendations	-	Splash protection only

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European

Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

<b>Physical State</b>	Liquid
<b>Appearance</b>	No information available
<b>Odor</b>	No information available
<b>Odor Threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No information available
<b>Flash Point</b>	No information available
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid,gas)</b>	Not applicable
<b>Flammability or explosive limits</b>	
Upper	No data available
Lower	No data available
<b>Vapor Pressure</b>	No information available
<b>Vapor Density</b>	No information available
<b>Specific Gravity</b>	No information available
<b>Solubility</b>	No information available
<b>Partition coefficient; n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No information available
<b>Decomposition Temperature</b>	No information available
<b>Viscosity</b>	No information available
<b>Molecular Formula</b>	C3 H7 ClMg
<b>Molecular Weight</b>	102.85

## 10. Stability and reactivity

<b>Reactive Hazard</b>	Yes
<b>Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Exposure to moist air or water. Exposure to moisture. Keep away from open flames, hot surfaces and sources of ignition.
<b>Incompatible Materials</b>	Strong oxidizing agents
<b>Hazardous Decomposition Products</b>	Isopropane, Hydrogen chloride, Magnesium hydroxides, Magnesium oxides, Carbon monoxide (CO), Carbon oxides
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing. Reacts violently with water.

## 11. Toxicological information

### Acute Toxicity

#### Product Information

##### Oral LD50

Category 4. ATE = 300 - 2000 mg/kg.

##### Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

##### Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

#### Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Methyltetrahydrofuran	300-2000 mg/kg ( Rat )	4500 mg/kg ( Rabbit )	6000 ppm ( Rat ) 4 h

#### Toxicologically Synergistic Products

No information available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Irritation

No information available

#### Sensitization

No information available

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
2-Methyltetrahydrofuran	96-47-9	Not listed	Not listed	Not listed	Not listed	Not listed
Magnesium, chloro(1-methylethyl)-	1068-55-9	Not listed	Not listed	Not listed	Not listed	Not listed

#### Mutagenic Effects

No information available

#### Reproductive Effects

No information available.

#### Developmental Effects

No information available.

#### Teratogenicity

No information available.

#### STOT - single exposure

Respiratory system

#### STOT - repeated exposure

None known

#### Aspiration hazard

No information available

#### Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### Endocrine Disruptor Information

No information available

#### Other Adverse Effects

The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Methyltetrahydrofuran	NOEC >= 104 mg/l (72h) EC50 > 104 mg/l (72h)	LC50 (96h) > 100 mg/l Onchorhynchus mykiss (Rainbow trout)	Not listed	Chronic NOEC >=120 mg/l (21 days, Daphnia magna)

#### Persistence and Degradability

Persistence is unlikely

#### Bioaccumulation/ Accumulation

No information available.

**Mobility** No information available.

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

#### DOT

**UN-No** UN3399  
**Proper Shipping Name** ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
**Technical Name** (Isopropylmagnesium chloride, 2-methyltetrahydrofuran)  
**Hazard Class** 4.3  
**Subsidiary Hazard Class** 3  
**Packing Group** II

#### TDG

**UN-No** UN3399  
**Proper Shipping Name** Organometallic substance, liquid, water-reactive, flammable  
**Hazard Class** 4.3  
**Subsidiary Hazard Class** 3  
**Packing Group** II

#### IATA

**UN-No** UN3399  
**Proper Shipping Name** Organometallic substance, liquid, water-reactive, flammable  
**Hazard Class** 4.3  
**Subsidiary Hazard Class** 3  
**Packing Group** II

#### IMDG/IMO

**UN-No** UN3399  
**Proper Shipping Name** ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
**Hazard Class** 4.3  
**Subsidiary Hazard Class** 3  
**Packing Group** II

### 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
2-Methyltetrahydrofuran	96-47-9	X	-	X	ACTIVE	202-507-4	-	-
Magnesium, chloro(1-methylethyl)-	1068-55-9	-	X	X	ACTIVE	213-947-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
2-Methyltetrahydrofuran	96-47-9	X	KE-33479	-	X	X	X	X	X
Magnesium, chloro(1-methylethyl)-	1068-55-9	-	-	X	-	X	-	X	-

#### Legend:

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
2-Methyltetrahydrofuran	Part 4 Substance		

#### Other International Regulations

Authorisation/Restrictions according to EU REACH Not applicable

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Methyltetrahydrofuran	96-47-9	Not applicable	Not applicable	Not applicable	Not applicable
Magnesium, chloro(1-methylethyl)-	1068-55-9	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
2-Methyltetrahydrofuran	96-47-9	Not applicable	Not applicable	Not applicable	Not applicable
Magnesium, chloro(1-methylethyl)-	1068-55-9	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

**Prepared By** Product Safety Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

**Revision Date** 01-April-2024  
**Print Date** 01-April-2024  
**Revision Summary** New emergency telephone response service provider.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**