

Creation Date 25-Aug-2011 Revision Date 10-Dec-2021 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Lactophenol Aniline Blue</u>

Cat No. : R40028

Unique Formula Identifier (UFI) G330-D0MK-X009-N5V3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd Remel

Wade Road Santa Fe Trail Drive, KS 66215: Basingstoke, Hants, UK 1-80-255-6730: 1-800-621-8251.

RG24 8PW

Tel: +44 (0) 1256 841144

EU entity/business name Oxoid Deutschland GmbH

Postfach 10 07 53

D-46483 Wesel GERMANY

Tel: + 49 (0) 281 1520 Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec EU: 001-703-527-3887 Chemtrec US: (800) 424-9300

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Lactophenol Aniline Blue

Revision Date 10-Dec-2021

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Germ Cell Mutagenicity

Specific target organ toxicity - (repeated exposure)

Category 4 (H302)

Category 4 (H312)

Category 3 (H331)

Category 1 B (H314)

Category 1 (H318)

Category 2 (H341)

Category 2 (H373)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16





Signal Word

Danger

Hazard Statements

- H331 Toxic if inhaled
- H314 Causes severe skin burns and eye damage
- H341 Suspected of causing genetic defects
- H373 May cause damage to organs through prolonged or repeated exposure
- H302 + H312 Harmful if swallowed or in contact with skin

Combustible liquid

Precautionary Statements

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Revision Date 10-Dec-2021 **Lactophenol Aniline Blue**

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Phenol	108-95-2	EEC No. 203-632-7	20	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Muta. 2 (H341) STOT RE 2 (H373)
1,2,3-Propanetriol	56-81-5	200-289-5	40	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Phenol	Eye Irrit. 2 (H319) :: 1%<=C<3% Skin Corr. 1B (H314) :: C>=3%	-	-
	Skin Irrit. 2 (H315) :: 1%<=C<3%		

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Do NOT induce vomiting. Call a physician or poison control center immediately. Ingestion

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

> ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Page 3/14

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Lactophenol Aniline Blue

Revision Date 10-Dec-2021

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Cool containers with flooding quantities of water until well after fire is out. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Water.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep at temperatures between 2° and 8 °C. Corrosives area. Keep containers tightly closed in a dry,

Lactophenol Aniline Blue

Revision Date 10-Dec-2021

cool and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 6.1C

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): EU - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC UK - EH40/2005 Work Exposure Limits, Third edition. Published 2018. IRE - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001, Published by the Health and Safety Authority. CH - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Phenol	TWA: 2 ppm (8h)	STEL: 4 ppm 15 min	TWA / VME: 2 ppm (8	TWA: 2 ppm 8 uren	STEL / VLA-EC: 4 ppm
	TWA: 8 mg/m ³ (8h)	STEL: 16 mg/m ³ 15 min	heures). restrictive limit	TWA: 8 mg/m ³ 8 uren	(15 minutos).
	STEL: 4 ppm (15min)	TWA: 2 ppm 8 hr	TWA / VME: 7.8 mg/m ³	STEL: 4 ppm 15	STEL / VLA-EC: 16
	STEL: 16 mg/m ³	TWA: 7.8 mg/m ³ 8 hr	(8 heures). restrictive	minuten	mg/m³ (15 minutos).
	(15min)	Skin	limit	STEL: 16 mg/m ³ 15	TWA / VLA-ED: 2 ppm
	Skin		STEL / VLCT: 4 ppm.	minuten	(8 horas)
			restrictive limit	Huid	TWA / VLA-ED: 8 mg/m ³
			STEL / VLCT: 15.6		(8 horas)
			mg/m ³ . restrictive limit		Piel
			Peau		
1,2,3-Propanetriol		TWA: 10 mg/m ³ 8 hr	TWA / VME: 10 mg/m ³	TWA: 10 mg/m ³ 8 uren	TWA / VLA-ED: 10
		(mist only)	(8 heures).		mg/m³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Phenol	TWA: 2 ppm 8 ore. Media Ponderata nel Tempo TWA: 8.0 mg/m³ 8 ore. Media Ponderata nel Tempo STEL: 4 ppm 15 minuti. Breve termine STEL: 16 mg/m³ 15 minuti. Breve termine Pelle	TWA: 2 ppm (8 Stunden). AGW - exposure factor 2 TWA: 8 mg/m³ (8 Stunden). AGW - exposure factor 2 Haut	STEL: 4 ppm 15 minutos STEL: 16 mg/m³ 15 minutos TWA: 2 ppm 8 horas TWA: 8 mg/m³ 8 horas Pele	huid TWA: 8 mg/m³ 8 uren	TWA: 2 ppm 8 tunteina TWA: 8 mg/m³ 8 tunteina STEL: 4 ppm 15 minuutteina STEL: 16 mg/m³ 15 minuutteina Iho
1,2,3-Propanetriol		TWA: 200 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 200 mg/m³ (8 Stunden). MAK Höhepunkt: 400 mg/m³	TWA: 10 mg/m ³ 8 horas		TWA: 20 mg/m ³ 8 tunteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Phenol	Haut	TWA: 1 ppm 8 timer	Haut/Peau	STEL: 16 mg/m ³ 15	TWA: 1 ppm 8 timer
	MAK-KZGW: 4 ppm 15	TWA: 4 mg/m ³ 8 timer	STEL: 5 ppm 15	minutach	TWA: 4 mg/m ³ 8 timer
	Minuten	Hud	Minuten	TWA: 7.8 mg/m ³ 8	STEL: 3 ppm 15
	MAK-KZGW: 16 mg/m ³		STEL: 19 mg/m ³ 15	godzinach	minutter. value from the
	15 Minuten		Minuten		regulation
	MAK-TMW: 2 ppm 8		TWA: 5 ppm 8 Stunden		STEL: 12 mg/m ³ 15
	Stunden		TWA: 19 mg/m ³ 8		minutter. value from the
	MAK-TMW: 8 mg/m ³ 8		Stunden		regulation
	Stunden				Hud

Lactophenol Aniline Blue

Revision Date 10-Dec-2021

		1,2,3-Propanetriol			STEL: 100 mg/m ³ 15 Minuten TWA: 50 mg/m ³ 8 Stunden	TWA: 10 mg/m³ 8 godzinach	
--	--	--------------------	--	--	---	------------------------------	--

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Phenol	TWA: 2 ppm	kože	TWA: 2 ppm 8 hr.	Skin-potential for	TWA: 7.5 mg/m ³ 8
	TWA: 8 mg/m ³	TWA-GVI: 2 ppm 8	TWA: 8 mg/m ³ 8 hr.	cutaneous absorption	hodinách.
	STEL: 4 ppm	satima.	STEL: 4 ppm 15 min	STEL: 16 mg/m ³	Potential for cutaneous
	STEL: 16 mg/m ³	TWA-GVI: 8 mg/m ³ 8	STEL: 16 mg/m ³ 15 min	STEL: 4 ppm	absorption
	Skin notation	satima.	Skin	TWA: 8 mg/m ³	Ceiling: 15 mg/m ³
		STEL-KGVI: 4 ppm 15		TWA: 2 ppm	
		minutama.			
		STEL-KGVI: 16 mg/m ³			
		15 minutama.			
1,2,3-Propanetriol		TWA-GVI: 10 mg/m ³ 8	TWA: 10 mg/m ³ 8 hr.		TWA: 10 mg/m ³ 8
'		satima.	(mist)		hodinách.
					Ceiling: 15 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Phenol	Nahk TWA: 2 ppm 8 tundides. TWA: 8 mg/m³ 8 tundides. STEL: 16 mg/m³ 15 minutites. STEL: 4 ppm 15	Skin notation TWA: 2 ppm 8 hr TWA: 8 mg/m³ 8 hr STEL: 16 mg/m³ 15 min STEL: 4 ppm 15 min	skin - potential for cutaneous absorption STEL: 4 ppm STEL: 16 mg/m³ TWA: 2 ppm TWA: 8 mg/m³	STEL: 16 mg/m³ 15 percekben. CK TWA: 8 mg/m³ 8 órában. AK lehetséges borön keresztüli felszívódás	TWA: 1 ppm 8 klukkustundum. TWA: 4 mg/m³ 8 klukkustundum. Skin notation Ceiling: 2 ppm Ceiling: 8 mg/m³
	minutites.				
1,2,3-Propanetriol	TWA: 10 mg/m ³ 8 tundides.		TWA: 10 mg/m ³		

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Phenol	skin - potential for	TWA: 2 ppm IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	TWA: 8 mg/m³ IPRD	uptake through the skin	uptake through the skin	TWA: 2 ppm 8 ore
	STEL: 4 ppm	Oda	TWA: 2 ppm 8 Stunden	TWA: 2 ppm	TWA: 8 mg/m ³ 8 ore
	STEL: 16 mg/m ³	STEL: 4 ppm	TWA: 8 mg/m ³ 8	TWA: 8 mg/m ³	STEL: 4 ppm 15 minute
	TWA: 2 ppm	STEL: 16 mg/m ³	Stunden	STEL: 16 mg/m ³ 15	STEL: 16 mg/m ³ 15
	TWA: 8 mg/m ³		STEL: 16 mg/m ³ 15	minuti	minute
			Minuten	STEL: 4 ppm 15 minuti	
			STEL: 4 ppm 15		
			Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Phenol	TWA: 0.3 mg/m ³ 0539	Ceiling: 16 mg/m ³	TWA: 2 ppm 8 urah	Binding STEL: 4 ppm 15	Deri
	Skin notation	Potential for cutaneous	TWA: 8 mg/m ³ 8 urah	minuter	TWA: 2 ppm 8 saat
	MAC: 1 mg/m ³	absorption	Koža	Binding STEL: 16	TWA: 8 mg/m ³ 8 saat
		TWA: 2 ppm	STEL: 4 ppm 15	mg/m³ 15 minuter	STEL: 4 ppm 15 dakika
		TWA: 8 mg/m ³	minutah	TLV: 1 ppm 8 timmar.	STEL: 16 mg/m ³ 15
			STEL: 16 mg/m ³ 15	NGV	dakika
			minutah	TLV: 4 mg/m ³ 8 timmar.	
				NGV	
				Hud	
1,2,3-Propanetriol		TWA: 11 mg/m ³	TWA: 200 mg/m ³ 8 urah		
			inhalable fraction		
			STEL: 400 mg/m ³ 15		
			minutah inhalable		
			fraction		

Biological limit values List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Phenol			Total Phenol: 250 mg/g	: 120 mg/g Creatinine	Phenol (after
			creatinine urine end of	urine end of shift	hydrolysis): 120 mg/g
			shift		Creatinine urine (end of
					shift)

Lactophenol Aniline Blue

Revision Date 10-Dec-2021

Component	Italy	Finland	Denmark	Bulgaria	Romania
Phenol		Total phenol: 1.3		Phenol: 200 µg/L urine	total Phenol: 120 mg/g
		mmol/L urine after the		at the end of exposure	Creatinine urine end of
		shift.		or end of work shift	shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Phenol			Phenol: 200 mg/L urine		
			end of exposure or work		
			shift		

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component Acute effects local (Dermal)		Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)	
	Phenol				DNEL = 1.23mg/kg
10	8-95-2 (20)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Phenol 108-95-2 (20)	DNEL = 16mg/m ³			DNEL = 8mg/m ³
1,2,3-Propanetriol 56-81-5 (40)			DNEL = 56mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)	
		sediment			sewage treatment		
Ī	Phenol	PNEC =	PNEC =	PNEC = 0.031 mg/L	PNEC = 2.1mg/L	PNEC =	
	108-95-2 (20)	0.0077mg/L	0.0915mg/kg			0.136mg/kg soil dw	
			sediment dw				
Γ	1,2,3-Propanetriol	PNEC = 0.885mg/L	PNEC = 3.3mg/kg	PNEC = 8.85mg/L	PNEC = 1000mg/L	PNEC =	
	56-81-5 (40)	-	sediment dw	-	-	0.141mg/kg soil dw	

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Phenol	PNEC =	PNEC =			
108-95-2 (20)	0.00077mg/L	0.00915mg/kg			
		sediment dw			
1,2,3-Propanetriol	PNEC =	PNEC = 0.33mg/kg			
56-81-5 (40)	0.0885mg/L	sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to

Lactophenol Aniline Blue Revision Date 10-Dec-2021

control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

On basis of test data

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance

Odor No information available

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
Flammability (liquid)
No data available
No data available
Not applicable
No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point > 78 °C > Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

pH No data available 444444

Viscosity

Water Solubility

Solubility in other solvents

No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow Phenol 1.5 1,2,3-Propanetriol -1.76

Vapor Pressure

Density / Specific Gravity

No data available

No data available

Bulk Density Not applicable Liquid

Lactophenol Aniline Blue Revision Date 10-Dec-2021

Vapor Density No data available (Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks. Exposure to moisture. Keep away from open flames, hot surfaces

and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents. Isocyanates.

10.6. Hazardous decomposition products

Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralCategory 4DermalCategory 4InhalationCategory 3

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Phenol	LD50 = 340 mg/kg (Rat)	LD50 = 630 mg/kg (Rabbit)	-		
1,2,3-Propanetriol	12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 2.75 mg/L/4h (Rat)(mist)		

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Lactophenol Aniline Blue Revision Date 10-Dec-2021

No data available Respiratory No data available Skin

No information available

(e) germ cell mutagenicity; Category 2

Phenol; is classified by the European Union as a mutagen of category 3: Possible risk of

irreversible effects

No data available (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; Category 2

No information available. **Target Organs**

(i) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Contains a substance which is:. The product contains following substances which are **Ecotoxicity effects**

hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Phenol	4-7 mg/L LC50 96 h 32 mg/L LC50 96 h	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)	EC50: 0.0188 - 0.1044 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 187 - 279 mg/L, 72h static (Desmodesmus subspicatus) EC50: = 46.42 mg/L, 96h (Pseudokirchneriella subcapitata)
1,2,3-Propanetriol	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)		

Component	Microtox	M-Factor		
Phenol	Phenol EC50 21 - 36 mg/L 30 min			

Lactophenol Aniline Blue

EC50 = 23.28 mg/L 5 min	
EC50 = 25.61 mg/L 15 min	
EC50 = 28.8 mg/L 5 min	
EC50 = 31.6 mg/L 15 min	

12.2. Persistence and degradability No information available

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

Revision Date 10-Dec-2021

water treatment plants.

No information available 12.3. Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)		
Phenol	1.5	No data available		
1,2,3-Propanetriol	-1.76	No data available		

No information available . 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with federal, state and local regulations. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and

hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging**

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Do not flush to sewer. Waste codes should be assigned by the user based on the Other Information

application for which the product was used. Do not empty into drains. Large amounts will

affect pH and harm aquatic organisms.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN2821 14.1. UN number

Lactophenol Aniline Blue Revision Date 10-Dec-2021

14.2. UN proper shipping name PHENOL SOLUTION

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

ADR

14.1. UN number UN2821

14.2. UN proper shipping name PHENOL SOLUTION

14.3. Transport hazard class(es) 6.1 14.4. Packing group

<u>IATA</u>

14.1. UN number UN2821

14.2. UN proper shipping name PHENOL SOLUTION

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk

Not applicable, packaged goods

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Phenol	108-95-2	203-632-7	-	-	X	X	KE-28209	X	X
1,2,3-Propanetriol	56-81-5	200-289-5	-	-	X	X	KE-29297	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Phenol	108-95-2	X	ACTIVE	X	-	X	Х	X
1,2,3-Propanetriol	56-81-5	X	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	, ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	,
Phenol	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major	Qualifying Quantities for Safety
		Accident Notification	Report Requirements

Lactophenol Aniline Blue

ĺ	Phenol	108-95-2	Not applicable	Not applicable
	1,2,3-Propanetriol	56-81-5	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class		
Phenol	WGK2	Class I: 20 mg/m³ (Massenkonzentration)		
1,2,3-Propanetriol	WGK1			

Component	France - INRS (Tables of occupational diseases)		
Phenol	Tableaux des maladies professionnelles (TMP) - RG 14		

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Phenol	Prohibited and Restricted		
108-95-2 (20)	Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects

H373 - May cause damage to organs through prolonged or repeated exposure

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Revision Date 10-Dec-2021

Substances List

Lactophenol Aniline Blue

Revision Date 10-Dec-2021

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Ships

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Calculation method **Health Hazards Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

hygiene.

Creation Date 25-Aug-2011 **Revision Date** 10-Dec-2021 **Revision Summary** Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet