

# **SAFETY DATA SHEET**

Revision Date 26-Mar-2024 Revision Number 3

# 1. Identification

Product Name Ethyl succinyl chloride

Cat No. : L02535

**CAS No** 14794-31-1

Synonyms Ethyl 3-(chloroformyl)propionate

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Skin Corrosion/Irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

Category 1

### Label Elements

## **Signal Word**

Danger

#### **Hazard Statements**

Combustible liquid

Causes severe skin burns and eye damage



### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Butanoic acid, 4-chloro-4-oxo-, ethyl ester	14794-31-1	98

#### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Inhalation** Remove from exposure, lie down. Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. If possible drink milk afterwards.

Most important symptoms and

effects

Difficulty in breathing. Causes burns by all exposure routes. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 84 °C / 183.2 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

### 6. Accidental release measures

Personal Precautions
Environmental Precautions

Remove all sources of ignition. Take precautionary measures against static discharges.

See Section 12 for additional Ecological Information.

**Methods for Containment and Clean** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, **Up** sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition.

# 7. Handling and storage

**Handling** Keep away from open flames, hot surfaces and sources of ignition.

**Storage.**Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from heat, sparks and flame. Incompatible Materials. Bases. Alcohols. Metals.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline

respirator in the positive pressure mode with emergency escape provisions.

Organic gases and vapours filter. Type A. Brown. conforming to EN14387. **Recommended Filter type:** 

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Liquid **Appearance** Clear Odor Odorless

**Odor Threshold** No information available На No information available

Melting Point/Range No data available

**Boiling Point/Range** 88 - 90 °C / 190.4 - 194 °F @ 11 mmHg

84 °C / 183.2 °F **Flash Point Evaporation Rate** No information available

Not applicable Flammability (solid, gas)

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available

**Vapor Density** 5.68 1.158 **Specific Gravity** 

Solubility No information available No data available

Partition coefficient; n-octanol/water

**Autoignition Temperature** No information available **Decomposition Temperature** No information available Viscosity No information available

Molecular Formula C6 H9 CI O3 164.59 **Molecular Weight** 

### 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions. Moisture sensitive.

**Conditions to Avoid** Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of

ignition.

**Incompatible Materials** Bases, Alcohols, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas

No information available. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** No acute toxicity information is available for this product

**Component Information** 

Toxicologically Synergistic

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Butanoic acid,	14794-31-1	Not listed				
4-chloro-4-oxo-, ethyl						
ester						

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

### 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3265
Hazard Class 8
Packing Group II

TDG

UN-No UN3265

### Ethyl succinyl chloride

Hazard Class 8
Packing Group ||

<u>IATA</u>

**UN-No** UN1760

Proper Shipping Name CORROSIVE LIQUID, N.O.S.\*

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group

# 15. Regulatory information

#### United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags	
Bu	utanoic acid, 4-chloro-4-oxo-, ethyl ester	14794-31-1	Х	ACTIVE	-	

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical

Not applicable

Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Butanoic acid, 4-chloro-4-oxo-,	14794-31-1	-	Х	238-855-9	-	-	Χ	-	-	-
ethyl ester										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Butanoic acid, 4-chloro-4-oxo-, ethyl ester	14794-31-1	-	-	-

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Butanoic acid, 4-chloro-4-oxo-, ethyl ester	14794-31-1	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Butanoic acid, 4-chloro-4-oxo-, ethyl ester	14794-31-1	Not applicable	Not applicable	Not applicable	Not applicable

Revision Date 26-Mar-2024

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Revision Date 26-Mar-2024 Print Date 26-Mar-2024

**Revision Summary** New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**