

SAFETY DATA SHEET

Creation Date 22-Jun-2010 Revision Date 27-Mar-2024 **Revision Number** 5

1. Identification

Product Name Copper(II) acetate monohydrate

35481 Cat No.:

CAS No 6046-93-1

Synonyms Acetic acid, copper(II) salt monohydrate

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill. MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Skin Corrosion/Irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Liver, Kidney.

Label Elements

Signal Word

Danger

Hazard Statements

Harmful if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|--------------------------------|-----------|----------|
| Copper(II) acetate monohydrate | 6046-93-1 | >95 |
| Cupric acetate | 142-71-2 | - |

| 4. First-aid measures |
|-------------------------|
| 4. Thist-aid fileasures |

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration, Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point Method -No information available

No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Copper oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

| Ν | F | Р | Α |
|---|---|---|---|
|---|---|---|---|

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 0 | 0 | N/A |

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing.

Environmental PrecautionsDo not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into

the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up**

7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If

swallowed then seek immediate medical assistance.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|--------------------|--------------------------|----------|-----------------------------|------------------|
| Copper(II) acetate | TWA: 1 mg/m ³ | | IDLH: 100 mg/m ³ | |
| monohydrate | _ | | TWA: 1 mg/m ³ | |
| Cupric acetate | TWA: 1 mg/m ³ | | IDLH: 100 mg/m ³ | |
| | - | | TWA: 1 mg/m ³ | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tight sealing safety goggles.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceBlue greenOdorOdorless

Odor ThresholdNo information availablepH5.2-5.5 @ 20°C 20 g/l aq. sol

Melting Point/Range 115 °C / 239 °F

Boiling Point/Range 240 °C / 464 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity

No information available

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

240 °C

Autoignition Temperature No information available

Decomposition Temperature

Viscosity
Not applicable
C4 H6 Cu O4 . H2 O

Molecular Weight 199.65

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Copper oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50 Category 4.

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------------------|-------------------|-------------------------|-----------------|
| Copper(II) acetate monohydrate | 710 mg/kg (Rat) | Not listed | Not listed |
| Cupric acetate | 501 mg/kg (Rat) | LD50 > 2000 mg/kg (Rat) | Not listed |

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|--------------------------------|-----------|------------|------------|------------|------------|------------|
| Copper(II) acetate monohydrate | 6046-93-1 | Not listed |
| Cupric acetate | 142-71-2 | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Liver Kidney

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------|------------------|----------------------|------------|------------|
| Cupric acetate | Not listed | Pimephales promelas: | Not listed | Not listed |
| · | | LC50=0.14mg/L 96h | | |

Persistence and Degradability based on information available. May persist

Bioaccumulation/ Accumulation No information available.

Will likely be mobile in the environment due to its water solubility. **Mobility**

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN3260 **UN-No**

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s. **Technical Name** Copper(II) acetate monohydrate

Hazard Class Packing Group Ш

TDG

UN-No UN3260

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class Ш **Packing Group**

IATA

UN3260 **UN-No**

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class Ш **Packing Group**

IMDG/IMO

UN-No UN3260

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class Packing Group

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|--------------------------------|-----------|------|--|--------------------------------|
| Copper(II) acetate monohydrate | 6046-93-1 | - | - | - |
| Cupric acetate | 142-71-2 | Χ | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|--------------------------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Copper(II) acetate monohydrate | 6046-93-1 | - | - | - | Χ | - | | Х | Х | - |
| Cupric acetate | 142-71-2 | Х | - | 205-553-3 | Χ | Χ | Χ | Χ | Χ | KE-08897 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting threasholds |
|--------------------------------|-----------|----------|----------------------------------|----------------------------------|
| Copper(II) acetate monohydrate | 6046-93-1 | >95 | 1.0 % | - |
| Cupric acetate | 142-71-2 | - | 1.0 % | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Copper(II) acetate monohydrate | - | - | X | - |
| Cupric acetate | X | 100 lb | X | - |

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

.

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|----------------|-----------------------------|---|----------------------------------|
| Cupric acetate | 100 lb | - | 100 lb 45.4 kg |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|--------------------------------|---------------|------------|--------------|----------|--------------|
| Copper(II) acetate monohydrate | - | Х | Х | - | - |
| Cupric acetate | X | X | X | - | - |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------------------|-----------|---|---|---|
| Copper(II) acetate monohydrate | 6046-93-1 | - | - | - |
| Cupric acetate | 142-71-2 | - | - | - |

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------------------------------|-----------|----------------|---------------------------------|------------------------------|--|
| Copper(II) acetate monohydrate | 6046-93-1 | Not applicable | Not applicable | Not applicable | Not applicable |
| Cupric acetate | 142-71-2 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

| Component | CAS No | for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------------------|-----------|--------------------|--|-------------------------------|---------------------------------------|
| | | Notification | Requirements | | |
| Copper(II) acetate monohydrate | 6046-93-1 | Not applicable | Not applicable | Not applicable | Annex I - Y22 |
| Cupric acetate | 142-71-2 | Not applicable | Not applicable | Not applicable | Annex I - Y22 |

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 22-Jun-2010

 Revision Date
 27-Mar-2024

 Print Date
 27-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS