

Creation Date 25-Apr-2014

Revision Date 22-Sep-2023

Revision Number 9

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

<b>Product Description:</b>	<b>m-Cresol</b>
<b>Cat No. :</b>	<b>110580000; 110580010; 110580025; 110580250; 110581000; 110585000</b>
<b>Synonyms</b>	3-Hydroxytoluene; 3-Methylphenol
<b>Index No</b>	604-004-00-9
<b>CAS No</b>	108-39-4
<b>EC No</b>	203-577-9
<b>Molecular Formula</b>	C7 H8 O
<b>REACH registration number</b>	01-2119448335-38-0017

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Recommended Use</b>	Laboratory chemicals.
<b>Sector of use</b>	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
<b>Product category</b>	PC21 - Laboratory chemicals
<b>Process categories</b>	PROC15 - Use as a laboratory reagent
<b>Environmental release category</b>	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
<b>Uses advised against</b>	No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

##### EU entity/business name

Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

##### UK entity/business name

Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

##### Swiss distributor - Fisher Scientific AG

Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
e-mail - infoch@thermofisher.com

#### E-mail address

begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

##### Physical hazards

Based on available data, the classification criteria are not met

##### Health hazards

Acute oral toxicity

Acute dermal toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 3 (H301)

Category 3 (H311)

Category 1 B (H314)

Category 1 (H318)

##### Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

### 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H301 + H311 - Toxic if swallowed or in contact with skin

Combustible liquid

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

Toxicity to Soil Dwelling Organisms  
Toxic to terrestrial vertebrates  
This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Phenol, 3-methyl-	108-39-4	EEC No. 203-577-9	99	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Eye Dam. 1 (H318)

REACH registration number	01-2119448335-38-0017
---------------------------	-----------------------

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Inhalation</b>	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically. Symptoms may be delayed.
--------------------	---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable Extinguishing Media

ACR11058

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. Water mist may be used to cool closed containers.

## **Extinguishing media which must not be used for safety reasons**

No information available.

## **5.2. Special hazards arising from the substance or mixture**

Combustible material. Corrosive material. Risk of ignition. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

## **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

## **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Remove all sources of ignition. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges.

### **6.2. Environmental precautions**

Avoid release to the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

### **6.3. Methods and material for containment and cleaning up**

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Keep away from open flames, hot surfaces and sources of ignition. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from direct sunlight. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class/LGK 6.1C

ACR11058

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

Storage Class (LGK) (Germany)

Switzerland - Storage of hazardous substances

Storage class - SC 6.1

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

Component	Italy	Germany	Portugal	The Netherlands	Finland
Phenol, 3-methyl-		TWA: 1 ppm (8 Stunden). AGW - exposure factor 1 TWA: 4.5 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1 TWA: 1 ppm (8 Stunden). MAK TWA: 4.5 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 1 ppm Höhepunkt: 4.5 mg/m <sup>3</sup> Haut	TWA: 5 ppm 8 horas Pele		TWA: 5 ppm 8 tunteina TWA: 22 mg/m <sup>3</sup> 8 tunteina STEL: 10 ppm 15 minuutteina STEL: 45 mg/m <sup>3</sup> 15 minuutteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
Phenol, 3-methyl-	Haut MAK-KZGW: 10 ppm 15 Minuten MAK-KZGW: 44 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 5 ppm 8 Stunden MAK-TMW: 22 mg/m <sup>3</sup> 8 Stunden	TWA: 5 ppm 8 timer TWA: 22 mg/m <sup>3</sup> 8 timer STEL: 10 ppm 15 minutter STEL: 44 mg/m <sup>3</sup> 15 minutter Hud		TWA: 22 mg/m <sup>3</sup> 8 godzinach	

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Phenol, 3-methyl-					TWA: 5 ppm 8 klukkustundum. TWA: 22 mg/m <sup>3</sup> 8 klukkustundum. Skin notation Ceiling: 10 ppm Ceiling: 44 mg/m <sup>3</sup>

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Phenol, 3-methyl-		Potential for cutaneous absorption TWA: 5 ppm TWA: 22 mg/m <sup>3</sup>		Indicative STEL: 2 ppm 15 minuter Indicative STEL: 9 mg/m <sup>3</sup> 15 minuter TLV: 1 ppm 8 timmar. NGV TLV: 4.5 mg/m <sup>3</sup> 8 timmar. NGV	

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

				Hud	
--	--	--	--	-----	--

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Phenol, 3-methyl-108-39-4 ( 99 )		DNEL = 1.47mg/kg bw/day		DNEL = 0.5mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Phenol, 3-methyl-108-39-4 ( 99 )	DNEL = 0.9mg/m <sup>3</sup>	DNEL = 343mg/m <sup>3</sup>	DNEL = 0.9mg/m <sup>3</sup>	DNEL = 3.5mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Phenol, 3-methyl-108-39-4 ( 99 )	PNEC = 0.1mg/L	PNEC = 0.71mg/kg sediment dw PNEC = 327.83µg/kg sediment dw	PNEC = 0.076mg/L PNEC = 0.044mg/L	PNEC = 1.14mg/L	PNEC = 0.0831mg/kg soil dw PNEC = 57.32µg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Phenol, 3-methyl-108-39-4 ( 99 )	PNEC = 0.01mg/L PNEC = 3µg/L	PNEC = 0.071mg/kg sediment dw PNEC = 9.83µg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene gloves	> 480 minutes	0.45 mm	Level 61	As tested under EN374-3 Determination of
Butyl rubber	> 480 minutes	0.35 mm	EN 374	Resistance to Permeation by Chemicals
Viton (R)	> 480 minutes	0.3 mm		

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	
<b>Appearance</b>	Clear	
<b>Odor</b>	aromatic	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	8 - 10 °C / 46.4 - 50 °F	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	203 °C / 397.4 °F	@ 760 mmHg
<b>Flammability (liquid)</b>	Combustible liquid	On basis of test data
<b>Flammability (solid,gas)</b>	Not applicable	Liquid
<b>Explosion Limits</b>	<b>Lower</b> 1	
<b>Flash Point</b>	86 °C / 186.8 °F	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	558 °C / 1036.4 °F	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	5	20 g/l water
<b>Viscosity</b>	No data available	
<b>Water Solubility</b>	20 g/l (20°C)	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Phenol, 3-methyl-	1.96	

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

Vapor Pressure	0.05 mbar @ 20 °C	
Density / Specific Gravity	1.030	
Bulk Density	Not applicable	Liquid
Vapor Density	No information available	(Air = 1.0)
Particle characteristics	(liquid) Not applicable	

## 9.2. Other information

Molecular Formula	C7 H8 O
Molecular Weight	108.14
Explosive Properties	explosive air/vapour mixtures possible

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions. Light sensitive.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	No information available.

### 10.4. Conditions to avoid

Incompatible products. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Acids. Bases. Strong oxidizing agents. Acid anhydrides. Chloroformates.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral	Category 3
Dermal	Category 3
Inhalation	Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol, 3-methyl-	LD50 = 242 mg/kg ( Rat )	LD50 = 2830 mg/kg ( Rabbit )	LC50 > 710 mg/m <sup>3</sup> ( Rat ) 1 h

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1



# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

**(d) respiratory or skin sensitization;**

Respiratory  
Skin

Based on available data, the classification criteria are not met  
Based on available data, the classification criteria are not met

**(e) germ cell mutagenicity;**

Based on available data, the classification criteria are not met

**(f) carcinogenicity;**

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

**(g) reproductive toxicity;**

Based on available data, the classification criteria are not met

**(h) STOT-single exposure;**

Based on available data, the classification criteria are not met

**(i) STOT-repeated exposure;**

Based on available data, the classification criteria are not met

Target Organs

None known.

**(j) aspiration hazard;**

Based on available data, the classification criteria are not met

**Other Adverse Effects**

Tumorigenic effects have been reported in experimental animals.

**Symptoms / effects, both acute and delayed**

Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

**11.2. Information on other hazards**

**Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**

**Ecotoxicity effects**

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Phenol, 3-methyl-	LC50: = 8.9 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 10 - 13.6 mg/L, 96h (Lepomis macrochirus) LC50: = 15.9 mg/L, 96h static (Brachydanio rerio) LC50: = 23.12 mg/L, 96h semi-static (Poecilia reticulata) LC50: = 55.9 mg/L, 96h flow-through (Pimephales promelas)	LC50: = 18.8 mg/L, 48h (Daphnia magna)	

Component	Microtox	M-Factor
-----------	----------	----------

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

Phenol, 3-methyl-	EC50 = 6.82 mg/L 5 min EC50 = 7.48 mg/L 15 min EC50 = 7.83 mg/L 30 min	
-------------------	--	--

<b>12.2. Persistence and degradability</b>	Expected to be biodegradable
<b>Persistence</b>	Soluble in water, Persistence is unlikely, based on information available.
<b>Degradation in sewage treatment plant</b>	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

<b>12.3. Bioaccumulative potential</b>	Bioaccumulation is unlikely
--	-----------------------------

Component	log Pow	Bioconcentration factor (BCF)
Phenol, 3-methyl-	1.96	20 dimensionless

<b>12.4. Mobility in soil</b>	The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
-------------------------------	---

<b>12.5. Results of PBT and vPvB assessment</b>	Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).
---	--

<b>12.6. Endocrine disrupting properties</b>	
<b>Endocrine Disruptor Information</b>	This product does not contain any known or suspected endocrine disruptors

<b>12.7. Other adverse effects</b>	
<b>Persistent Organic Pollutant</b>	This product does not contain any known or suspected substance
<b>Ozone Depletion Potential</b>	This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<b>Waste from Residues/Unused Products</b>	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
<b>Contaminated Packaging</b>	Dispose of this container to hazardous or special waste collection point.
<b>European Waste Catalogue (EWC)</b>	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
<b>Other Information</b>	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.
<b>Switzerland - Waste Ordinance</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 <a href="https://www.fedlex.admin.ch/eli/cc/2015/891/en">https://www.fedlex.admin.ch/eli/cc/2015/891/en</a>

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

<b>14.1. UN number</b>	UN2076
<b>14.2. UN proper shipping name</b>	CRESOLS, LIQUID

ACR11058

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

**14.3. Transport hazard class(es)** 6.1  
**Subsidiary Hazard Class** 8  
**14.4. Packing group** II

## ADR

**14.1. UN number** UN2076  
**14.2. UN proper shipping name** CRESOLS, LIQUID  
**14.3. Transport hazard class(es)** 6.1  
**Subsidiary Hazard Class** 8  
**14.4. Packing group** II

## IATA

**14.1. UN number** UN2076  
**14.2. UN proper shipping name** CRESOLS, LIQUID  
**14.3. Transport hazard class(es)** 6.1  
**Subsidiary Hazard Class** 8  
**14.4. Packing group** II

**14.5. Environmental hazards** No hazards identified  
**14.6. Special precautions for user** No special precautions required.  
**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Phenol, 3-methyl-	108-39-4	203-577-9	-	-	X	X	KE-24793	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Phenol, 3-methyl-	108-39-4	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Phenol, 3-methyl-	108-39-4	-	Use restricted. See item 75. (see link for restriction details)	-

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Phenol, 3-methyl-	108-39-4	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Phenol, 3-methyl-	WGK1	

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

# SAFETY DATA SHEET

m-Cresol

Revision Date 22-Sep-2023

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

**Creation Date**

25-Apr-2014

**Revision Date**

22-Sep-2023

**Revision Summary**

Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**