

# **SAFETY DATA SHEET**

Revision Date 02-April-2024 Revision Number 3

## 1. Identification

Product Name Inconel® 600 gauze

Cat No.: 46510

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

## Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Skin SensitizationCategory 1CarcinogenicityCategory 1BSpecific target organ toxicity - (repeated exposure)Category 1

Target Organs - Lungs.

**Label Elements** 

### Signal Word

Danger

### **Hazard Statements**

May cause an allergic skin reaction

May cause cancer

Causes damage to organs through prolonged or repeated exposure

Inconel® 600 gauze

\_\_\_\_\_



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

#### Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

## Storage

Store locked up

## Disposal

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Nickel	7440-02-0	77.0	
Chromium	7440-47-3	15.5	
Iron	7439-89-6	7.5	

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching,

swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Inconel® 600 gauze

**Suitable Extinguishing Media** approved class D extinguishers. Do not use water or foam.

No information available

**Unsuitable Extinguishing Media** Water may be ineffective

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No data available

Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

## **Hazardous Combustion Products**

Heavy metal oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 0 0

## Accidental release measures

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. No special precautions required.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Should not be released into the

environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Pick up and transfer to properly labelled containers. Up

7. Handling and storage

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not Handling

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage. Keep in a dry place. Keep away from acids. Incompatible Materials. Acids. Oxidizing

agent.

### 8. Exposure controls / personal protection

## **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
Nickel	TWA: 1.5 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> TWA: 0.015
						TWA: 1 mg/m <sup>3</sup>	mg/m³
Chromium	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA:	IDLH: 250
						1 mg/m <sup>3</sup>	mg/m³
						TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

#### Leaend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** None under normal use conditions.

#### Personal protective equipment

**Eye Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Hand Protection No special protective equipment required

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
	recommendations		

#### **Respiratory Protection**

No special protective equipment required.

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical State Solid Appearance Silver

Odor
Odor No information available
Odor Threshold No information available
pH No information available
Melting Point/Range No data available
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure<=1100 hPa @ 50 °C</th>Vapor DensityNot applicable

Specific GravityNo information availableSolubilityNo information available

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

No information available

No information available

No information available

No information available

Viscosity Not applicable

Molecular Formula Ni:Cr:Fe; 77:15.5:7.5 wt%

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

Inconel® 600 gauze

Stability Stable under normal conditions.

**Conditions to Avoid** Incompatible products.

**Incompatible Materials** Acids, Oxidizing agent

Hazardous Decomposition Products Heavy metal oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Mist LC50 Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
***************************************	Nickel LD50 > 9000 mg/kg ( Rat )		LC50 > 10.2 mg/L (Rat) 1 h		
Mickel	ED30 > 3000 Hig/kg ( Nat )	Not listed	2000 > 10.2 mg/2 (Rat ) 1 m		
		N II	AL . U		
Iron	7500 mg/kg (Rat)	Not listed	Not listed		
Toxicologically Synergist	ic No information available				

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel	7440-02-0	Group 2B	Reasonably	Not listed	X	Not listed
			Anticipated			
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed
Iron	7439-89-6	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure Lungs

No information available **Aspiration hazard** 

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

Inconel® 600 gauze

-

delayed of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel	EC50 = 0.1 mg/L 72h	LC50: > 100 mg/L, 96h	Not listed	EC50 = 510 μg/L 96h
	EC50 = 0.18 mg/L 72h	(Brachydanio rerio)		
		LC50: = 1.3 mg/L, 96h		
		semi-static (Cyprinus carpio)		
		LC50: = 10.4 mg/L, 96h		
		static (Cyprinus carpio)		

Persistence and Degradability Insoluble in water May persist

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information
---------------------------

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

## 15. Regulatory information

## **International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Nickel	7440-02-0	X	-	X	ACTIVE	231-111-4		-
Chromium	7440-47-3	Х	-	Х	ACTIVE	231-157-5	-	-
Iron	7439-89-6	Х	-	Х	ACTIVE	231-096-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Nickel	7440-02-0	X	KE-25818	X	-	X	X	Х	Х
Chromium	7440-47-3	Х	KE-05970	Х	-	X	Х	Х	Х
Iron	7439-89-6	X	KE-21059	X	-	X	Х	Х	Х

### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Component Canada - National Pollutant Release Inventory (NPRI)		Canada's Chemicals Management Plan (CEPA)	
Nickel	Part 1, Group A Substance			
Chromium	Part 1, Group A Substance			

Legend NPRI - National Pollutant Release Inventory

## Other International Regulations

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Nickel	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Chromium	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Not applicable	Not applicable	Not applicable	Not applicable

1 <i>6</i>	5 (	ንተ	her	iní	$\operatorname{for}$	mat	Fi	on
1 (	J. (	ノし			OI.	ma	u	OI I

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**