

# **SAFETY DATA SHEET**

Revision Date 26-Mar-2024 Revision Number 4

# 1. Identification

Product Name Methyl p-toluate

Cat No. : L08871

**CAS No** 99-75-2

Synonyms Benzoic acid, 4-methyl-, methyl ester; Methyl p-methylbenzoate.; p-Carbomethoxytoluene

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill. MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Skin Corrosion/Irritation

Category 2

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system.

## Label Elements

### Signal Word

Warning

#### **Hazard Statements**

Combustible liquid Causes skin irritation Causes serious eye irritation

May cause respiratory irritation



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Benzoic acid, 4-methyl-, methyl ester	99-75-2	99

# 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Get medical attention.

**Ingestion** Clean mouth with water. Get medical attention.

**Most important symptoms and**Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

Revision Date 26-Mar-2024 Methyl p-toluate

effects nausea and vomiting **Notes to Physician** Treat symptomatically

# 5. Fire-fighting measures

Water spray, Carbon dioxide (CO2). Dry chemical, Chemical foam, Water mist may be used **Suitable Extinguishing Media** 

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 90 °C / 194 °F

Method -No information available

**Autoignition Temperature** 499 °C / 930.2 °F

**Explosion Limits** 

Upper 9.5% Lower 1.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Combustible material. Flammable. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health	Flammability	Instability	Physical hazards
2	1	0	N/A

# 6. Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition.

# 7. Handling and storage

Handling Avoid contact with skin and eyes. Do not breathe dust. Keep away from open flames, hot

surfaces and sources of ignition.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away Storage.

from heat, sparks and flame. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials. Strong oxidizing agents.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures**Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorpungent

Odor ThresholdNo information availablepHNo information availableMelting Point/Range32 - 35 °C / 89.6 - 95 °F

**Boiling Point/Range** 220 - 223 °C / 428 - 433.4 °F @ 15 mmHg

Flash Point 90 °C / 194 °F Evaporation Rate 90 °C / 194 °F

Flammability (solid, gas)

No information available

Flammability or explosive limits

 Upper
 9.5%

 Lower
 1.0%

Vapor Pressure1.3 hPa @ 39 °CVapor DensityNot applicable

Specific Gravity 1.060

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
No information available
499 °C / 930.2 °F
No information available

Viscosity

Molecular Formula

Molecular Weight

Not applicable
C9 H10 O2
150.18

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization No information available.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Revision Date 26-Mar-2024 Methyl p-toluate

**Product Information** 

No acute toxicity information is available for this product

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Benzoic acid, 4-methyl-, methyl	LD50 = 3300 mg/kg (Rat)	LD50 > 5 g/kg (Rabbit)	Not listed
ester			

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Benzoic acid,	99-75-2	Not listed				
4-methyl-, methyl ester						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

No information available **Aspiration hazard** 

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

Component	Component Freshwater Algae Freshwater Fish		Microtox	Water Flea
Benzoic acid, 4-methyl-, methyl ester	Not listed	LC50: = 20.5 mg/L, 96h static (Danio rerio)	Not listed	Not listed

**Persistence and Degradability** Insoluble in water May persist based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Benzoic acid, 4-methyl-, methyl ester	2.82

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

**DOT** COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY

According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

UN-No NA1993

Proper Shipping Name Combustible liquid, n.o.s.

Ш

Packing Group

\_ TDG Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated

# 15. Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags	
Benzoic acid, 4-methyl-, methyl	99-75-2	X	ACTIVE	-	
ester					

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzoic acid, 4-methyl-, methyl	99-75-2	Х	-	202-784-1	Х	Х	Χ	Х	Х	-
ester										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Benzoic acid, 4-methyl-, methyl ester	99-75-2	-	-	-

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzoic acid, 4-methyl-, methyl ester	99-75-2	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Benzoic acid, 4-methyl-, methyl ester	99-75-2	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Revision Date 26-Mar-2024 Print Date 26-Mar-2024

**Revision Summary** New emergency telephone response service provider.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**