

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 24-Mar-2024 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Tin(II) chloride hydrate, Puratronic®

 Cat No. :
 \$55069

 CAS No
 1370709-86-6

 EC No
 231-868-0

 Molecular Formula
 SnCl2.xH2O

REACH registration number -

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### **Physical hazards**

Substances/mixtures corrosive to metal Category 1 (H290)

**Health hazards** 

#### Tin(II) chloride hydrate, Puratronic®

Revision Date 24-Mar-2024

Category 4 (H302) Acute oral toxicity Acute Inhalation Toxicity - Vapors Category 4 (H332) Acute Inhalation Toxicity - Dusts and Mists Category 4 (H332) Category 1 B (H314) Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 1 (H318) Skin Sensitization Category 1 (H317) Category 3 (H335) Specific target organ toxicity - (single exposure) Specific target organ toxicity - (repeated exposure) Category 2 (H373) **Environmental hazards** Chronic aquatic toxicity Category 3 (H412)

Full text of Hazard Statements: see section 16





Signal Word

Danger

#### **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

H302 + H332 - Harmful if swallowed or if inhaled

#### **Precautionary Statements**

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

No information available

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to

#### Tin(II) chloride hydrate, Puratronic®

GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 Tin(II) chloride hydrate 1370709-86-6 <=100 Met. Corr. 1 (H290) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Sens. 1 (H317) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) STOT RE 2 (H373) Aquatic Chronic 3 (H412) Stannous chloride 7772-99-8 EEC No. 231-868-0 0 Met. Corr. 1 (H290) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Sens. 1 (H317) Skin Corr. 1B (H314) Eye Dam. 1 (H318) **STOT SE 3 (H335)** STOT RE 2 (H373) Aquatic Chronic 3 (H412)

REACH registration number	•

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

ALFAAS55069

#### Tin(II) chloride hydrate, Puratronic®

Revision Date 24-Mar-2024

Page 4/12

### 5.1. Extinguishing media

## **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Tin oxides, Hydrogen chloride.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

## 6.2. Environmental precautions

See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

## 6.3. Methods and material for containment and cleaning up

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Ensure adequate ventilation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 8B Storage Class (LGK) (Germany)

## 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

#### **Exposure limits**

List source(s): UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	The United Kingdom	European Union	Ireland
Stannous chloride	STEL: 4 mg/m <sup>3</sup> 15 min		
	TWA: 2 mg/m <sup>3</sup> 8 hr		

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)	
Stannous chloride 7772-99-8 ( 0 )		DNEL = 0.69mg/kg bw/day		DNEL = 0.34mg/kg bw/day	

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)	
Stannous chloride 7772-99-8 ( 0 )	DNEL = 12.84mg/m <sup>3</sup>	DNEL = 2.01mg/m <sup>3</sup>	DMEL = 12mg/m <sup>3</sup>	DNEL = 1mg/m <sup>3</sup>	

## **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	,
Stannous chloride	PNEC = 0.8mg/L	PNEC =	PNEC = 4.24µg/L	PNEC = 1.06ng/L	
7772-99-8 ( 0 )		51.37mg/kg		-	
		sediment dw			

### 8.2. Exposure controls

# **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Tin(II) chloride hydrate, Puratronic®

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments

Natural rubber See manufacturers - EN 374 (minimum requirement)

Nitrile rubber recommendations

Neoprene
PVC

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical State Crystalline Powder Solid

**Appearance** 

Odor No information available
Odor Threshold No data available

Melting Point/Range 43 - 46 °C / 109.4 - 114.8 °F

Softening Point No data available
Boiling Point/Range No information available

Flammability (liquid) Not applicable Solid

Flammability (solid,gas) No information available

**Explosion Limits** No data available

Flash Point No information available Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availablepHNot applicable

Viscosity Not applicable Solid

Water Solubility
Solubility
No information available
No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No data available

Density / Specific Gravity 2.71

ALFAAS55069

Tin(II) chloride hydrate, Puratronic®

Bulk Density No data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular FormulaSnCl2.xH2OMolecular Weight189.62(anhy)

Evaporation Rate Not applicable - Solid

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNo information available.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Tin oxides. Hydrogen chloride.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

OralCategory 4DermalNo data availableInhalationCategory 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Stannous chloride	LD50 = 1910 mg/kg ( Rat )	-	LC50 = 2mg/l (4h) rat (OECD 436)

**(b) skin corrosion/irritation**; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

ALFAAS55069

#### Tin(II) chloride hydrate, Puratronic®

May cause sensitization by skin contact

No data available (e) germ cell mutagenicity;

Component	Test method	Test species	Study result	
Stannous chloride	OECD Test Guideline 476	in vitro	negative	
7772-99-8 ( 0 )	Gene cell mutation	Mammalian	_	

(f) carcinogenicity; No data available

	Component	Test method	Test species / Duration	Study result
Ī	Stannous chloride	OECD Test Guideline 451	Rat	negative
	7772-99-8 ( 0 )		mouse	
-			2 years	

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

	Component	Test method	Test species / Duration	Study result
Γ	Stannous chloride	OECD Test Guideline similar to	rabbit	NOAEL =
	7772-99-8 ( 0 )	OECD 416	15 days	41.5
			-	mg/kg bw/day

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 2

**Target Organs** No information available.

Not applicable (j) aspiration hazard;

Solid

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Stannous chloride		EC50 = 19.5 mg/L/48h	

ALFAAS55069

Tin(II) chloride hydrate, Puratronic®

Revision Date 24-Mar-2024

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** May persist.

Degradability Not relevant for inorganic substances.

Degradation in sewage

Contains substances known to be hazardous to the environment or not degradable in waste treatment plant water treatment plants.

12.3. Bioaccumulative potential Product has a high potential to bioconcentrate

No information available 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

14.1. UN number UN3260

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. 14.2. UN proper shipping name

Tin(II) chloride hydrate **Technical Shipping Name** 

14.3. Transport hazard class(es) 8 Ш 14.4. Packing group

Tin(II) chloride hydrate, Puratronic®

Revision Date 24-Mar-2024

ADR

**14.1. UN number** UN3260

14.2. UN proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

**Technical Shipping Name** Tin(II) chloride hydrate

14.3. Transport hazard class(es) 8 14.4. Packing group III

IATA

**14.1. UN number** UN3260

14.2. UN proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Technical Shipping Name Tin(II) chloride hydrate

14.3. Transport hazard class(es)814.4. Packing groupIII

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

X = listed, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Tin(II) chloride hydrate	1370709-86-6	-	ı	-	-	ı	-	ı	-
Stannous chloride	7772-99-8	231-868-0	-	-	X	X	KE-33845	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Tin(II) chloride hydrate	1370709-86-6	ı	•	ı	Ī	ı	1	-
Stannous chloride	7772-99-8	Χ	ACTIVE	Χ	-	Χ	Χ	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Tin(II) chloride hydrate	1370709-86-6	-	-	-
Stannous chloride	7772-99-8	-	-	-

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report

#### Tin(II) chloride hydrate, Puratronic®

**Notification** Requirements Tin(II) chloride hydrate 1370709-86-6 Not applicable Not applicable 7772-99-8 Stannous chloride Not applicable Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Stannous chloride	WGK3	

# 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ALFAAS55069

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

**Transport Association** 

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

#### Tin(II) chloride hydrate, Puratronic®

Revision Date 24-Mar-2024

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration
PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 24-Mar-2024

**Revision Summary** New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**