

SAFETY DATA SHEET

Creation Date 06-Nov-2010 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name Barium hydroxide octahydrate

Cat No.: AC203140000; AC203140010; AC203140050; AC203140250;

AC203142500

CAS No 12230-71-6

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute Inhalation Toxicity - Dusts and Mists

Skin Corrosion/Irritation

Category 1

Category 1

Category 1

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage

Harmful if swallowed or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract

May cause cardiac arrhythmia

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Barium hydroxide octahydrate	12230-71-6	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Eye Contact**

Immediate medical attention is required. Keep eye wide open while rinsing.

Wash off immediately with soap and plenty of water while removing all contaminated **Skin Contact**

clothes and shoes. Call a physician immediately.

Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison Inhalation

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled

the substance; give artificial respiration with the aid of a pocket mask equipped with a

Discosto al la accounta

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper
LowerNo data available
No data availableOxidizing PropertiesNot oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

11--14

Barium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Fiammability	instability	Physical nazards
3	0	1	N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing.

Environmental Precautions Should not be released into the environment. Do not allow material to contaminate ground

water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up**

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep container tightly closed. Keep in a dry, cool and well-ventilated place. Keep under nitrogen. Corrosives area. Incompatible Materials. Acids. Metals. Aluminium.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Barium hydroxide	TWA: 0.5 mg/m ³	(Vacated) TWA: 0.5 mg/m ³	IDLH: 50 mg/m ³	TWA: 0.5 mg/m ³
octahydrate	_	-	TWA: 0.5 mg/m ³	_

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eveglasses or chemical safety googles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection**

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Solid **Physical State** White **Appearance** Odor Odorless

Odor Threshold No information available

рΗ 12.5

Melting Point/Range 78 °C / 172.4 °F **Boiling Point/Range** No information available Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available

Vapor Density Not applicable

Specific Gravity 2.180

Bulk Density ca. 1.07 kg/m3 Solubility 947 q/l

Partition coefficient; n-octanol/water

No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available

Viscosity Not applicable Molecular Formula H2 Ba O2 . 8 H2 O

315.48 **Molecular Weight**

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stable under normal conditions. Air sensitive. Stability

Conditions to Avoid Exposure to air. Incompatible products. Exposure to moist air or water.

Incompatible Materials Acids, Metals, Aluminium

Hazardous Decomposition Products Barium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Barium hydroxide octahydrate	550 mg/kg (Rat)	Not listed	Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Barium hydroxide	12230-71-6	Not listed				
octahydrate						

No information available **Mutagenic Effects**

Reproductive Effects No information available.

No information available. **Developmental Effects**

Teratogenicity No information available.

None known STOT - single exposure STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

Endocrine Disruptor Information No information available

May cause cardiac arrhythmia. Other Adverse Effects

12. Ecological information

Ecotoxicity

Do not empty into drains.

Barium hydroxide octahydrate

Persistence and DegradabilitySoluble in water Persistence is unlikely based on information available.

Bioaccumulation/ AccumulationNo information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s.

Technical Name Barium hydroxide octahydrate

Hazard Class 8
Packing Group || |

TDG

UN-No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s.

Hazard Class 8
Packing Group | |

IATA

UN-No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s.

Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s.

Hazard Class 8
Packing Group |

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Barium hydroxide octahydrate	12230-71-6	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Barium hydroxide octahydrate	12230-71-6	-	-	-	Х	-		Χ	Х	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Barium hydroxide octahydrate	12230-71-6	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Barium hydroxide	-	X	X	-	X
octahydrate					

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Barium hydroxide octahydrate	12230-71-6	Not applicable	Not applicable	Not applicable	Not applicable

CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention	
	(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)	
	Qualifying Quantities Qualifying Quantities				
	for Major Accident	for Safety Report			
	Notification	Requirements			
12230-71-6	Not applicable	Not applicable	Not applicable	Not applicable	
		(2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) - (2012/18/EC) - Qualifying Quantities Qualifying Quantities for Major Accident for Safety Report Notification Requirements	(2012/18/EC) - (2012/18/EC) - Convention (PIC) Qualifying Quantities for Major Accident Notification Requirements	

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 06-Nov-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS