

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Karl Fischer Composite T1, for volumetric one-component titration  
**Cat No. :** 47173

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

**Company**

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

## Health hazards

Acute Inhalation Toxicity - Vapors  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Reproductive Toxicity  
Specific target organ toxicity - (single exposure)

Category 3 (H331)  
Category 1 (H314) B  
Category 1 (H318)  
Category 1B (H360D)  
Category 1 (H370)

## Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H331 - Toxic if inhaled  
H314 - Causes severe skin burns and eye damage  
H370 - Causes damage to organs  
H360D - May damage the unborn child  
Combustible liquid

## Precautionary Statements

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## Additional EU labelling

Restricted to professional users

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors  
Toxic to terrestrial vertebrates

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Diethylene glycol monoethyl ether	111-90-0	EEC No. 203-919-7	74.0	-
1-Imidazole	288-32-4	EEC No. 206-019-2	15.0	Acute Tox. 4 (H302) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Repr. 1B (H360D)
Sulfur dioxide	7446-09-5	EEC No. 231-195-2	10	Press. Gas (H280) Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 1 (H370) Acute Tox. 3 (H331)
Iodine	7553-56-2	231-442-4	1.0	Acute Tox. 4 (H332) Acute Tox. 4 (H312) Aquatic Acute 1 (H400)

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Inhalation</b>	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
<b>Self-Protection of the First Aider</b>	No special precautions required.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically. Symptoms may be delayed.
---------------------------	---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

ALFAA47173

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

## Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

## Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Sulfur oxides, Hydrogen iodide.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class/LGK 6.1C

ALFAA47173

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

## Storage Class (LGK) (Germany)

### Switzerland - Storage of hazardous substances

Storage class - SC 6.1

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	European Union	The United Kingdom	France	Belgium	Spain
Sulfur dioxide	TWA: 1.3 mg/m <sup>3</sup> (8h) TWA: 0.5 ppm (8h) STEL: 2.7 mg/m <sup>3</sup> (15min) STEL: 1 ppm (15min)	STEL: 1 ppm 15 min STEL: 2.7 mg/m <sup>3</sup> 15 min TWA: 0.5 ppm 8 hr TWA: 1.3 mg/m <sup>3</sup> 8 hr	TWA / VME: 0.5 ppm (8 heures). TWA / VME: 1.3 mg/m <sup>3</sup> (8 heures). STEL / VLCT: 1 ppm. indicative limit STEL / VLCT: 2.7 mg/m <sup>3</sup> . indicative limit	TWA: 0.5 ppm 8 uren TWA: 1.3 mg/m <sup>3</sup> 8 uren STEL: 1 ppm 15 minuten STEL: 2.7 mg/m <sup>3</sup> 15 minuten	STEL / VLA-EC: 2 ppm (15 minutos). STEL / VLA-EC: 5.28 mg/m <sup>3</sup> (15 minutos). TWA / VLA-ED: 0.5 ppm (8 horas) TWA / VLA-ED: 1.32 mg/m <sup>3</sup> (8 horas)
Iodine		STEL: 0.1 ppm; 1.1mg/m <sup>3</sup>	STEL / VLCT: 0.1 ppm. STEL / VLCT: 1 mg/m <sup>3</sup> .	TWA 0.1ppm; TWA 1mg/m <sup>3</sup>	STEL / VLA-EC: 0.1 ppm (15 minutos). STEL / VLA-EC: 1 mg/m <sup>3</sup> (15 minutos). TWA / VLA-ED: 0.01 ppm (8 horas) TWA / VLA-ED: 0.1 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Diethylene glycol monoethyl ether		TWA: 6 ppm (8 Stunden). AGW - exposure factor 2 TWA: 35 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 50 mg/m <sup>3</sup> (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 100 mg/m <sup>3</sup>		32 ppm MAC; 180mg/m <sup>3</sup> MAC	
Sulfur dioxide	TWA: 1.3 mg/m <sup>3</sup> 8 ore. Time Weighted Average TWA: 0.5 ppm 8 ore. Time Weighted Average STEL: 2.7 mg/m <sup>3</sup> 15 minuti. Short-term STEL: 1 ppm 15 minuti. Short-term	TWA: 1 ppm TWA: 2.5 mg/m <sup>3</sup>	STEL: 1 ppm 15 minutos STEL: 2.7 mg/m <sup>3</sup> 15 minutos TWA: 0.5 ppm 8 horas TWA: 1.3 mg/m <sup>3</sup> 8 horas	STEL: 0.7 mg/m <sup>3</sup> MAC: 2 ppm MAC: 5 mg/m <sup>3</sup>	TWA: 0.5 ppm 8 tunteina TWA: 1.3 mg/m <sup>3</sup> 8 tunteina STEL: 1 ppm 15 minuutteina STEL: 2.7 mg/m <sup>3</sup> 15 minuutteina
Iodine		TWA: 0.1 ppm TWA: 1.1 mg/m <sup>3</sup>	STEL: 0.1 ppm 15 minutos	0.1ppm MAC; 1mg/m <sup>3</sup> MAC	STEL: 0.1 ppm 15 minuutteina

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

		skin absorber	TWA: 0.01 ppm 8 horas		STEL: 1.1 mg/m <sup>3</sup> 15 minuutteina lho
--	--	---------------	-----------------------	--	--

Component	Austria	Denmark	Switzerland	Poland	Norway
Diethylene glycol monoethyl ether	MAK-KZGW: 24 ppm 15 Minuten MAK-KZGW: 140 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 6 ppm 8 Stunden MAK-TMW: 35 mg/m <sup>3</sup> 8 Stunden		STEL: 100 mg/m <sup>3</sup> 15 Minuten TWA: 50 mg/m <sup>3</sup> 8 Stunden		
Sulfur dioxide	MAK-KZGW: 1 ppm 15 Minuten MAK-KZGW: 2.7 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 0.5 ppm 8 Stunden MAK-TMW: 1.3 mg/m <sup>3</sup> 8 Stunden	TWA: 0.5 ppm 8 timer TWA: 1.3 mg/m <sup>3</sup> 8 timer STEL: 2.7 mg/m <sup>3</sup> 15 minutter STEL: 1 ppm 15 minutter	STEL: 1 ppm 15 Minuten STEL: 2.7 mg/m <sup>3</sup> 15 Minuten TWA: 0.5 ppm 8 Stunden TWA: 1.3 mg/m <sup>3</sup> 8 Stunden	STEL: 2.7 mg/m <sup>3</sup> 15 minutach TWA: 1.3 mg/m <sup>3</sup> 8 godzinach	TWA: 0.5 ppm 8 timer TWA: 1.3 mg/m <sup>3</sup> 8 timer STEL: 1 ppm 15 minutter. value from the regulation STEL: 2.7 mg/m <sup>3</sup> 15 minutter. value from the regulation
Iodine	Haut MAK-KZGW: 0.1 ppm 15 Minuten MAK-KZGW: 1 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 0.1 ppm 8 Stunden MAK-TMW: 1 mg/m <sup>3</sup> 8 Stunden Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>	Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>	Haut/Peau STEL: 0.1 ppm 15 Minuten STEL: 1 mg/m <sup>3</sup> 15 Minuten TWA: 0.1 ppm 8 Stunden TWA: 1 mg/m <sup>3</sup> 8 Stunden	STEL: 1 mg/m <sup>3</sup> 15 minutach TWA: 0.5 mg/m <sup>3</sup> 8 godzinach	Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sulfur dioxide	TWA: 1.3 mg/m <sup>3</sup> TWA: 0.5 ppm STEL : 2.7 mg/m <sup>3</sup> STEL : 1 ppm	TWA-GVI: 0.5 ppm 8 satima. TWA-GVI: 1.3 mg/m <sup>3</sup> 8 satima. STEL-KGVI: 1 ppm 15 minutama. STEL-KGVI: 2.7 mg/m <sup>3</sup> 15 minutama.	TWA: 0.5 ppm 8 hr. TWA: 1.3 mg/m <sup>3</sup> 8 hr. STEL: 2.7 mg/m <sup>3</sup> 15 min STEL: 1 ppm 15 min	STEL: 2.7 mg/m <sup>3</sup> STEL: 1 ppm TWA: 1.3 mg/m <sup>3</sup> TWA: 0.5 ppm	TWA: 1.3 mg/m <sup>3</sup> 8 hodinách. Ceiling: 2.7 mg/m <sup>3</sup>
Iodine	TWA: 3.0 mg/m <sup>3</sup>	STEL-KGVI: 0.1 ppm 15 minutama. STEL-KGVI: 1.1 mg/m <sup>3</sup> 15 minutama.	TWA: 0.01 ppm 8 hr. inhalable fraction and vapour TWA: 0.01 mg/m <sup>3</sup> 8 hr. STEL: 0.1 ppm 15 min		TWA: 0.1 mg/m <sup>3</sup> 8 hodinách. Ceiling: 1 mg/m <sup>3</sup>

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Diethylene glycol monoethyl ether	Nahk TWA: 10 ppm 8 tundides. TWA: 50.1 mg/m <sup>3</sup> 8 tundides.				
Sulfur dioxide	TWA: 0.5 ppm 8 tundides. TWA: 1.3 mg/m <sup>3</sup> 8 tundides. STEL: 1 ppm 15 minutites. STEL: 2.7 mg/m <sup>3</sup> 15 minutites.	TWA: 1.3 mg/m <sup>3</sup> 8 hr TWA: 0.5 ppm 8 hr STEL: 2.7 mg/m <sup>3</sup> 15 min STEL: 1 ppm 15 min	STEL: 1 ppm STEL: 2.7 mg/m <sup>3</sup> TWA: 0.5 ppm TWA: 1.3 mg/m <sup>3</sup>	STEL: 2.7 mg/m <sup>3</sup> 15 percekben. CK STEL: 1 ppm 15 percekben. CK TWA: 1.3 mg/m <sup>3</sup> 8 órában. AK TWA: 0.5 ppm 8 órában. AK	STEL: 1 ppm STEL: 2.7 mg/m <sup>3</sup> TWA: 0.5 ppm 8 klukkustundum. TWA: 1.3 mg/m <sup>3</sup> 8 klukkustundum.
Iodine	STEL: 0.1 ppm 15 minutites. STEL: 1 mg/m <sup>3</sup> 15 minutites.		STEL: 0.1 ppm STEL: 1 mg/m <sup>3</sup> TWA: 0.1 ppm TWA: 1 mg/m <sup>3</sup>	STEL: 1 mg/m <sup>3</sup> 15 percekben. CK STEL: 0.1 ppm 15 percekben. CK TWA: 1 mg/m <sup>3</sup> 8 órában. AK TWA: 0.1 ppm 8 órában.	STEL: 0.1 ppm STEL: 1 mg/m <sup>3</sup>

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

				AK lehetséges borön keresztüli felszívódás	
--	--	--	--	--	--

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sulfur dioxide	STEL: 2.7 mg/m <sup>3</sup> STEL: 1 ppm TWA: 1.3 mg/m <sup>3</sup> TWA: 0.5 ppm	TWA: 1.3 mg/m <sup>3</sup> IPRD TWA: 0.5 ppm IPRD STEL: 2.7 mg/m <sup>3</sup> STEL: 1 ppm	TWA: 1.3 mg/m <sup>3</sup> 8 Stunden TWA: 0.5 ppm 8 Stunden STEL: 2.7 mg/m <sup>3</sup> 15 Minuten STEL: 1 ppm 15 Minuten	TWA: 0.5 ppm TWA: 1.3 mg/m <sup>3</sup> STEL: 1 ppm 15 minuti STEL: 2.7 mg/m <sup>3</sup> 15 minuti	TWA: 0.5 ppm 8 ore TWA: 1.3 mg/m <sup>3</sup> 8 ore STEL: 1 ppm 15 minute STEL: 2.7 mg/m <sup>3</sup> 15 minute
Iodine	TWA: 1 mg/m <sup>3</sup>	Ceiling: 0.1 ppm Ceiling: 1 mg/m <sup>3</sup>			TWA: 0.09 ppm 8 ore TWA: 0.5 mg/m <sup>3</sup> 8 ore STEL: 0.2 ppm 15 minute STEL: 1 mg/m <sup>3</sup> 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Diethylene glycol monoethyl ether	MAC: 5 mg/m <sup>3</sup>		TWA: 35 mg/m <sup>3</sup> 8 urah TWA: 6 ppm 8 urah STEL: 12 ppm 15 minutah STEL: 70 mg/m <sup>3</sup> 15 minutah	Indicative STEL: 30 ppm 15 minuter Indicative STEL: 170 mg/m <sup>3</sup> 15 minuter TLV: 15 ppm 8 timmar. NGV TLV: 80 mg/m <sup>3</sup> 8 timmar. NGV Hud	
Sulfur dioxide	Skin notation MAC: 10 mg/m <sup>3</sup>	Ceiling: 2.7 mg/m <sup>3</sup> TWA: 0.5 ppm TWA: 1.3 mg/m <sup>3</sup>	TWA: 0.5 ppm 8 urah TWA: 1.3 mg/m <sup>3</sup> 8 urah STEL: 1 ppm 15 minutah STEL: 2.7 mg/m <sup>3</sup> 15 minutah	Binding STEL: 1 ppm 15 minuter Binding STEL: 2.7 mg/m <sup>3</sup> 15 minuter TLV: 0.5 ppm 8 timmar. NGV TLV: 1.3 mg/m <sup>3</sup> 8 timmar. NGV	
Iodine	Skin notation MAC: 1 mg/m <sup>3</sup>	Ceiling: 1.1 mg/m <sup>3</sup> TWA: 0.1 ppm TWA: 1.1 mg/m <sup>3</sup>		Binding STEL: 0.1 ppm 15 minuter Binding STEL: 1 mg/m <sup>3</sup> 15 minuter	

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Diethylene glycol monoethyl ether 111-90-0 ( 74.0 )				DNEL = 83mg/kg bw/day

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

1-Imidazole 288-32-4 ( 15.0 )				DNEL = 1.5mg/kg bw/day
Iodine 7553-56-2 ( 1.0 )				DNEL = 0.01mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Diethylene glycol monoethyl ether 111-90-0 ( 74.0 )			DNEL = 30mg/m <sup>3</sup>	DNEL = 61mg/m <sup>3</sup>
1-Imidazole 288-32-4 ( 15.0 )				DNEL = 10.6mg/m <sup>3</sup>
Sulfur dioxide 7446-09-5 ( 10 )	DNEL = 2.7mg/m <sup>3</sup>		DNEL = 2.7mg/m <sup>3</sup>	
Iodine 7553-56-2 ( 1.0 )				DNEL = 0.07mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Diethylene glycol monoethyl ether 111-90-0 ( 74.0 )	PNEC = 1.98mg/L	PNEC = 7.32mg/kg sediment dw	PNEC = 19.8mg/L	PNEC = 500mg/L	PNEC = 0.34mg/kg soil dw
1-Imidazole 288-32-4 ( 15.0 )	PNEC = 0.13mg/L	PNEC = 0.336mg/kg sediment dw	PNEC = 1.3mg/L	PNEC = 10mg/L	PNEC = 0.0425mg/kg soil dw
Iodine 7553-56-2 ( 1.0 )	PNEC = 18.13µg/L	PNEC = 3.99mg/kg sediment dw		PNEC = 11mg/L	PNEC = 5.95mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Diethylene glycol monoethyl ether 111-90-0 ( 74.0 )	PNEC = 0.198mg/L	PNEC = 0.732mg/kg sediment dw		PNEC = 444mg/kg food	
1-Imidazole 288-32-4 ( 15.0 )	PNEC = 0.013mg/L	PNEC = 0.0336mg/kg sediment dw			
Iodine 7553-56-2 ( 1.0 )	PNEC = 60.01µg/L	PNEC = 20.22mg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Viton (R)	See manufacturers recommendations	-	EN 374	(minimum requirement)



# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particle filter

**Small scale/Laboratory use** Maintain adequate ventilation  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	
<b>Appearance</b>		
<b>Odor</b>	No information available	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	202 °C / 395.6 °F	
<b>Flammability (liquid)</b>	Combustible liquid	On basis of test data
<b>Flammability (solid,gas)</b>	Not applicable	Liquid
<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	92 °C / 197.6 °F	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	Not applicable	
<b>Viscosity</b>	No data available	
<b>Water Solubility</b>	Immiscible	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Diethylene glycol monoethyl ether	-0.8	
1-Imidazole	-0.02	
Iodine	2.49	
<b>Vapor Pressure</b>	<=1100 hPa @ 50 °C	
<b>Density / Specific Gravity</b>	1.1 g/cm3	@ 20 °C
<b>Bulk Density</b>	Not applicable	Liquid
<b>Vapor Density</b>	No data available	(Air = 1.0)
<b>Particle characteristics</b>	Not applicable (liquid)	

### 9.2. Other information

**Explosive Properties** explosive air/vapour mixtures possible

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Moisture sensitive.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization Hazardous Reactions

No information available.  
None under normal processing.

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Acids. Reducing Agent. Oxidizing agent.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Sulfur oxides.  
Hydrogen iodide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Category 3

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monoethyl ether	6031 mg/kg ( Rat )	9143 mg/kg (Rabbit) 4200 µL/kg ( Rabbit ) 6 mL/kg ( Rat )	LC50 > 5240 mg/m <sup>3</sup> ( Rat ) 4 h
1-Imidazole	970 mg/kg (Rat)	-	-
Sulfur dioxide	-	-	Per CGA P-20: 2500 ppm/1hr ( Rat )
Iodine	315 mg/kg ( Rat )	1425 mg/kg ( Rabbit )	4.588 mg/L 4h ( Rat )

#### (b) skin corrosion/irritation;

Category 1 B

#### (c) serious eye damage/irritation;

Category 1

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

#### (e) germ cell mutagenicity;

No data available

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

(f) carcinogenicity; No data available  
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 1B

(h) STOT-single exposure; Category 1

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Diethylene glycol monoethyl ether	LC50: 11600 - 16700 mg/L, 96h flow-through (Pimephales promelas) LC50: 11400 - 15700 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 19100 - 23900 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 10000 mg/L, 96h static (Lepomis macrochirus)	EC50: 3940 - 4670 mg/L, 48h (Daphnia magna)	
1-Imidazole		EC50: = 341.5 mg/L, 48h (Daphnia magna)	EC50: = 82 mg/L, 96h (Desmodesmus subspicatus) EC50: = 130 mg/L, 72h (Desmodesmus subspicatus)
Iodine	Oncorhynchus mykiss: LC50 = 1,7 mg/l/96 h	EC50 = 0,2 mg/l/48 h	-

Component	Microtox	M-Factor
1-Imidazole	= 1200 mg/L EC50 Pseudomonas putida 17 h = 231 mg/L EC50 Photobacterium phosphoreum 30 min	

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

Iodine	-	
--------	---	--

## 12.2. Persistence and degradability

### Persistence

Immiscible with water, May persist, based on information available.

### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Diethylene glycol monoethyl ether	-0.8	No data available
1-Imidazole	-0.02	No data available
Iodine	2.49	No data available

## 12.4. Mobility in soil

Spillage unlikely to penetrate soil The product is insoluble and sinks in water The product evaporates slowly Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil

## 12.5. Results of PBT and vPvB assessment

No data available for assessment.

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant

This product does not contain any known or suspected substance

### Ozone Depletion Potential

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

#### Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN3267

ALFAA47173

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

<b>14.2. UN proper shipping name</b> Technical Shipping Name	Corrosive liquid, basic, organic, n.o.s. (Imidazole)
<b>14.3. Transport hazard class(es)</b>	8
<b>14.4. Packing group</b>	III

## ADR

<b>14.1. UN number</b>	UN3267
<b>14.2. UN proper shipping name</b> Technical Shipping Name	Corrosive liquid, basic, organic, n.o.s. (Imidazole)
<b>14.3. Transport hazard class(es)</b>	8
<b>14.4. Packing group</b>	III

## IATA

<b>14.1. UN number</b>	UN3267
<b>14.2. UN proper shipping name</b> Technical Shipping Name	Corrosive liquid, basic, organic, n.o.s. (Imidazole)
<b>14.3. Transport hazard class(es)</b>	8
<b>14.4. Packing group</b>	III

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Diethylene glycol monoethyl ether	111-90-0	203-919-7	-	-	X	X	KE-10467	X	X
1-Imidazole	288-32-4	206-019-2	-	-	X	X	KE-20937	X	X
Sulfur dioxide	7446-09-5	231-195-2	-	-	X	X	KE-32567	X	X
Iodine	7553-56-2	231-442-4	-	-	X	X	KE-21023	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDL	AICS	NZIoC	PICCS
Diethylene glycol monoethyl ether	111-90-0	X	ACTIVE	X	-	X	X	X
1-Imidazole	288-32-4	X	ACTIVE	X	-	X	X	X
Sulfur dioxide	7446-09-5	X	ACTIVE	X	-	X	X	X
Iodine	7553-56-2	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous	REACH Regulation (EC 1907/2006) article 59 - Candidate List of

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

			Substances	Substances of Very High Concern (SVHC)
Diethylene glycol monoethyl ether	111-90-0	-	-	-
1-Imidazole	288-32-4	-	Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-
Sulfur dioxide	7446-09-5	-	Use restricted. See entry 75. (see link for restriction details)	-
Iodine	7553-56-2	-	Use restricted. See entry 75. (see link for restriction details)	-

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Diethylene glycol monoethyl ether	111-90-0	Not applicable	Not applicable
1-Imidazole	288-32-4	Not applicable	Not applicable
Sulfur dioxide	7446-09-5	Not applicable	Not applicable
Iodine	7553-56-2	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Diethylene glycol monoethyl ether	WGK1	
1-Imidazole	WGK2	
Sulfur dioxide	WGK1	
Iodine	WGK 2	

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

Component	France - INRS (Tables of occupational diseases)
Diethylene glycol monoethyl ether	Tableaux des maladies professionnelles (TMP) - RG 84

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Iodine 7553-56-2 ( 1.0 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H331 - Toxic if inhaled  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H370 - Causes damage to organs  
H360D - May damage the unborn child  
H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
H332 - Harmful if inhaled  
H400 - Very toxic to aquatic life

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/MDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

# SAFETY DATA SHEET

Karl Fischer Composite T1, for volumetric one-component titration

Revision Date 17-Mar-2024

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health Hazards	Calculation method
Environmental hazards	Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Revision Date	17-Mar-2024
Revision Summary	New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,  
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and  
Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**