

## SAFETY DATA SHEET

Creation Date 13-May-2014 Revision Date 26-December-2021 Revision Number 5

1. Identification

Product Name Sodium tungstate dihydrate

Cat No.: AC424470000; AC424470050; AC424471000; AC424475000

**CAS-No** 10213-10-2

**Synonyms** Tungstic acid, sodium salt dihydrate

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

 Importer/Distributor
 Manufacturer

 Fisher Scientific
 Acros Organics
 Fisher Scientific Company

Fisher Scientific Acros Organics
112 Colonnade Road, One Reagent Lane
Ottawa, ON K2E 7L6, Fair Lawn, NJ 07410

One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute oral toxicity Category 4

Label Elements

Signal Word Warning

Hazard Statements Harmful if swallowed



### **Precautionary Statements**

### Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

### Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER/ doctor if you feel unwell Rinse mouth

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

### Disposal

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Tungstate (WO42-), disodium, dihydrate, (T-4)-	10213-10-2	>95
Tungstate (WO42-), disodium, (T-4)-	13472-45-2	-

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. If symptoms persist, call a physician.

Get medical attention if symptoms occur. Wash off immediately with soap and plenty of **Skin Contact** 

water while removing all contaminated clothes and shoes.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the Inhalation

> substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If symptoms persist, call a physician. If not

breathing, give artificial respiration.

Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting Ingestion

without medical advice. Never give anything by mouth to an unconscious person. Consult a

physician.

Most important symptoms/effects

**Notes to Physician** 

No information available. Treat symptomatically

### 5. Fire-fighting measures

**Unsuitable Extinguishing Media** No information available

**Flash Point Method -**No information available

No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Sodium oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards200N/A

### Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust

formation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

**Environmental Precautions** Avoid release to the environment. Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional Ecological Information.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

7. Handling and storag
------------------------

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

dust formation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Incompatible Materials. Strong oxidizing agents.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Tungstate (WO42-),	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	(Vacated) TWA:	TWA: 1 mg/m <sup>3</sup>
disodium, dihydrate,	STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>		STEL: 3 mg/m <sup>3</sup>		1 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
(T-4)-		_		_		(Vacated) STEL:	_
						3 mg/m <sup>3</sup>	
Tungstate (WO42-),	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	(Vacated) TWA:	TWA: 1 mg/m <sup>3</sup>
disodium, (T-4)-	STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>		STEL: 3 mg/m <sup>3</sup>	_	1 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
				, and the second		(Vacated) STEL:	
						3 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	Glove comments
	Natural rubber	See manufacturers	-	Splash protection only
	Nitrile rubber	recommendations		
	Neoprene			
L	PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

#### 9. Physical and chemical properties **Physical State** Solid Appearance White Odor Odorless **Odor Threshold** No information available рH 8-9 @ 20°C 5% ag.solution No data available Melting Point/Range **Boiling Point/Range** No information available Flash Point No information available Not applicable **Evaporation Rate** Flammability (solid,gas) No information available Flammability or explosive limits Upper No data available Lower No data available **Vapor Pressure** No information available **Vapor Density** Not applicable **Specific Gravity** No information available Solubility Soluble in water Partition coefficient; n-octanol/water No data available

### Sodium tungstate dihydrate

Autoignition Temperature No information available

Decomposition Temperature>100 °CViscosityNot applicableMolecular FormulaNa2 O4 W . 2 H2 O

Molecular Weight 329.85

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under recommended storage conditions.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Sodium oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

### 11. Toxicological information

#### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tungstate (WO42-), disodium,	LD50 = 1190 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 5.01 mg/L (Rat) 4 h
(T-4)-			

**Toxicologically Synergistic** 

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Tungstate (WO42-),	10213-10-2	Not listed				
disodium, dihydrate,						
(T-4)-						
Tungstate (WO42-),	13472-45-2	Not listed				
disodium, (T-4)-						

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

### Sodium tungstate dihydrate

#### delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Tungstate (WO42-),	Not listed	LC50: > 200 mg/L, 96h static	Not listed	Not listed
disodium, (T-4)-		(Danio rerio)		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

### 13. Disposal considerations

Waste Disposal Methods Che

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

### 15. Regulatory information

#### **International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Tungstate (WO42-), disodium, dihydrate, (T-4)-	10213-10-2	-	-	-	-	-		-
Tungstate (WO42-), disodium,	13472-45-2	Х	-	Х	ACTIVE	236-743-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Tungstate (WO42-), disodium,	10213-10-2	Х	-	X	X	X	Х	Х	Х
dihydrate, (T-4)-									
Tungstate (WO42-), disodium,	13472-45-2	Х	KE-12409	X	Х	X	Х	Х	Х
(T-4)-									

### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### **Other International Regulations**

Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Tungstate (WO42-), disodium, dihydrate, (T-4)-	10213-10-2	Not applicable	Not applicable	Not applicable	Not applicable
Tungstate (WO42-), disodium, (T-4)-	13472-45-2	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Tungstate (WO42-), disodium, dihydrate, (T-4)-	10213-10-2	Not applicable	Not applicable	Not applicable	Not applicable
Tungstate (WO42-), disodium, (T-4)-	13472-45-2	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date13-May-2014Revision Date26-December-2021Print Date26-December-2021

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of SDS**