

SAFETY DATA SHEET

Revision Date 30-Mar-2024

Revision Number 3

1. Identification

Product Name Aluminum arsenide

Cat No. : 14522

CAS No 22831-42-1
Synonyms No information available

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|---|-------------|
| Acute oral toxicity | Category 3 |
| Acute Inhalation Toxicity - Dusts and Mists | Category 3 |
| Carcinogenicity | Category 1A |

Label Elements

Signal Word

Danger

Hazard Statements

May cause cancer
Toxic if swallowed or if inhaled

**Precautionary Statements****Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Rinse mouth

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects
WARNING. Cancer - <https://www.p65warnings.ca.gov/>.

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|--------------------------|------------|----------|
| Aluminum arsenide (AIAs) | 22831-42-1 | <=100 |

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

| | |
|--|------------------------------|
| Most important symptoms and effects | None reasonably foreseeable. |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|--------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| | | | |
|---------------|---------------------|--------------------|-------------------------|
| Health | Flammability | Instability | Physical hazards |
| 3 | 0 | 0 | - |

6. Accidental release measures

| | |
|----------------------------------|---|
| Personal Precautions | Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. |
| Environmental Precautions | Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. |

Methods for Containment and Clean Up Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

7. Handling and storage

| | |
|-----------------|--|
| Handling | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance. |
| Storage. | Keep containers tightly closed in a dry, cool and well-ventilated place. |

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|--------------------------|-----------------------------|----------|---|-----------------------------|
| Aluminum arsenide (AIAs) | TWA: 0.01 mg/m ³ | | IDLH: 5 mg/m ³ Ceiling: 0.002 mg/m ³ | TWA: 0.01 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists
NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|--|--------------------------|
| Physical State | Solid |
| Appearance | Grey |
| Odor | No information available |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | 1740 °C / 3164 °F |
| Boiling Point/Range | No information available |
| Flash Point | No information available |
| Evaporation Rate | Not applicable |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | Not applicable |
| Specific Gravity | 3.81 g/cm3 |
| Solubility | No information available |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | No information available |
| Viscosity | Not applicable |
| Molecular Formula | AlAs |
| Molecular Weight | 101.90 |

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|--------------------------|------------|------------|-------|-------|------------|--------|
| Aluminum arsenide (AIAs) | 22831-42-1 | Not listed | Known | A1 | Not listed | A1 |

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1557
Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.
Technical Name (Aluminum arsenide)
Hazard Class 6.1
Packing Group II

TDG

UN-No UN1557
Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.
Hazard Class 6.1
Packing Group II

IATA

UN-No UN1557
Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.
Hazard Class 6.1
Packing Group II

IMDG/IMO

UN-No UN1557
Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.
Hazard Class 6.1
Packing Group II

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|--------------------------|------------|------|---|-----------------------------|
| Aluminum arsenide (AIAs) | 22831-42-1 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|--------------------------|------------|-----|------|-----------|-------|------|------|------|-------|------|
| Aluminum arsenide (AIAs) | 22831-42-1 | - | X | 245-255-0 | - | - | - | - | - | - |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|--------------------------|------------|----------|-------------------------------|---------------------------------|
| Aluminum arsenide (AIAs) | 22831-42-1 | <=100 | 0.1 % | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Aluminum arsenide (AIAs) | - | - | X | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depleters | Class 2 Ozone Depleters |
|--------------------------|-----------|-------------------------|-------------------------|
| Aluminum arsenide (AIAs) | X | | - |

OSHA - Occupational Safety and Health Administration Not applicable

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|--------------------------|--|----------------------------|
| Aluminum arsenide (AIAs) | 10 µg/m ³ TWA 5 µg/m ³ Action Level | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product contains the following Proposition 65 chemicals.

| Component | CAS No | California Prop. 65 | Prop 65 NSRL | Category |
|--------------------------|------------|---------------------|--------------------------|------------|
| Aluminum arsenide (AIAs) | 22831-42-1 | Carcinogen | 0.06 µg/day 10 µg/day | Carcinogen |

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|--------------------------|---------------|------------|--------------|----------|--------------|
| Aluminum arsenide (AIAs) | - | X | X | X | - |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------------|------------|---|--|---|
| Aluminum arsenide (AIAs) | 22831-42-1 | - | Use restricted. See item 19. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------------------|------------|----------------|------------------------------|---------------------------|--|
| Aluminum arsenide (AIAs) | 22831-42-1 | Not applicable | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------------|------------|---|--|----------------------------|------------------------------------|
| Aluminum arsenide (AIAs) | 22831-42-1 | Not applicable | Not applicable | Not applicable | Annex I - Y24 |

16. Other information

Prepared By

Health, Safety and Environmental Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

Revision Date

30-Mar-2024

Print Date

30-Mar-2024

Revision Summary

New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS