

Page 1/9 Creation Date 23-Nov-2009 Revision Date 13-May-2024 Version 2

ALFAAC25521

Ammonium hydroxide, extra pure, 25% solution in water

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 氢氧化铵, 25-30%水溶液

Product Description: Ammonium hydroxide, extra pure, 25% solution in water

Cat No. : C25521

Synonyms Ammonia solution; Ammonia water; Ammonium hydrate

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorLiquidColorlessAmmonia-like

Emergency Overview

Causes severe skin burns and eye damage. May cause respiratory irritation. Very toxic to aquatic life.

Classification of the substance or mixture

| Skin Corrosion/Irritation | Category 1 B |
|--|--------------|
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific target organ toxicity - (single exposure) | Category 3 |
| Acute aquatic toxicity | Category 1 |

Label Elements



Signal Word Danger

Hazard Statements

Page 2/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

Precautionary Statements

Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

None identified.

Health Hazards

Corrosive. Causes skin and eye burns. May cause respiratory irritation.

Environmental hazards

Very toxic to aquatic life. The product is water soluble, and may spread in water systems.

Other Hazards

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|--------------------|-----------|----------|
| Water | 7732-18-5 | 70-75 |
| Ammonium hydroxide | 1336-21-6 | 25-30 |
| Ammonia | 7664-41-7 | - |

SECTION 4. FIRST AID MEASURES

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or Poison Control Centre immediately.

Most important symptoms and effects

Page 3/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.

Environmental Precautions

Should not be released into the environment. Keep out of waterways. Collect spillage. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Page 4/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

Control Parameters

| Component | China | Taiwan | Thailand | Hong Kong |
|-----------|----------------------------|---------------------------|-------------|----------------------------|
| Ammonia | TWA: 20 mg/m ³ | TWA: 50 ppm | TWA: 50 ppm | TWA: 25 ppm |
| | STEL: 30 mg/m ³ | TWA: 35 mg/m ³ | | TWA: 17 mg/m ³ |
| | | | | STEL: 35 ppm |
| | | | | STEL: 24 mg/m ³ |

| Component | ACGIH TLV | OSHA PEL | NIOSH | The United Kingdom | European Union |
|-----------|--------------|---------------------------|--|--------------------------------|--------------------------------|
| Ammonia | TWA: 25 ppm | (Vacated) STEL: 35 | (Vacated) STEL: 35 IDLH: 300 ppm STEL: 35 ppm 15 min | | TWA: 20 ppm (8h) |
| | STEL: 35 ppm | ppm | TWA: 25 ppm | STEL: 25 mg/m ³ 15 | TWA: 14 mg/m ³ (8h) |
| | | (Vacated) STEL: 27 | TWA: 18 mg/m ³ | min | STEL: 50 ppm (15min) |
| | | mg/m³ | STEL: 35 ppm | TWA: 25 ppm 8 hr | STEL: 36 mg/m ³ |
| | | TWA: 50 ppm | STEL: 27 mg/m ³ | TWA: 18 mg/m ³ 8 hr | (15min) |
| | | TWA: 35 mg/m ³ | _ | | , , |

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Butyl rubber | > 480 minutes | 0.5 mm | EN 374 | (minimum requirement) |
| Viton (R) | > 480 minutes | 0.4 mm | | |
| Neoprene | > 480 minutes | 0.45 mm | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection | Wear appropriate protective gloves and clothing to prevent skin exposure |
|----------------------------|---|
| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Inorganic gases and vapours filter Type B Grey or Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |

ALFAAC25521

SAFETY DATA SHEET

Page 5/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Liquid

Method - No information available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colorless Physical State Liquid

Odor Ammonia-like
Odor Threshold No data available

pH 12

Melting Point/Range -57 °C / -70.6 °F
Softening Point No data available
Boiling Point/Range 38 °C / 100.4 °F
Flash Point No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 15 Vol% Upper 28 Vol%

Vapor Pressure 500 hPa @ 20 °C

Vapor Density 0.59 (Air = 1.0)

Specific Gravity / Density 0.88-0.91
Bulk Density Not applicable

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties

651 °C / 1203.8 °F
No data available
No data available
No information available
No information available

SECTION 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Hazardous ReactionsNone under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Excess heat.

Materials to avoid Strong oxidizing agents. Metals. Acids. Fluorine. Halogens.

Hazardous Decomposition Products Nitrogen oxides (NOx).

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

Page 6/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------|--------------------------|-------------|---|
| Water | - | - | - |
| Ammonium hydroxide | LD50 > 350 mg/kg (Rat) | | |
| Ammonia | LD50 = 350 mg/kg (Rat) | | LC50 = 9850 mg/m³ (Rat) 1 h LC50 = 13770 mg/m³ (Rat) 1 h |

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Category 3 (h) STOT-single exposure;

Results / Target organs Respiratory system

No data available (i) STOT-repeated exposure;

Target Organs No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

SECTION 12. ECOLOGICAL INFORMATION

Very toxic to aquatic organisms. The product contains following substances which are **Ecotoxicity effects** hazardous for the environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|--------------------|-------------------------|-----------------------|------------------|-----------------------|
| Ammonium hydroxide | 0.53 mg/l LC50 96h | EC50: 0.66 mg/L/48h | <u>-</u> | - |
| | 0.75 - 3.4 mg/l LC50 | | | |
| | 96h | | | |
| | 8.2 mg/L LC50 96h | | | |
| Ammonia | LC50: 0.26 - 4.6 mg/L, | EC50 = 25.4 mg/L, 48h | | EC50 = 2.0 mg/L 5 min |
| | 96h (Lepomis | (Daphnia magna) | | |
| | macrochirus) | NOEC = 0.79 mg/L | | |
| | LC50: = 1.17 mg/L, 96h | (Daphnia magna) | | |
| | flow-through (Lepomis | | | |
| | macrochirus) | | | |
| | LC50: 0.73 - 2.35 mg/L, | | | |
| | 96h (Pimephales | | | |
| | promelas) | | | |

Page 7/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

LC50: = 5.9 mg/L, 96h
static (Pimephales
promelas)
LC50: > 1.5 mg/L, 96h
(Poecilia reticulata)
LC50: = 1.19 mg/L, 96h
static (Poecilia
reticulata)
LC50: = 0.44 mg/L, 96h
(Cyprinus carpio)

Persistence and Degradability

Persistence

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential

Bioaccumulation is unlikely

Mobility in soil

The product is water soluble, and may spread in water systems. Disperses rapidly in air

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized

before discharge. Do not let this chemical enter the environment.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN2672

Proper Shipping Name AMMONIA SOLUTION

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN2672

Proper Shipping Name AMMONIA SOLUTION

Hazard Class 8
Packing Group III

IATA

UN-No UN2672

Page 8/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

Proper Shipping Name AMMONIA SOLUTION

Hazard Class 8
Packing Group III

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component | The Inventory of Hazardous Chemicals (2015 Edition) | | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|--------------------|--|---|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Water | - | - | Χ | Х | 231-791-2 | Х | X | Х | Χ | | Χ | KE-35400 |
| Ammonium hydroxide | Х | - | Χ | Χ | 215-647-6 | Х | Χ | Х | Х | Х | Χ | KE-01688 |
| Ammonia | X | X | Χ | Χ | 231-635-3 | Х | Χ | Х | Χ | Χ | Χ | KE-01625 |

| Component | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | | | | |
|-----------|--|---|--|--|--|--|
| Ammonia | 50 tonne | 200 tonne | | | | |

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Creation Date23-Nov-2009Revision Date13-May-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances | Substances | List |

Substances/EU List of Notified Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water

ALFAAC25521

SAFETY DATA SHEET

Page 9/9 Revision Date 13-May-2024

Ammonium hydroxide, extra pure, 25% solution in water

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

 $\mbox{\bf MARPOL}$ - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet