

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

**Product Name IRGASAN SOLUTION 1MG/ML** 

**Product Code** IN5132

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

**CHEMTREC® Emergency Tel.** 

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292 Fax: 1800 067 639

auinfo@thermofisher.com

Laboratory chemicals.

# Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

**Recommended Use** 

E-mail address

Flammable liquids Category 2

**Health hazards** 

Serious Eye Damage/Eye Irritation Category 2

**Environmental hazards** No hazards identified

#### **Label Elements**



Flame



Signal Word **Danger** 

**Hazard Statements** 

H225 - Highly flammable liquid and vapor

IN5132 Version 1 28-May-2020 Page 1/8 H319 - Causes serious eye irritation

#### **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P403 + P235 - Store in a well-ventilated place. Keep cool

#### Other information

No information available

# Section 3 - Composition and Information on Ingredients

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	99-100
5-Chloro-2-(2,4-dichlorophenoxy)phenol	3380-34-5	<1

### Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**General Advice** If symptoms persist, call a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. . Inhalation of high vapor concentrations may cause

symptoms like headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically.

## Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

IN5132 Version 1 28-May-2020 Page 2/8

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

#### AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids does not apply to this product. It is covered by the ADG Code Class 3 exclusion clause (i.e. SP No 144 An aqueous solution containing not more than 24% alcohol by volume is not subject to the ADG Code, AS1940 section 1.2). Refer to AS1940 to ensure compliance of individual storage and handling facilities.

## Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Third edition. Published 2018. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Ethyl alcohol	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1880 mg/m <sup>3</sup>	STEL: 1000 ppm	TWA: 1000 ppm TWA; 1920 mg/m³ TWA	200 ppm TWA MAK; 380 mg/m³ TWA MAK
				WEL - STEL: 3000 ppm	
				STEL; 5760 mg/m <sup>3</sup>	
				STEL	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

IN5132 Version 1 28-May-2020 Page 3 / 8

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161.1	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Liquid

(Air = 1.0)

Liquid

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Appearance** 

Physical State Liquid

Odor
Odor Threshold
PH
No information available
No data available
No information available
No data available
No data available
No data available

Softening Point

Boiling Point/Range

Flash Point

No data available
No information available
13 °C / 55.4 °F

Flash Point 13 °C / 55.4 °F Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure No data available Vapor Density No data available

Specific Gravity / Density

No data available

Bulk DensityNot applicableWater SolubilityNo information available

Water Solubility

Solubility in other solvents

No information available
No information available

Partition Coefficient (n-octanol/water)

Componentlog PowEthyl alcohol-0.325-Chloro-2-(2,4-dichlorophenoxy)phen4.7

٠.

IN5132 Version 1 28-May-2020 Page 4/8

Autoignition Temperature Decomposition Temperature Viscosity No data available No data available No data available

**Explosive Properties Oxidizing Properties** 

No information available No information available

Vapors may form explosive mixtures with air

Other information

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization No information available.

# Section 11 - Toxicological Information

#### Information on Toxicological Effects

Product Information (a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 10470 mg/kg OCED 401 (Rat)		LC50 = 117-125 mg/l (4h) OECD 403 (rat)
	3450 mg/kg ( Mouse )		20000 ppm/10H (rat)
5-Chloro-2-(2,4-dichlorophenoxy)phenol	LD50 = 3700 mg/kg (Rat)	LD50 = 9300 mg/kg (Rat) LD50 = 9300 mg/kg (Rabbit)	

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
Ethyl alcohol 64-17-5 ( 99-100 )	Mouse Ear Swelling Test (MEST)	mouse	non-sensitising
04 17 3 ( 33 100 )	OECD Test Guideline 429 Local Lymph Node Assay	mouse	non-sensitising

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
Ethyl alcohol	AMES test	in vitro	negative
64-17-5 ( 99-100 )	OECD Test Guideline 471	Bacteria	_
	Gene cell mutation		
	OECD Test Guideline 476	in vitro	negative

IN5132 Version 1 28-May-2020 Page 5 / 8

	Mammalian	
	mannanan	

(f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Ethyl alcohol					Group 1			

Based on available data, the classification criteria are not met (g) reproductive toxicity;

Component	Test method	Test species / Duration	Study result
Ethyl alcohol 64-17-5 ( 99-100 )	OECD Test Guideline 416	Oral / mouse 2 Generation	NOAEL = 13.8 g/kg/day
04-17-3 ( 99-100 )	OECD Test Guideline 414	Inhalation / Rat	NOAEC = 16000 ppm

(h) STOT-single exposure;

Based on available data, the classification criteria are not met

(i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

**Target Organs** 

None known.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

# Section 12 - Ecological Information

**Ecotoxicity effects** 

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow	EC50 = 9268 mg/L/48h	EC50 (72h) = 275 mg/l	Photobacterium
	(Pimephales promelas)	EC50 = 10800  mg/L/24h	(Chlorella vulgaris)	phosphoreum:EC50 =
	LC50 = 14200 mg/l/96h			34634 mg/L/30 min
				Photobacterium
				phosphoreum:EC50 =
				35470 mg/L/5 min
5-Chloro-2-(2,4-dichlorophenoxy)phenol	LC50: 0.288 mg/L/96h	EC50: 0.39 mg/L/48h		
	(Oncorhynchus mykiss)			

**Persistence and Degradability** 

No information available

**Persistence** Persistence is unlikely.

Component	Degradability		
Ethyl alcohol	OECD 301E = 94%		%
64-17-5 ( 99-100 )		)	

Degradation in sewage treatment plant **Bioaccumulative Potential** 

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethyl alcohol	-0.32	No data available
5-Chloro-2-(2,4-dichlorophenoxy)phenol	4.7	No data available

**Mobility** 

No information available.

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### Section 13 - Disposal Considerations

Waste from Residues/Unused **Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

IN5132 Version 1 28-May-2020 Page 6/8

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

# Section 14 - Transport Information

#### IMDG/IMO

**UN-No** 1170

Proper Shipping Name Ethanol solution

Hazard Class 3
Packing Group ||

ADG

**UN-No** 1170

Proper Shipping Name Ethanol solution

Hazard Class 3
Packing Group ||

Component	Hazchem Code
Ethyl alcohol	2YE
64-17-5 ( 99-100 )	2Y

#### IATA

**UN-No** 1170

Proper Shipping Name Ethanol solution

Hazard Class 3 Packing Group II

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	AICS	NZIoC	<b>EINECS</b>	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	KECL
Ethyl alcohol	Χ	Х	200-578-	-	Х	Х	-	Χ	Х	Х	KE-1321
•			6								7
5-Chloro-2-(2,4-dichlorophenoxy)	Χ	Х	222-182-	-	Х	Х	-	Χ	Χ	Χ	KE-0558
phenol			2								8

Standard for the Uniform Scheduling of Medicines and

**Poisons** 

Component	Standard for the Uniform Scheduling of Medicines and Poisons	Health Surveillance
5-Chloro-2-(2,4-dichlorophenoxy)phenol	Schedule 6 listed - in cosmetic preparations	
	for human use	

**Prohibition or notification/licensing** Shown below are details of specific prohibition/notifications or licencing requirements when **requirements** they apply.

### Section 16 - Other Information

IN5132 Version 1 28-May-2020 Page 7 / 8

#### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC (volatile organic compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration **BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

28-May-2020 **Revision Date** Initial Release. **Revision Summary** 

### This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

IN5132 Version 1 28-May-2020 Page 8/8