

SAFETY DATA SHEET

Creation Date 03-December-2010 Revision Date 04-January-2024 **Revision Number** 12

1. Identification

Product Name Sodium azide

BP922I-500; BP922I-500LC Cat No.:

CAS-No 26628-22-8

Synonyms Sodium salt of hydrazoic acid; Smite

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Fisher Scientific 112 Colonnade Road. Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17) WHMIS 2015 Classification

Acute oral toxicity Category 2 Acute dermal toxicity Category 1 **Acute Inhalation Toxicity** Category 2 Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Central nervous system (CNS), Cardiovascular system, Liver, Kidney, Heart, spleen.

Health Hazards Not Otherwise Classified Category 1

Contact with acids liberates very toxic gas

Label Elements

Signal Word

Danger

Hazard Statements

Fatal if swallowed, in contact with skin or if inhaled

May cause damage to organs through prolonged or repeated exposure Contact with acids liberates very toxic gas



Precautionary Statements

Prevention

Take any precaution to avoid mixing with acids Do not breathe dust/fumes/gas/mist/vapours/spray

Wear respiratory protection

Do not get in eyes, on skin, or on clothing

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER/doctor

IF ON SKIN: Wash with plenty of soap and water

Rinse mouth

Take off immediately all contaminated clothing and wash it before reuse

Wash contaminated clothing before reuse

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposa

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sodium azide	26628-22-8	<=100

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin ContactWash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Do NOT induce vomiting. Call a physician or poison control center immediately. Ingestion

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

Fire-fighting measures

Suitable Extinguishing Media Dry chemical, soda ash, lime or sand, approved class D extinguishers.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

No information available **Flash Point** Method -No information available

Autoignition Temperature

Explosion Limits

No information available

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

In the event of fire, cool tanks with water spray. Containers may explode when heated or if contaminated with water. Thermal decomposition can lead to release of irritating gases and vapors. Runoff to sewer may create fire or explosion hazard. Flammable/toxic gases may accumulate in confined areas (basements, tanks, hopper/tank cars etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NOx). Sodium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health 4	Flammability	Instability	Physical hazard
	1	2	N/A
4	1	2	N/A

	6. Accidental release measures
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials. Acids. Peroxides. Acid chlorides. Metals. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Sodium azide	Ceiling: 0.29 mg/m³ Ceiling: 0.11 ppm STEL: 0.3 mg/m³	Ceiling: 0.29 mg/m³ Ceiling: 0.11 ppm	CEV: 0.29 mg/m³ CEV: 0.11 ppm	Ceiling: 0.29 mg/m³ Ceiling: 0.11 ppm	Ceiling: 0.29 mg/m³ Ceiling: 0.11 ppm	Skin (Vacated) Ceiling: 0.1 ppm (Vacated) Ceiling: 0.3 mg/m³	Ceiling: 0.1 ppm Ceiling: 0.3 mg/m³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical State Powder Solid

Sodium azide

Appearance White Odor Odorless

Odor Threshold No information available 10 1M aq.sol 275 °C / 527 °F Melting Point/Range

Boiling Point/Range 300 °C / 572 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available

Vapor Density Not applicable **Specific Gravity** 1.850

Solubility 420 g/L (17°C) No data available Partition coefficient; n-octanol/water **Autoignition Temperature** No information available

Decomposition Temperature > 275°C Not applicable **Viscosity** Molecular Formula N3 Na

65.01 **Molecular Weight**

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under recommended storage conditions. Unstable if heated. Heating may cause an

explosion.

Conditions to Avoid Avoid dust formation. Incompatible products. Heat, flames and sparks.

Incompatible Materials Acids, Peroxides, Acid chlorides, Metals, Oxidizing agent

Hazardous Decomposition Products Nitrogen oxides (NOx), Sodium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium azide	27 mg/kg (Rat)	20 mg/kg (Rabbit)	0.054-0.52 mg/L (dust)

No information available **Toxicologically Synergistic**

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation May cause skin, eye, and respiratory tract irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No IARC		ARC NTP A		OSHA	Mexico
Sodium azide	26628-22-8	Not listed				

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure Central nervous system (CNS) Cardiovascular system Liver Kidney Heart spleen

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium azide	Not listed	LC50: = 0.7 mg/L, 96h	Not listed	Not listed
		(Lepomis macrochirus)		
		LC50: = 0.8 mg/L, 96h		
		(Oncorhynchus mykiss)		
		LC50: = 5.46 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1687

Proper Shipping Name SODIUM AZIDE

Hazard Class 6.1
Packing Group

TDG

UN-No UN1687

Proper Shipping Name SODIUM AZIDE

Hazard Class 6.1 Packing Group II

IATA

UN-No UN1687

Proper Shipping Name SODIUM AZIDE

Hazard Class 6.1 Packing Group II

Sodium azide

IMDG/IMO

UN-No UN1687 Proper Shipping Name SODIUM AZIDE

Hazard Class 6.1 Packing Group II

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Sodium azide	26628-22-8	X	-	X	ACTIVE	247-852-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Sodium azide	26628-22-8	Х	KE-31357	Х	Х	Х	Х	Х	Х

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)	
Sodium azide	26628-22-8	Not applicable	Not applicable	Not applicable	Not applicable	
Component	CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention	

Component	CAS-No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		,,
		for Major Accident	for Safety Report		
		Notification	Requirements		
Sodium azide	26628-22-8	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 04-January-2024

Sodium azide

Creation Date03-December-2010Revision Date04-January-2024Print Date04-January-2024

Revision SummaryThis document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS