

## Classified as hazardous in accordance with the criteria of EPA New Zealand

## **Section 1 - Identification**

**Product Identifier** 

Product Name Ionic strength adjuster solution for sodium electrode

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code 43077

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Telephone / Fax Numbers** Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

## **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**GHS Classification** 

Physical hazards

Substances/mixtures corrosive to metal Category 1

**Health hazards** 

Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1Specific target organ toxicity - (single exposure)Category 3

**Environmental hazards** 

Chronic aquatic toxicity Category 3

**Label Elements** 

ALFAA43077 Version 3 21-Mar-2023 Page 1 / 11



Signal Word Danger

### **Hazard Statements**

H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects

H290 - May be corrosive to metals

## **Precautionary Statements**

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

## **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
Water	7732-18-5	65.00
Ammonium chloride	12125-02-9	21.00
Ammonium hydroxide	1336-21-6	14.00

## **Section 4 - First Aid Measures**

#### Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

ALFAA43077 Version 3 21-Mar-2023 Page 2 / 11

## lonic strength adjuster solution for sodium electrode

## SAFETY DATA SHEET

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

## **Section 5 - Fire Fighting Measures**

### **Suitable Extinguishing Media**

Not combustible. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Hydrogen chloride, Ammonia.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **Section 6 - Accidental Release Measures**

## Personal Precautions, Protective Equipment and Emergency Procedures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

## Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

ALFAA43077 Version 3 21-Mar-2023 Page 3 / 11

## **Section 7 - Handling and Storage**

## Precautions for Safe Handling

### Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## Conditions for Safe Storage, Including any Incompatibilities

### **Storage Conditions**

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

### **Incompatible Materials**

Acids.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## **Section 8 - Exposure Controls and Personal Protection**

### **Control parameters**

## **Exposure limits**

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Ammonium chloride	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> 15 min
	STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> 8 hr

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Appropriate engineering controls

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Individual protection measures, such as personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber, Nitrile	See manufacturers	-		(minimum requirement)

ALFAA43077 Version 3 21-Mar-2023 Page 4 / 11

rubber, Neoprene, PVC. recommendations AS/NZS 2161

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Acid gases filter Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

**Recommended half mask:-** Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Liquid

## **Section 9 - Physical and Chemical Properties**

### Information on basic physical and chemical properties

Physical State Liquid

**Appearance** 

Odor Ammoniacal
Odor Threshold No data available
pH No information available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available

Flammability (liquid)

Flammability (solid, gas)

No data available

Not applicable

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
No data available
No data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Component** log Pow Ammonium chloride -4.38

Vapor Pressure23 hPa @ 20 °CDensity / Specific GravityNo data availableBulk DensityNot applicable

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

ALFAA43077 Version 3 21-Mar-2023 Page 5 / 11

## **Section 10 - Stability and Reactivity**

None known, based on information available Reactivity

Stability Stable under normal conditions.

**Sensitivity to Mechanical Impact** No information available

No information available Sensitivity to Static Discharge

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

**Conditions to Avoid** Heat, flames and sparks.

**Incompatible Materials** Acids.

Hazardous Decomposition Products Nitrogen oxides (NOx). Hydrogen chloride. Ammonia.

## **Section 11 - Toxicological Information**

## **Acute Effects**

## Information on likely routes of exposure

### **Product Information**

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including **Eyes** 

blindness.

Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Skin

Ingestion May be harmful if swallowed.

## Numerical measures of toxicity

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral Based on available data, the classification criteria are not met **Dermal** Based on available data, the classification criteria are not met Inhalation

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Ammonium chloride	1650 mg/kg (Rat)	> 2000 mg/kg	
Ammonium hydroxide	LD50 > 350 mg/kg (Rat)		

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

No data available (e) germ cell mutagenicity;

**ALFAA43077** Version 3 21-Mar-2023 Page 6/11

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

### Symptoms / effects,both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## **Section 12 - Ecological Information**

### **Ecotoxicity**

**Aquatic ecotoxicity** The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ammonium chloride	Cyprinus carpio:	EC50 = 202 mg/L/24h	-	-
	LC50 = 209 mg/L			
Ammonium hydroxide	0.53 mg/l LC50 96h 0.75 - 3.4 mg/l LC50	EC50: 0.66 mg/L/48h	-	-
	96h			
	8.2 mg/L LC50 96h			

**Terrestrial ecotoxicity**There is no data for this product

Persistence and Degradability

**Persistence** Miscible with water, Persistence is unlikely, based on information available.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ammonium chloride	-4.38	No data available

**Mobility** The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptorsPersistent Organic PollutantThis product does not contain any known or suspected substanceOzone Depletion PotentialThis product does not contain any known or suspected substance

ALFAA43077 Version 3 21-Mar-2023 Page 7/11

## **Section 13 - Disposal Considerations**

### Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

**Other Information** 

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this

chemical enter the environment.

## **Section 14 - Transport Information**

Component	Hazchem Code
Ammonium hydroxide	2XE
1336-21-6 ( 14.00 )	

#### NZS 5433:2020

UN-No UN2672

Proper Shipping Name AMMONIA SOLUTION

Hazard Class 8
Packing Group III

IATA

UN-No UN2672

Proper Shipping Name AMMONIA SOLUTION

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN2672

Proper Shipping Name AMMONIA SOLUTION

Hazard Class 8
Packing Group |||

Component	IMDG Marine Pollutant
Ammonium hydroxide	IMDG regulated marine pollutant (UN2073); IMDG regulated
1336-21-6 ( 14.00 )	marine pollutant (UN2672); IMDG regulated marine pollutant
	(UN3318)

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable, packaged goods

Special Precautions No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

ALFAA43077 Version 3 21-Mar-2023 Page 8 / 11

## **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

## Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	IMDG Marine Pollutant
Ammonium hydroxide			IMDG regulated marine pollutant
			(UN2073); IMDG regulated marine
			pollutant (UN2672); IMDG regulated
			marine pollutant (UN3318)

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ammonium chloride	-	Use restricted. See item 75. (see link for restriction details) Use restricted. See item 65. (see link for restriction details)	-
Ammonium hydroxide	-	Use restricted. See item 75. (see link for restriction details) Use restricted. See item 65. (see link for restriction details)	<u>-</u>

https://echa.europa.eu/substances-restricted-under-reach

## **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Water	7732-18-5	X	X	231-791-2	i	-	KE-35400	Χ	X
Ammonium chloride	12125-02-9	Χ	Χ	235-186-4	•		KE-01645	Χ	X

ALFAA43077 Version 3 21-Mar-2023 Page 9/11

Ammonium hydroxide	1336-21-6	X	X 215-647-6	-	-	KE-01688	X	X
Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Water	7732-18-5	X	ACTIVE	Х	-	X	ı	X
Ammonium chloride	12125-02-9	X	ACTIVE	Х	-	X	X	X
Ammonium hydroxide	1336-21-6	Х	ACTIVE	Х	-	Х	Χ	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## **Section 16 - Other Information**

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$  - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate
RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Calculation method

Environmental hazards

On basis of test data

Calculation method

Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 21-Mar-2023 Revision Summary Not applicable

Disclaimer

ALFAA43077 Version 3 21-Mar-2023 Page 10 / 11

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ALFAA43077 Version 3 21-Mar-2023 Page 11 / 11