

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **BactiCard Neisseria**  
Cat No. : **R21110**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd  
Wade Road  
Basingstoke, Hants, UK  
RG24 8PW  
Tel: +44 (0) 1256 841144

**EU entity/business name**  
Oxoid Deutschland GmbH  
Postfach 10 07 53  
D-46483  
Wesel  
GERMANY  
Tel: + 49 (0) 281 1520  
Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

### 1.4. Emergency telephone number

Chemtrec US: (800) 424-9300  
Chemtrec EU: 001-703-527-3887  
Chemtrec China: 400 120 4937

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

Reproductive Toxicity

Category 1B (H360FD)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

**Danger**

## **Hazard Statements**

H360FD - May damage fertility. May damage the unborn child

## **Precautionary Statements**

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/attention

## **Additional EU labelling**

Restricted to professional users

## **2.3. Other hazards**

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.2. Mixtures**

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
2-Methoxyethanol	109-86-4	EEC No. 203-713-7	1.97	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Repr. 1B (H360FD) STOT SE1 (H370) STOT RE2 (H373)
Acetic acid	64-19-7	200-580-7	0.99	Flam. Liq. 3 (H226) Skin Corr. 1A (H314) Eye Dam. 1 (H318)
Formamide	75-12-7	EEC No. 200-842-0	0.79	Repr. 1B (H360D)
Dimethyl sulfoxide	67-68-5	EEC No. 200-664-3	0.74	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Acetic acid	Skin Corr. 1A (H314) :: C>=90% Skin Corr. 1B (H314) ::	-	-

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

	25%≤C<90% Eye Irrit. 2 (H319) :: 10%≤C<25% Skin Irrit. 2 (H315) :: 10%≤C<25%		
--	--	--	--

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Clean mouth with water. Get medical attention. Do not induce vomiting without medical advice.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### Hazardous Combustion Products

None under normal use conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Do not get in eyes, on skin, or on clothing. Wear protective gloves/clothing and eye/face protection. Ensure adequate ventilation.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. After cleaning, flush away traces with water. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Wear personal protective equipment/face protection.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep at temperatures between 2° and 8 °C.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1D  
Storage Class (LGK) (Germany)

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
2-Methoxyethanol	STEL: 3 ppm 15 min STEL: 9 mg/m <sup>3</sup> 15 min TWA: 1 ppm 8 hr TWA: 3 mg/m <sup>3</sup> 8 hr Skin	TWA: 1 ppm (8h) Skin	TWA: 1 ppm 8 hr. STEL: 3 ppm 15 min Skin
Acetic acid	STEL: 37 mg/m <sup>3</sup> STEL: 15 ppm	TWA: 25 mg/m <sup>3</sup> (15min) TWA: 10 ppm (15min)	TWA: 20 ppm 8 hr. TWA: 50 mg/m <sup>3</sup> 8 hr.

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	STEL: 50 mg/m <sup>3</sup> (8h) STEL: 20 ppm (8h)	STEL: 20 ppm 15 min STEL: 50 mg/m <sup>3</sup> 15 min
Formamide	STEL: 30 ppm 15 min STEL: 56 mg/m <sup>3</sup> 15 min TWA: 20 ppm 8 hr TWA: 37 mg/m <sup>3</sup> 8 hr		TWA: 10 ppm 8 hr. TWA: 18 mg/m <sup>3</sup> 8 hr. STEL: 30 ppm 15 min STEL: 54 mg/m <sup>3</sup> 15 min

## Biological limit values

List source(s):

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Oral)	Acute effects systemic (Oral)	Chronic effects local (Oral)	Chronic effects systemic (Oral)
2-Methoxyethanol 109-86-4 ( 1.97 )				11 mg/kg bw/d

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
2-Methoxyethanol 109-86-4 ( 1.97 )				DNEL = 0.22mg/kg bw/day
Formamide 75-12-7 ( 0.79 )				DNEL = 0.952mg/kg bw/day
Dimethyl sulfoxide 67-68-5 ( 0.74 )				DNEL = 200mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
2-Methoxyethanol 109-86-4 ( 1.97 )				DNEL = 0.31mg/m <sup>3</sup>
Acetic acid 64-19-7 ( 0.99 )	DNEL = 25mg/m <sup>3</sup>		DNEL = 25mg/m <sup>3</sup>	
Formamide 75-12-7 ( 0.79 )				DNEL = 6.6mg/m <sup>3</sup>
Dimethyl sulfoxide 67-68-5 ( 0.74 )			DNEL = 265mg/m <sup>3</sup>	DNEL = 484mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
2-Methoxyethanol 109-86-4 ( 1.97 )	PNEC = 10mg/L	PNEC = 36.8mg/kg sediment dw	PNEC = 94mg/L	PNEC = 1000mg/L	PNEC = 1.87mg/kg soil dw
Acetic acid 64-19-7 ( 0.99 )	PNEC = 3.058mg/L	PNEC = 11.36mg/kg sediment dw	PNEC = 30.58mg/L	PNEC = 85mg/L	PNEC = 0.47mg/kg soil dw
Formamide 75-12-7 ( 0.79 )	PNEC = 0.5mg/L	PNEC = 1.26mg/kg sediment dw	PNEC = 5mg/L	PNEC = 100mg/L	PNEC = 0.151mg/kg soil dw
Dimethyl sulfoxide 67-68-5 ( 0.74 )	PNEC = 17mg/L	PNEC = 13.4mg/kg sediment dw		PNEC = 11mg/L	PNEC = 3.02mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
2-Methoxyethanol 109-86-4 ( 1.97 )	PNEC = 1mg/L	PNEC = 3.68mg/kg sediment dw		PNEC = 7.3mg/kg food	
Acetic acid	PNEC =	PNEC =			

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

64-19-7 ( 0.99 )	0.3058mg/L	1.136mg/kg sediment dw			
Formamide 75-12-7 ( 0.79 )	PNEC = 0.5mg/L				
Dimethyl sulfoxide 67-68-5 ( 0.74 )	PNEC = 1.7mg/L			PNEC = 0.7g/kg food	

## 8.2. Exposure controls

### Engineering Measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	EN 374	(minimum requirement)

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

In case of insufficient ventilation, wear suitable respiratory equipment

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
When RPE is used a face piece Fit Test should be conducted

#### Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical State

Liquid

#### Appearance

No information available

#### Odor

No information available

#### Odor Threshold

No data available

#### Melting Point/Range

No data available

#### Softening Point

No data available

#### Boiling Point/Range

Not applicable

#### Flammability (liquid)

No data available

#### Flammability (solid,gas)

Not applicable

Liquid

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	Not applicable	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	Not applicable	
<b>Viscosity</b>	No data available	
<b>Water Solubility</b>	No information available	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
2-Methoxyethanol	-0.85	
Acetic acid	-0.2	
Formamide	-0.82	
Dimethyl sulfoxide	-2.03	
<b>Vapor Pressure</b>	No data available	
<b>Density / Specific Gravity</b>	No data available	
<b>Bulk Density</b>	Not applicable	Liquid
<b>Vapor Density</b>	No data available	(Air = 1.0)
<b>Particle characteristics</b>	Not applicable (liquid)	

## 9.2. Other information

VOC Content(%) 4.63

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.  
**Hazardous Reactions** None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information

#### **(a) acute toxicity;**

**Oral**

Based on ATE data, the classification criteria are not met

**Dermal**

Based on ATE data, the classification criteria are not met

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

## Inhalation

Based on ATE data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Methoxyethanol	LD50 = 2370 mg/kg ( Rat )	LD50 = 1280 mg/kg ( Rabbit )	LC50 = 1478 ppm ( Rat ) 7 h
Acetic acid	3310 mg/kg ( Rat )	-	> 40 mg/L ( Rat ) 4 h
Formamide	LD50 = 5577 mg/kg ( Rat )	LD50 = 6 g/kg ( Rabbit )	LC50 > 21 mg/L ( Rat ) 4 h
Dimethyl sulfoxide	LD50 = 28300 mg/kg ( Rat )	LD50 = 40000 mg/kg ( Rat )	LC50 > 5.33 mg/L ( Rat ) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available  
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;  
Reproductive Effects

Category 1B  
May impair fertility. May cause harm to the unborn child.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed No information available.

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

. Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.



# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

Component	Freshwater Fish	Water Flea	Freshwater Algae
2-Methoxyethanol	LC50: = 9650 mg/L, 96h static (Lepomis macrochirus) LC50: = 16000 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 10000 mg/L, 96h static (Lepomis macrochirus)		
Acetic acid	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h	-
Formamide	LC50: = 9135 mg/L, 96h static (Brachydanio rerio)	EC50: > 500 mg/L, 48h (Daphnia magna)	EC50: > 500 mg/L, 72h (Desmodesmus subspicatus) EC50: > 500 mg/L, 96h (Desmodesmus subspicatus)
Dimethyl sulfoxide	40 g/L LC50 96 h 33-37 g/L LC50 96 h	EC50 24h 7000 mg/L	EC50 96h 12350 - 25500 mg/L

Component	Microtox	M-Factor
Acetic acid	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min	
Formamide	EC50 > 10000 mg/L 17 h	
Dimethyl sulfoxide	= 16000 mg/L EC50 Pseudomonas putida 16 h = 32 g/L EC50 Tetrahymena pyriformis 24 h = 77 mg/L EC50 Photobacterium phosphoreum 5 min	

**12.2. Persistence and degradability** No information available

**12.3. Bioaccumulative potential** No information available

Component	log Pow	Bioconcentration factor (BCF)
2-Methoxyethanol	-0.85	No data available
Acetic acid	-0.2	No data available
Formamide	-0.82	No data available
Dimethyl sulfoxide	-2.03	No data available

**12.4. Mobility in soil** No information available .

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

## 12.6. Endocrine disrupting properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

## 13.1. Waste treatment methods

### **Waste from Residues/Unused Products**

Dispose of in accordance with federal, state and local regulations. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

### **European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

Not regulated

#### 14.1. UN number

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

#### 14.4. Packing group

### ADR

Not regulated

#### 14.1. UN number

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

#### 14.4. Packing group

### IATA

Not regulated

#### 14.1. UN number

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

#### 14.4. Packing group

### 14.5. Environmental hazards

No hazards identified

### 14.6. Special precautions for user

No special precautions required

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
2-Methoxyethanol	109-86-4	203-713-7	-	-	X	X	KE-23272	X	X
Acetic acid	64-19-7	200-580-7	-	-	X	X	X	X	X
Formamide	75-12-7	200-842-0	-	-	X	X	KE-17231	X	X
Dimethyl sulfoxide	67-68-5	200-664-3	-	-	X	X	KE-32367	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
2-Methoxyethanol	109-86-4	X	ACTIVE	X	-	X	X	X
Acetic acid	64-19-7	X	ACTIVE	X	-	X	X	X
Formamide	75-12-7	X	ACTIVE	X	-	X	X	X
Dimethyl sulfoxide	67-68-5	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
2-Methoxyethanol	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 203-713-7 - Toxic for reproduction, Article 57c
Acetic acid	-	Use restricted. See item 75. (see link for restriction details)	-
Formamide	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - Toxic for reproduction (Article 57 c)
Dimethyl sulfoxide	-	Use restricted. See item 75. (see link for restriction details)	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
2-Methoxyethanol	109-86-4	Not applicable	Not applicable
Acetic acid	64-19-7	Not applicable	Not applicable
Formamide	75-12-7	Not applicable	Not applicable
Dimethyl sulfoxide	67-68-5	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

**WGK Classification** Water endangering class = 1 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
2-Methoxyethanol	WGK 2	
Acetic acid	WGK1	Class II : 0.10 g/m <sup>3</sup> (Massenkonzentration)
Formamide	WGK1	Class I : 20 mg/m <sup>3</sup> (Massenkonzentration)
Dimethyl sulfoxide	WGK1	

Component	France - INRS (Tables of occupational diseases)
2-Methoxyethanol	Tableaux des maladies professionnelles (TMP) - RG 84
Dimethyl sulfoxide	Tableaux des maladies professionnelles (TMP) - RG 84

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
2-Methoxyethanol 109-86-4 ( 1.97 )		Group I	
Acetic acid 64-19-7 ( 0.99 )	Prohibited and Restricted Substances	Group I	

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor  
H360D - May damage the unborn child  
H360FD - May damage fertility. May damage the unborn child  
H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H332 - Harmful if inhaled

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

# SAFETY DATA SHEET

BactiCard Neisseria

Revision Date 10-Dec-2021

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Creation Date** 13-Jan-2012

**Revision Date** 10-Dec-2021

**Revision Summary** Update to CLP Format.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**