

# SAFETY DATA SHEET

### Classified as hazardous in accordance with the criteria of EPA New Zealand

# **Section 1 - Identification**

**Product Identifier** 

Product Name N,N-Diethylaniline

**CAS No** 91-66-7

Synonyms DEA

Molecular FormulaC10 H15 NMolecular Weight149.24

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code A10560

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

# **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002508

**GHS Classification** 

Physical hazards

Flammable liquids Category 4

**Health hazards** 

Acute Oral Toxicity

Acute Dermal Toxicity

Acute Inhalation Toxicity - Vapors

Specific target organ toxicity - (repeated exposure)

Category 3

Category 3

Category 3

Category 2

**Environmental hazards** 

Chronic aquatic toxicity Category 2

ALFAAA10560 Version 2 16-Mar-2023 Page 1/10

## Label Elements



Signal Word

Danger

#### **Hazard Statements**

H227 - Combustible liquid

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

#### **Precautionary Statements**

#### Prevention

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

P391 - Collect spillage

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other hazards which do not result in classification

Toxic to terrestrial vertebrates

# **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
N,N-Diethylaniline	91-66-7	>95

# **Section 4 - First Aid Measures**

#### Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

ALFAAA10560 Version 2 16-Mar-2023 Page 2/10

Inhalation

Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If

not breathing, give artificial respiration.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Immediate medical attention is required. Wash off immediately with plenty of water for at

least 15 minutes.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Self-Protection of the First Aider** Use personal protective equipment as required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically.

# **Section 5 - Fire Fighting Measures**

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Combustible material. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Containers may explode when heated.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **Section 6 - Accidental Release Measures**

### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

ALFAAA10560 Version 2 16-Mar-2023 Page 3 / 10

# **Section 7 - Handling and Storage**

### Precautions for Safe Handling

#### Advice on safe handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

#### **Incompatible Materials**

Acids. Strong oxidizing agents.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

# **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

### **Exposure limits**

The product does not contain any hazardous materials with occupational exposure limits established.

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Appropriate engineering controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Individual protection measures, such as personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber, Nitrile	See manufacturers	-	AS/NZS 2161	(minimum requirement)
rubber, Neoprene, PVC.	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

ALFAAA10560 Version 2 16-Mar-2023 Page 4/10

Skin and body protection Long sleeved clothing

**Repiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter **Recommended Filter type:** 

Type K Green conforming to EN14387 (or AUS/NZ equivalent)

Recommended half mask:-Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# **Section 9 - Physical and Chemical Properties**

### Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Yellow Odorless Odor

**Odor Threshold** No data available

6.9 1% aq.solution

Melting Point/Range -38 °C / -36.4 °F

**Softening Point** No data available

215 - 217 °C / 419 - 422.6 °F **Boiling Point/Range** @ 760 mmHg On basis of test data Combustible liquid Flammability (liquid)

Not applicable Liquid Flammability (solid,gas)

Lower 1.1 **Explosion Limits** 

Upper 5.3

84 °C / 183.2 °F **Flash Point** Method - No information available

385 °C / 725 °F **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available Water Solubility 10-27 g/L

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component N,N-Diethylaniline 3.31

0.13 hPa (20°C) **Vapor Pressure** 

**Density / Specific Gravity** 0.933

**Bulk Density** Not applicable Liquid (Air = 1.0)**Vapor Density** 5.1

Not applicable (liquid) Particle characteristics

Other information

C10 H15 N Molecular Formula Molecular Weight 149.24

**Explosive Properties** explosive air/vapour mixtures possible

# **Section 10 - Stability and Reactivity**

None known, based on information available Reactivity

Stability Stable under normal conditions.

ALFAAA10560 Version 2 16-Mar-2023 Page 5/10 Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

Conditions to Avoid Excess heat, Incompatible products, Keep away from open flames, hot surfaces and

sources of ignition.

**Incompatible Materials** Acids, Strong oxidizing agents.

Hazardous Decomposition Products Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

# **Section 11 - Toxicological Information**

### **Acute Effects**

#### Information on likely routes of exposure

#### **Product Information**

InhalationMay cause irritation of respiratory tract.EyesContact with eyes may cause irritation.

**Skin** May cause eye/skin irritation.

**Ingestion** Ingestion may cause irritation to mucous membranes.

#### Numerical measures of toxicity

(a) acute toxicity;

OralCategory 3DermalCategory 3InhalationCategory 3

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
	N,N-Diethylaniline LD50 = 606 mg/kg ( Rat )		>5000 mg/kg (Rat)	$LC50 = 1920 \text{ mg/m}^3 \text{ (Rat) 4 h}$		
- 1						

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

ALFAAA10560 Version 2 16-Mar-2023 Page 6 / 10

(i) STOT-repeated exposure; Category 2

Route of exposure

**Target Organs** Damage to fetus possible.

(j) aspiration hazard; Based on available data, the classification criteria are not met

#### Symptoms / effects,both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

# **Section 12 - Ecological Information**

#### **Ecotoxicity**

**Aquatic ecotoxicity** 

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Component Freshwater Fish		Freshwater Algae	Microtox
N,N-Diethylaniline	LC50: = 16.4 mg/L, 96h flow-through (Pimephales promelas) LC50: = 38.5 mg/L, 96h (Oncorhynchus mykiss)	48h semi-static (Daphnia magna)		EC50 = 6.50 mg/L 5 min EC50 = 7.70 mg/L 15 min

**Terrestrial ecotoxicity**There is no data for this product

Persistence and Degradability Not readily biodegradable

Persistence Persistence is unlikely.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
N.N-Diethylaniline	3.31	17 - 125 dimensionless

**Mobility** The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils

#### Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **Section 13 - Disposal Considerations**

#### Waste treatment methods

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

ALFAAA10560 Version 2 16-Mar-2023 Page 7 / 10

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging** 

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not

empty into drains. Do not let this chemical enter the environment.

# **Section 14 - Transport Information**

Component	Hazchem Code		
N,N-Diethylaniline	3X		
91-66-7 (>95)			

#### NZS 5433:2020

**UN-No** UN2432

**Proper Shipping Name** N,N-DIETHYLANILINE

**Hazard Class** 6.1 **Packing Group** Ш

IATA

**UN-No** UN2432

**Proper Shipping Name** N,N-DIETHYLANILINE

**Hazard Class** 6.1 **Packing Group** Ш

IMDG/IMO

**UN-No** UN2432

**Proper Shipping Name** N,N-DIETHYLANILINE

**Hazard Class** 6.1 Ш **Packing Group** 

**Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Transport in bulk according to Annex II of MARPOL 73/78 and the

**IBC Code** 

**Special Precautions** 

Not applicable, packaged goods

No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

# **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002508
----------------------	-----------

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person

Page 8/10 ALFAAA10560 Version 2 16-Mar-2023

or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

#### **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

							5:000		
·									
N,N-Diethylaniline	91-66-7	X	Х	-	-	-	KE-10434	Χ	X
Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
N,N-Diethylaniline	91-66-7	X	ACTIVE	X	-	X	Х	X

Legend: X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# **Section 16 - Other Information**

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

### Legend

NZIoC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

 $\ensuremath{\mathsf{MARPOL}}$  - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

ALFAAA10560 Version 2 16-Mar-2023 Page 9/10

\_\_\_\_\_

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID). https://echa.europa.eu/information-on-chemicals
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS
EPA Guide to classifying hazardous substances in New Zealand
EPA - Assigning a product to an existing HSNO approval guide

### **Training Advice**

Chemical incident response training.

Revision Date 16-Mar-2023 Revision Summary Not applicable

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

ALFAAA10560 Version 2 16-Mar-2023 Page 10/10