

SAFETY DATA SHEET

Creation Date 11-April-2011 Revision Date 27-March-2024 Revision Number 3

1. Identification

Product Name 3,3-Dimethylacrylic acid

Cat No. : A16865

CAS-No 541-47-9

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Skin Corrosion/IrritationCategory 1 CSerious Eye Damage/Eye IrritationCategory 1 Category 1 Category 3Specific target organ toxicity (single exposure)Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eve protection/face protection

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor Wash contaminated clothing before reuse

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|----------------------------|----------|----------|
| 2-Butenoic acid, 3-methyl- | 541-47-9 | >95 |

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms/effects
Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to

the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated

Notes to Physician Treat symptomatically

5. Fire-fighting measures

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool **Suitable Extinguishing Media**

closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 93 °C / 199.4 °F

No information available Method -

Autoignition Temperature 465 °C / 869 °F

Explosion Limits

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 1 | 0 | N/A |

6. Accidental release measures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid **Personal Precautions**

contact with skin, eyes or clothing. Remove all sources of ignition. Take precautionary

measures against static discharges.

Refer to protective measures listed in Sections 7 and 8

Environmental Precautions Should not be released into the environment. Do not allow material to contaminate ground

water system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Remove

all sources of ignition. Up

| Ι. | Har | ndl | ıng | and | stor | rage |
|------|-----|-----|-----|-----|------|------|
| | | | | | | |

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on Handling

clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot

surfaces and sources of ignition.

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and Storage.

well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

Incompatible Materials. Bases. Reducing Agent. Oxidizing agent.

8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** limitsestablished by the region specific regulatory bodies.

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments |
|----------------|-------------------|-----------------|------------------------|
| Natural rubber | See manufacturers | - | Splash protection only |
| Butyl rubber | recommendations | | |
| Nitrile rubber | | | |
| Neoprene | | | |
| PVC | | | |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical State Solid

Appearance No information available
Odor No information available
Odor Threshold
pH No information available
No information available
No information available

 Melting Point/Range
 68.5 - 69.5 °C / 155.3 - 157.1 °F

 Boiling Point/Range
 194 - 195 °C / 381.2 - 383 °F

Flash Point 93 °C / 199.4 °F Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity

Solubility

No information available
No information available

Partition coefficient; n-octanol/water No data available

Revision Date 27-March-2024

3,3-Dimethylacrylic acid

465 °C / 869 °F

No information available

Autoignition Temperature Decomposition Temperature

Viscosity Not applicable C5 H8 O2 **Molecular Formula Molecular Weight** 100.12

10. Stability and reactivity

None known, based on information available **Reactive Hazard**

Stable under normal conditions. Stability

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Keep away from open flames,

hot surfaces and sources of ignition.

Incompatible Materials Bases, Reducing Agent, Oxidizing agent

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

No information available. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| | Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----|----------------------------|-------------------------|-------------|-----------------|
| | 2-Butenoic acid, 3-methyl- | LD50 = 3560 mg/kg (Rat) | Not listed | Not listed |
| - 1 | | | | |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|------------------|----------|------------|------------|------------|------------|------------|
| 2-Butenoic acid, | 541-47-9 | Not listed |
| 3-methyl- | | | | | | |

No information available **Mutagenic Effects**

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

Revision Date 27-March-2024

3,3-Dimethylacrylic acid

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Persistence and Degradability Insoluble in water May persist based on information available.

Bioaccumulation/ AccumulationNo information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods Should not be released into the environment.

14. Transport information

DOT

UN-No UN3261

Proper Shipping Name consumer commodity Corrosive solid, acidic, organic, n.o.s.

Technical Name .beta., .beta.-Dimethacrylic acid

Hazard Class 8
Packing Group III

TDG

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group III

15. Regulatory information

International Inventories

| Component | CAS-No | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS | ELINCS | NLP |
|----------------------------|----------|-----|------|------|---|-----------|--------|-----|
| 2-Butenoic acid, 3-methyl- | 541-47-9 | X | ı | X | ACTIVE | 208-782-7 | ı | ı |

| | Component | CAS-No | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|---|----------------------------|----------|-------|----------|------|------|------|------|-------|-------|
| Ī | 2-Butenoic acid, 3-methyl- | 541-47-9 | Х | KE-23593 | Χ | X | X | X | X | X |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Other International Regulations

2-Butenoic acid, 3-methyl-

Authorisation/Restrictions according to EU REACH

Not applicable

Requirements

Not applicable

Not applicable

Not applicable

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS-No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|----------------------------|----------|---|--|-------------------------------|--|
| 2-Butenoic acid, 3-methyl- | 541-47-9 | Not applicable | Not applicable | Not applicable | Not applicable |
| Commonant | CAC No | Course III Discoting | Carrage III Discoting | Dettenden | Danal Camuantian |
| Component | CAS-No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |

| _ | |
|-----|-----------------------|
| - 1 | 1/ Other information |
| - 1 | 16. Other information |

Prepared By Product Safety Department

541-47-9

Email: chem.techinfo@thermofisher.com

Notification

Not applicable

www.thermofisher.com

Creation Date11-April-2011Revision Date27-March-2024Print Date27-March-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS