Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Page 1/7
Creation Date 20-Apr-2010
Revision Date 22-Apr-2024
Version 4

ALFAA39801

Silicon carbide, 600 grinding compound

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 碳化硅, 600 grinding compound, 2oz (57g)
Product Description: Silicon carbide, 600 grinding compound

Cat No.: 39801

Synonyms Silicon Carbide.
CAS No 409-21-2
Molecular Formula SiC

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorSolidBlackOdorless

Emergency Overview

The product contains no substances which at their given concentration are considered to be hazardous to health.

Classification of the substance or mixture

Based on available data, the classification criteria are not met

Label Elements

None required

Physical and Chemical Hazards

None identified.

Health Hazards

The product contains no substances which at their given concentration are considered to be hazardous to health.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

Page 2/7 Revision Date 22-Apr-2024

Silicon carbide, 600 grinding compound

Other Hazards

Inhalation of dust in high concentration may cause irritation of respiratory system Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Silicon carbide	409-21-2	<=100

SECTION 4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects

None reasonably foreseeable.

Self-Protection of the First Aider

No special precautions required.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

Environmental Precautions

Should not be released into the environment.

Page 3/7 Revision Date 22-Apr-2024

Silicon carbide, 600 grinding compound

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid contact with skin, eyes or clothing. Avoid dust formation.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

L	Component	China	Taiwan	Thailand	Hong Kong
Γ	Silicon carbide	TWA: 8 mg/m ³	-		TWA: 10 mg/m ³
L		TWA: 4 mg/m ³			TWA: 4 mg/m ³

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Silicon carbide	TWA: 10 mg/m ³	(Vacated) TWA: 10	TWA: 10 mg/m ³	STEL: 30 mg/m ³ 15	
	TWA: 3 mg/m ³	mg/m³	TWA: 5 mg/m ³	min	
	TWA: 0.1 fiber/cm3	(Vacated) TWA: 5		STEL: 12 mg/m ³ 15	
		mg/m³		min	
		TWA: 15 mg/m ³		TWA: 10 mg/m ³ 8 hr	
		TWA: 5 mg/m ³		TWA: 4 mg/m ³ 8 hr	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

None under normal use conditions. .

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Natural rubber See manufacturers - EN 374 Nitrile rubber recommendations Neoprene PVC	Glove comments (minimum requirement)
--	---

Inspect gloves before use.

Page 4/7 Revision Date 22-Apr-2024

Silicon carbide, 600 grinding compound

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceBlackPhysical StateSolid

Odor Odorless

Odor Threshold
pH
Not applicable
Melting Point/Range
Softening Point
Boiling Point/Range
Not applicable
Not applicable
Not applicable

Flash Point Not applicable Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas)

No information available

Explosion Limits

No data available

LAPIOSION LIMITS

Vapor PressureNo information available

Vapor DensityNot applicableSolid

Specific Gravity / Density 3.2

Bulk DensityNo data availableWater SolubilityInsoluble in waterSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature
Decomposition Temperature
Viscosity

No data available
No data available
Not applicable

Explosive PropertiesOxidizing Properties
No information available
No information available

Molecular FormulaSiCMolecular Weight40.0855

SECTION 10. STABILITY AND REACTIVITY

Solid

Stability Stable under normal conditions.

Page 5/7 Revision Date 22-Apr-2024

Silicon carbide, 600 grinding compound

Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation.

Materials to avoid Strong oxidizing agents.

Hazardous Decomposition Products Silicon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information Product does not present an acute toxicity hazard based on known information

(a) acute toxicity;

(b) skin corrosion/irritation; Not classified

(c) serious eye damage/irritation; Not classified

(d) respiratory or skin sensitization;

Not classified Respiratory Skin Not classified

Not classified (e) germ cell mutagenicity;

(f) carcinogenicity; Not classified

> The table below indicates whether each agency has listed any ingredient as a carcinogen. Some agencies list SiC microfibers/whiskers as potential carcinogens, based on limited

experimental animal data that suggests a carcinogenic effect.

Component	EU	UK	Germany	IARC
Silicon carbide	Carc Cat. 1B		Cat. 2 (>0.1% respirable	Group 2A
			whiskers/microfibers)	

(g) reproductive toxicity; Not classified

Not classified (h) STOT-single exposure;

(i) STOT-repeated exposure; Not classified

No information available. **Target Organs**

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available delayed

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects Do not empty into drains. Do not flush into surface water or sanitary sewer system.

Page 6 / 7 Revision Date 22-Apr-2024

Silicon carbide, 600 grinding compound

Persistence and Degradability

Persistence Degradability Insoluble in water.

Not relevant for inorganic substances.

Bioaccumulative Potential

May have some potential to bioaccumulate

Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport Not Regulated

IMDG/IMO Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The	List of	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Inventory of Hazardous Chemicals (2015 Edition)	_										
Silicon carbide	-	-	X	l x	206-991-8	Χ	Χ	Х	Х	Х	Χ	KE-31031

National Regulations

Silicon carbide, 600 grinding compound

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Creation Date 20-Apr-2010 **Revision Date** 22-Apr-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet