

according to Regulation (EC) No. 1907/2006

Creation Date 23-Feb-2011 Revision Date 08-Jul-2024 Revision Number 14

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Silver solution 1000 ppm in 1M nitric acid

Cat No. : J/8064/15, J/8064/05, J/8064/08

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

**EU entity/business name**Thermo Fisher Scientific
Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**Swiss distributor -** Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

e-mail - infoch@thermofisher.com

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

#### Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

**Physical hazards** 

Substances/mixtures corrosive to metal Category 1 (H290)

**Health hazards** 

Skin Corrosion/Irritation Category 1 (H314) B
Serious Eye Damage/Eye Irritation Category 1 (H318)

**Environmental hazards** 

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1 (H400)
Category 1 (H410)

Full text of Hazard Statements: see section 16

# 2.2. Label elements



Signal Word

Danger

# **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P273 - Avoid release to the environment

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors Toxic to terrestrial vertebrates

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No

#### Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

				1272/2008
Nitric acid	7697-37-2	231-714-2	6-7	Ox. Liq. 3 (H272)
				Met. Corr. 1 (H290)
				Acute Tox. 3 (H331)
				Skin Corr. 1A (H314)
				Eye Dam. 1 (H318)
				(EUH071)
Water	7732-18-5	231-791-2	>93	-
Silver nitrate	7761-88-8	EEC No. 231-853-9	0.2	Ox. Sol. 2 (H272)
				Met. Corr. 1 (H290)
				Skin Corr. 1B (H314)
				Eye Dam. 1 (H318)
				Repr. 1B (H360D)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Nitric acid	Ox. Liq. 2 :: C>=99% Ox. Liq. 3 :: 65%<=C<99% Acute Tox. 1 (inhal) :: C>=70% Acute Tox. 3 (inhal) :: 70%>C>=26.5% Acute Tox. 4 (inhal) :: 26.5%>C>=13.25% Skin Corr. 1A :: C>=20% Skin Corr. 1B :: 5%<=C<20% Met. Corr. 1 :: C>=2% EUH071 :: C>=20%	÷	-
Silver nitrate	-	Acute = 1000 Chronic = 100	-

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	-	<del>-</del>	ATE = 2.65 mg/L (vapours)

ECHA (RAC) - Committee for Risk Assessment - European CHemicals Agency

ATE - Acute Toxiciy Estimate

Components	Reach Registration Number	
Nitric acid	01-2119487297-23	
Silver Nitrate	01-2119513705-43	

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use Inhalation

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

#### Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

medical device. Call a physician immediately.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Hazardous Combustion Products**

Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

# 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

\_\_\_\_\_

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store in metal containers.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 8B

Switzerland - Storage of hazardous substances

Storage class - SC 8 (Acid) https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Nitric acid	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min	STEL / VLCT: 1 ppm.	STEL: 1 ppm 15	STEL / VLA-EC: 1 ppm
	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup> 15 min	indicative limit	minuten	(15 minutos).
	(15min)	_	STEL / VLCT: 2.6	STEL: 2.6 mg/m <sup>3</sup> 15	STEL / VLA-EC: 2.6
			mg/m <sup>3</sup> . indicative limit	minuten	mg/m³ (15 minutos).
Silver nitrate	TWA: 0.01 mg/m <sup>3</sup> (8hr)	TWA: 0.01 mg/m <sup>3</sup>	VME: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	0.01 mg/m <sup>3</sup> VLA-ED
		STEL: 0.03 mg/m <sup>3</sup>			

Component	Italy	Germany	Portugal	The Netherlands	Finland
Nitric acid	STEL: 1 ppm 15 minuti.	TWA: 1 ppm (8	STEL: 1 ppm 15	STEL: 0.5 ppm 15	TWA: 0.5 ppm 8
	Short-term	Stunden). AGW -	minutos	minuten	tunteina
	STEL: 2.6 mg/m <sup>3</sup> 15	TWA: 2.6 mg/m <sup>3</sup> (8	STEL: 2.6 mg/m <sup>3</sup> 15	STEL: 1.3 mg/m <sup>3</sup> 15	TWA: 1.3 mg/m <sup>3</sup> 8
	minuti. Short-term	Stunden). AGW -	minutos	minuten	tunteina
			TWA: 2 ppm 8 horas		STEL: 1 ppm 15
					minuutteina
					STEL: 2.6 mg/m <sup>3</sup> 15
					minuutteina
Silver nitrate		VME: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> 8	0.01 mg/m <sup>3</sup> MAC	TWA: 0.01 mg/m <sup>3</sup> 8
			horas		tunteina

# Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

			STEL: 0.03 mg/m³ 15 minuutteina
•			

Component	Austria	Denmark	Switzerland	Poland	Norway
Nitric acid	MAK-KZGW: 1 ppm 15	STEL: 1 ppm 15	STEL: 2 ppm 15	STEL: 2.6 mg/m <sup>3</sup> 15	TWA: 2 ppm 8 timer
	Minuten	minutter	Minuten	minutach	TWA: 5 mg/m <sup>3</sup> 8 timer
	MAK-KZGW: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup> 15	STEL: 5 mg/m <sup>3</sup> 15	TWA: 1.4 mg/m <sup>3</sup> 8	STEL: 4 ppm 15
	15 Minuten	minutter	Minuten	godzinach	minutter. value
	1		TWA: 2 ppm 8 Stunden	_	calculated
	1		TWA: 5 mg/m <sup>3</sup> 8		STEL: 10 mg/m <sup>3</sup> 15
	1		Stunden		minutter. value
					calculated
Silver nitrate	MAK-TMW: 0.01 mg/m <sup>3</sup>		STEL: 0.02 mg/m <sup>3</sup> 15		TWA: 0.01 mg/m <sup>3</sup> 8
	8 Stunden		Minuten		timer
	1		TWA: 0.01 mg/m <sup>3</sup> 8		
			Stunden		

	Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Ī	Nitric acid	STEL: 1 ppm	STEL-KGVI: 1 ppm 15	STEL: 1 ppm 15 min	STEL: 1 ppm	TWA: 1 mg/m <sup>3</sup> 8
		STEL: 2.6 mg/m <sup>3</sup>	minutama.	STEL: 2.6 mg/m <sup>3</sup> 15 min	STEL: 2.6 mg/m <sup>3</sup>	hodinách.
		_	STEL-KGVI: 2.6 mg/m <sup>3</sup>			Ceiling: 2.5 mg/m <sup>3</sup>
			15 minutama.			]

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Nitric acid	STEL: 1 ppm 15 minutites. STEL: 2.6 mg/m <sup>3</sup> 15 minutites.	STEL: 1 ppm 15 min STEL: 2.6 mg/m³ 15 min	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup> 15 percekben. CK STEL: 1 ppm 15 percekben. CK	STEL: 1 ppm STEL: 2.6 mg/m³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Nitric acid	STEL: 1 ppm STEL: 2.6 mg/m <sup>3</sup> TWA: 0.78 ppm TWA: 2 mg/m <sup>3</sup>	STEL: 1 ppm STEL: 2.6 mg/m³	STEL: 1 ppm 15 Minuten STEL: 2.6 mg/m <sup>3</sup> 15 Minuten	STEL: 1 ppm 15 minuti STEL: 2.6 mg/m³ 15 minuti	STEL: 1 ppm 15 minute STEL: 2.6 mg/m³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Nitric acid	Skin notation	Ceiling: 2.6 mg/m <sup>3</sup>	TWA: 1 ppm 8 urah	Binding STEL: 1 ppm 15	STEL: 1 ppm 15 dakika
	MAC: 2 mg/m <sup>3</sup>		TWA: 2.6 mg/m <sup>3</sup> 8 urah	minuter	STEL: 2.6 mg/m <sup>3</sup> 15
	_		STEL: 1 ppm 15	Binding STEL: 2.6	dakika
			minutah	mg/m <sup>3</sup> 15 minuter	
			STEL: 2.6 mg/m <sup>3</sup> 15	TLV: 0.5 ppm 8 timmar.	
			minutah	NGV	
				TLV: 1.3 mg/m <sup>3</sup> 8	
				timmar. NGV	

# **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

# Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
-	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)

#### Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

Silver nitrate		$DNEL = 0.016mg/m^{3}$
7761-88-8 ( 0.2 )		-

#### Predicted No Effect Concentration (PNEC)

See values below.

Γ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
Γ	Silver nitrate	$PNEC = 0.04 \mu g/L$	PNEC =		PNEC = 0.025mg/L	PNEC = 1.41 mg/kg
	7761-88-8 ( 0.2 )		438.13mg/kg			soil dw
L			sediment dw			

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Silver nitrate	PNEC = 0.86µg/L	PNEC =			
7761-88-8 ( 0.2 )		438.13mg/kg			
		sediment dw			

#### 8.2. Exposure controls

# **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

G	love material	Breakthrough time	Glove thickness	EU standard	Glove comments
	Butyl rubber	See manufacturers	-	EN 374	(minimum requirement)
		recommendations			

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentration	s above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter

Type E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

Colorless **Appearance** 

Odor No information available **Odor Threshold** No data available **Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** No information available Flammability (liquid) No data available

Flammability (solid,gas) Not applicable Liquid

No data available **Explosion Limits** 

**Flash Point** No information available Method - No information available

No data available **Autoignition Temperature Decomposition Temperature** No data available < 1 (estimated) pН No data available **Viscosity** 

Water Solubility Miscible

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

Component log Pow Nitric acid -2.3 Silver nitrate 0.19

**Vapor Pressure** No data available **Density / Specific Gravity** No data available

**Bulk Density** Not applicable Liquid No data available **Vapor Density** (Air = 1.0)

**Particle characteristics** Not applicable (liquid)

9.2. Other information

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong bases. Strong reducing agents. Metals.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met **Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nitric acid	-	-	LC50 = 2500 ppm. (Rat) 1h
Water	-	-	-
Silver nitrate	> 2000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 750 μg/m³(Rat)4 h

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	-	-	ATE = 2.65 mg/L (vapours)

ECHA (RAC) - Committee for Risk Assessment - European CHemicals Agency

ATE - Acute Toxiciy Estimate

(b) skin corrosion/irritation; Category 1 B

Category 1 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

**Target Organs** None known.

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

#### 11.2. Information on other hazards

#### **Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

**Ecotoxicity effects** 

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Silver nitrate	Leuciscus idus: LC50: 0.029	EC50: 0.0006 mg/L/48h	
	mg/L/96h	_	

Component	Microtox	M-Factor
Silver nitrate	Photobacterium phosphoreum: EC50: 0.038 mg/L/24h Photobacterium phosphoreum: EC50: 0.395 mg/l/15min	Acute = 1000 Chronic = 100
	Photobacterium phosphoreum: EC50: 0.44 mg/L/30 min as Ag++ Photobacterium phosphoreum: EC50: 0.86 mg/L/15 min as Ag++	

#### 12.2. Persistence and degradability

**Persistence** 

Soluble in water, Persistence is unlikely, based on information available, Miscible with

Degradation in sewage

treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

#### 12.3. Bioaccumulative potential Bioaccumulation is unlikely

Γ	Component	log Pow	Bioconcentration factor (BCF)
Ī	Nitric acid	-2.3	No data available
Γ	Silver nitrate	0.19	No data available

#### 12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

#### 12.5. Results of PBT and vPvB

assessment

No data available for assessment.

#### 12.6. Endocrine disrupting

<u>proper</u>ties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

#### 12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Should not

be released into the environment.

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging** 

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

> application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized

before discharge. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

UN3264 14.1. UN number

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. 14.2. UN proper shipping name

(contains NITRIC ACID) **Technical Shipping Name** 

14.3. Transport hazard class(es) 8 14.4. Packing group II

ADR

UN3264 14.1. UN number

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. 14.2. UN proper shipping name

**Technical Shipping Name** (contains NITRIC ACID)

14.3. Transport hazard class(es) 8

14.4. Packing group Π

IATA

14.1. UN number UN3264

14.2. UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

**Technical Shipping Name** (contains NITRIC ACID)

14.3. Transport hazard class(es) 14.4. Packing group II

Dangerous for the environment 14.5. Environmental hazards

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Nitric acid	7697-37-2	231-714-2	ı	-	X	X	KE-25911	X	Х
Water	7732-18-5	231-791-2	-	-	X	Χ	KE-35400	X	-
Silver nitrate	7761-88-8	231-853-9	ı	1	X	Χ	KE-31281	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Nitric acid	7697-37-2	X	ACTIVE	Х	Ī	X	Х	Х
Water	7732-18-5	Х	ACTIVE	Х	-	Х	Х	Х
Silver nitrate	7761-88-8	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nitric acid	7697-37-2	-	Use restricted. See entry 75. (see link for restriction details)	-
Water	7732-18-5	-	-	-
Silver nitrate	7761-88-8	-	Use restricted. See entry 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

# Seveso III Directive (2012/18/EC)

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	
ı	Nitric acid	7697-37-2	Not applicable	Not applicable	
	Water 7732-18-5		Not applicable	Not applicable	
ı	Silver nitrate	7761-88-8	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

\_\_\_\_\_

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Nitric acid	WGK1	
Silver nitrate	WGK3	

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure	
Nitric acid Prohibited and Restricted 7697-37-2 ( 6-7 ) Substances				

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H272 - May intensify fire; oxidizer

H331 - Toxic if inhaled

H360D - May damage the unborn child

EUH071 - Corrosive to the respiratory tract

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

Revision Date 08-Jul-2024

#### Silver solution 1000 ppm in 1M nitric acid

Revision Date 08-Jul-2024

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** 23-Feb-2011 **Revision Date** 08-Jul-2024

**Revision Summary** SDS sections updated, 3, 14.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**