

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Laemmli SDS sample buffer, reducing (4X)
Cat No. : J60015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.
(Part of Thermo Fisher Scientific)
Shore Road, Heysham
Lancashire, LA3 2XY,
United Kingdom
Office Tel: +44 (0) 1524 850506
Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services **Ireland** : National Poisons Information Centre (NPIC) -
01 809 2166 (8am-10pm, 7 days a week)
Malta : +356 2395 2000
Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Category 4 (H302)

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

Acute dermal toxicity
Acute Inhalation Toxicity - Dusts and Mists
Serious Eye Damage/Eye Irritation
Skin Sensitization
Reproductive Toxicity

Category 4 (H312)
Category 4 (H332)
Category 1 (H318)
Category 1 Sub-category 1A (H317)
Category 2 (H361f)

Environmental hazards

Chronic aquatic toxicity

Category 3 (H412)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H361f - Suspected of damaging fertility
H412 - Harmful to aquatic life with long lasting effects
Combustible liquid

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	42.38	-
Glycerin	56-81-5	200-289-5	40	-
Sodium lauryl sulfate	151-21-3	205-788-1	8	Flam. Sol. 2 (H228)

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

				Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aq. Chronic 3 (H412)
2-Mercaptoethanol	60-24-2	EEC No. 200-464-6	8	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Repr. 2 (H361f) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	1.6	-
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt	62625-28-9	EEC No. 263-653-2	0.02	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium lauryl sulfate	Eye Irrit. 1:: C>=20% Eye Irrit. 2 :: 10%<=C<20%	-	-
2-Mercaptoethanol	-	1	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Difficulty in breathing. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 10
Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Glycerin	TWA: 10 mg/m ³ 8 hr (mist only)		TWA: 10 mg/m ³ 8 hr. (mist)

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium lauryl sulfate 151-21-3 (8)				DNEL = 4060mg/kg bw/day
2-Mercaptoethanol 60-24-2 (8)		DNEL = 0.05mg/kg bw/day		DNEL = 0.05mg/kg bw/day
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.6)				DNEL = 216.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Glycerin 56-81-5 (40)			DNEL = 56mg/m ³	
Sodium lauryl sulfate 151-21-3 (8)				DNEL = 285mg/m ³
2-Mercaptoethanol 60-24-2 (8)		DNEL = 0.17mg/m ³		DNEL = 0.17mg/m ³
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride				DNEL = 152.8mg/m ³

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

1185-53-1 (1.6)				
-------------------	--	--	--	--

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Glycerin 56-81-5 (40)	PNEC = 0.885mg/L	PNEC = 3.3mg/kg sediment dw	PNEC = 8.85mg/L	PNEC = 1000mg/L	PNEC = 0.141mg/kg soil dw
Sodium lauryl sulfate 151-21-3 (8)	PNEC = 0.176mg/L	PNEC = 6.97mg/kg sediment dw	PNEC = 0.055mg/L	PNEC = 1.35mg/L	PNEC = 1.29mg/kg soil dw
2-Mercaptoethanol 60-24-2 (8)	PNEC = 0.00632mg/L	PNEC = 0.024mg/kg sediment dw	PNEC = 0.004mg/L	PNEC = 60mg/L	PNEC = 0.908mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Glycerin 56-81-5 (40)	PNEC = 0.0885mg/L	PNEC = 0.33mg/kg sediment dw			
Sodium lauryl sulfate 151-21-3 (8)	PNEC = 0.0176mg/L	PNEC = 0.697mg/kg sediment dw			
2-Mercaptoethanol 60-24-2 (8)	PNEC = 0.000632mg/L	PNEC = 0.0024mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)
Nitrile rubber				
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance		
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Combustible liquid	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	68 °C / 154.4 °F	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Glycerin	-1.75	
Sodium lauryl sulfate	1.6	
2-Mercaptoethanol	-0.056	
1,3-Propanediol,	-3.6	
2-amino-2-(hydroxymethyl)-, hydrochloride		
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Explosive Properties	explosive air/vapour mixtures possible
-----------------------------	--

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization

No information available.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Category 4

Dermal

Category 4

Inhalation

Category 4

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Glycerin	12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L/4h (Rat)(mist)
Sodium lauryl sulfate	LD50 = 1288 mg/kg (Rat)	LD50 = 200 mg/kg (Rabbit)	LC50 > 3900 mg/m ³ (Rat) 1 h
2-Mercaptoethanol	LD50 = 244 mg/kg (Rat)	150 µL/kg (Rabbit) 112 - 224 mg/kg (Rabbit)	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 425 (Rat) LD50 > 5000 mg/kg bw	OECD 402 (Rat) LD50 > 5000 mg/kg bw	-

(b) skin corrosion/irritation;

No data available

(c) serious eye damage/irritation;

Category 1

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

Category 1

Sub-category 1A

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.6)	OECD Test Guideline 406	guinea pig	non-sensitising

May cause sensitization by skin contact

(e) germ cell mutagenicity;

No data available

ALFAAJ60015

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (1.6)	OECD Test Guideline 471 Bacterial Reverse Mutation Test	Mammalian in vitro	negative

(f) carcinogenicity; No data available
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 2

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available
Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Glycerin	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)		
Sodium lauryl sulfate	1.31 mg/L LC50 96 h 9.9-20.1 mg/L LC50 96 h 4.5 mg/L LC50 96 h 4.62 mg/L LC50 96 h 7.97 mg/L LC50 96 h 10.2-22.5 mg/L LC50 96 h 10.8-16.6 mg/L LC50 96 h 13.5-18.3 mg/L LC50 96 h 15-18.9 mg/L LC50 96 h 22.1-22.8 mg/L LC50 96 h 4.06-5.75 mg/L LC50 96 h 4.2-4.8 mg/L LC50 96 h 4.3-8.5 mg/L LC50 96 h 5.8-7.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h 4.2 mg/L LC50 96 h	EC50: = 1.8 mg/L, 48h (Daphnia magna)	EC50: 3.59 - 15.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 117 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 30 - 100 mg/L, 96h (Desmodesmus subspicatus) EC50: = 53 mg/L, 72h (Desmodesmus subspicatus)

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

2-Mercaptoethanol		EC50: = 1.52 mg/L, 48h (Daphnia magna)	EC50: = 12 mg/L, 72h (Desmodesmus subspicatus)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride		Daphnia Magna EC50 >100 mg/L (48h)	

Component	Microtox	M-Factor
Sodium lauryl sulfate	= 0.46 mg/L EC50 Photobacterium phosphoreum 30 min = 0.72 mg/L EC50 Photobacterium phosphoreum 15 min = 1.19 mg/L EC50 Photobacterium phosphoreum 5 min	
2-Mercaptoethanol	= 125 mg/L EC50 Pseudomonas putida 17 h	1
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 209 EC50 > 1000 mg/L (3h)	

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Glycerin	-1.75	No data available
Sodium lauryl sulfate	1.6	No data available
2-Mercaptoethanol	-0.056	No data available
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	-3.6	No data available

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user

No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Glycerin	56-81-5	200-289-5	-	-	X	X	KE-29297	X	X
Sodium lauryl sulfate	151-21-3	205-788-1	-	-	X	X	KE-21884	X	X
2-Mercaptoethanol	60-24-2	200-464-6	-	-	X	X	KE-23095	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	214-684-5	-	-	X	X	KE-34819	X	-
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-yliden e)bis[2,6-dibromo-, S,S-dioxide,	62625-28-9	263-653-2	-	-	X	X	-	-	-

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

monosodium salt								
Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Glycerin	56-81-5	X	ACTIVE	X	-	X	X	X
Sodium lauryl sulfate	151-21-3	X	ACTIVE	X	-	X	X	X
2-Mercaptoethanol	60-24-2	X	ACTIVE	X	-	X	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	X	-	X	X	X
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt	62625-28-9	X	ACTIVE	X	-	-	X	X

Legend: X - Listed 'I' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Glycerin	56-81-5	-	-	-
Sodium lauryl sulfate	151-21-3	-	-	-
2-Mercaptoethanol	60-24-2	-	-	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	-	-	-
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt	62625-28-9	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Glycerin	56-81-5	Not applicable	Not applicable
Sodium lauryl sulfate	151-21-3	Not applicable	Not applicable
2-Mercaptoethanol	60-24-2	Not applicable	Not applicable
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt	62625-28-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Glycerin	WGK1	
Sodium lauryl sulfate	WGK2	
2-Mercaptoethanol	WGK3	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	WGK1	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium lauryl sulfate 151-21-3 (8)	Prohibited and Restricted Substances		
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-dibromo-, S,S-dioxide, monosodium salt 62625-28-9 (0.02)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor
H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H332 - Harmful if inhaled
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H361f - Suspected of damaging fertility
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

SAFETY DATA SHEET

Laemmli SDS sample buffer, reducing (4X)

Revision Date 24-Dec-2024

IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit
ACGIH - American Conference of Governmental Industrial Hygienists
DNEL - Derived No Effect Level
RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%
NOEC - No Observed Effect Concentration
PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
OECD - Organisation for Economic Co-operation and Development
BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health Hazards	Calculation method
Environmental hazards	Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	17-Apr-2018
Revision Date	24-Dec-2024
Revision Summary	SDS sections updated, 2, 3, 4, 11, 12.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet