

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Aluminum Copper spheres, alloy 2017  
**Cat No. :** 42036  
**Molecular Formula** Al:Cu:Mn:Mg: 94.8:4:0.7:0.5 wt%

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

Based on available data, the classification criteria are not met

## **Health hazards**

Based on available data, the classification criteria are not met

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**

None required

EUH210 - Safety data sheet available on request

## **2.3. Other hazards**

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.2. Mixtures**

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Aluminum	7429-90-5	EEC No. 231-072-3	94.8	-
Copper	7440-50-8	EEC No. 231-159-6	4.0	-
Manganese	7439-96-5	EEC No. 231-105-1	0.7	-
Magnesium	7439-95-4	EEC No. 231-104-6	0.5	Flam. Sol. 1 (H228) Water-react. 2 (H261) Self-heat. 2 (H252)

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

### **4.1. Description of first aid measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

**Self-Protection of the First Aider** No special precautions required.

## **4.2. Most important symptoms and effects, both acute and delayed**

None reasonably foreseeable.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

approved class D extinguishers. Do not use water or foam.

#### **Extinguishing media which must not be used for safety reasons**

Water may be ineffective.

### **5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Metal oxides.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

### **6.3. Methods and material for containment and cleaning up**

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Pick up and transfer to properly labelled containers.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry place. Keep away from acids.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 13

**Switzerland - Storage of hazardous substances**

Storage class - SC 11/13

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	European Union	The United Kingdom	France	Belgium	Spain
Aluminum		STEL: 30 mg/m <sup>3</sup> 15 min STEL: 12 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr TWA: 4 mg/m <sup>3</sup> 8 hr	TWA / VME: 10 mg/m <sup>3</sup> (8 heures). metal TWA / VME: 5 mg/m <sup>3</sup> (8 heures).	TWA: 1 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 1 mg/m <sup>3</sup> (8 horas)
Copper		STEL: 0.6 mg/m <sup>3</sup> 15 min STEL: 2 mg/m <sup>3</sup> 15 min TWA: 1 mg/m <sup>3</sup> 8 hr TWA: 0.2 mg/m <sup>3</sup> 8 hr	TWA / VME: 0.2 mg/m <sup>3</sup> (8 heures). TWA / VME: 1 mg/m <sup>3</sup> (8 heures). STEL / VLCT: 2 mg/m <sup>3</sup> .	TWA: 0.2 mg/m <sup>3</sup> 8 uren TWA: 1 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 0.01 mg/m <sup>3</sup> (8 horas)
Manganese	TWA: 0.2 mg/m <sup>3</sup> (8h) TWA: 0.05 mg/m <sup>3</sup> (8h)	STEL: 0.6 mg/m <sup>3</sup> 15 min STEL: 0.15 mg/m <sup>3</sup> 15 min TWA: 0.2 mg/m <sup>3</sup> 8 hr TWA: 0.05 mg/m <sup>3</sup> 8 hr	TWA / VME: 1 mg/m <sup>3</sup> (8 heures).	TWA: 0.05 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 0.2 mg/m <sup>3</sup> (8 horas) TWA / VLA-ED: 0.05 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Aluminum		TWA: 1.25 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 10 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 4 mg/m <sup>3</sup> (8 Stunden). MAK TWA: 1.5 mg/m <sup>3</sup> (8 Stunden). MAK	TWA: 1 mg/m <sup>3</sup> 8 horas		
Copper		TWA: 0.01 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 0.02 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> 8 horas TWA: 1 mg/m <sup>3</sup> 8 horas	TWA: 0.1 mg/m <sup>3</sup> 8 uren	TWA: 0.02 mg/m <sup>3</sup> 8 tunteina
Manganese	TWA: 0.2 mg/m <sup>3</sup> 8 ore. Time Weighted Average	TWA: 0.2 mg/m <sup>3</sup> (8 Stunden). AGW -	TWA: 0.2 mg/m <sup>3</sup> 8 horas TWA: 0.05 mg/m <sup>3</sup> 8	TWA: 0.2 mg/m <sup>3</sup> 8 uren TWA: 0.05 mg/m <sup>3</sup> 8	TWA: 0.2 mg/m <sup>3</sup> 8 tunteina

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

		exposure factor 8 TWA: 0.02 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 8 TWA: 0.2 mg/m <sup>3</sup> (8 Stunden). MAK TWA: 0.02 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 1.6 mg/m <sup>3</sup> Höhepunkt: 0.16 mg/m <sup>3</sup>	horas	uren	TWA: 0.02 mg/m <sup>3</sup> 8 tunteina
--	--	---	-------	------	--

Component	Austria	Denmark	Switzerland	Poland	Norway
Aluminum	MAK-KZGW: 20 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 10 mg/m <sup>3</sup> 8 Stunden	TWA: 5 mg/m <sup>3</sup> 8 timer TWA: 2 mg/m <sup>3</sup> 8 timer STEL: 10 mg/m <sup>3</sup> 15 minutter STEL: 4 mg/m <sup>3</sup> 15 minutter	TWA: 3 mg/m <sup>3</sup> 8 Stunden TWA: 10 mg/m <sup>3</sup> 8 Stunden	TWA: 2.5 mg/m <sup>3</sup> 8 godzinach TWA: 1.2 mg/m <sup>3</sup> 8 godzinach	TWA: 5 mg/m <sup>3</sup> 8 timer STEL: 10 mg/m <sup>3</sup> 15 minutter. pyrotechnical;value calculated powder
Copper	MAK-KZGW: 4 mg/m <sup>3</sup> 15 Minuten MAK-KZGW: 0.4 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 1 mg/m <sup>3</sup> 8 Stunden MAK-TMW: 0.1 mg/m <sup>3</sup> 8 Stunden	TWA: 1.0 mg/m <sup>3</sup> 8 timer TWA: 0.1 mg/m <sup>3</sup> 8 timer STEL: 2 mg/m <sup>3</sup> 15 minutter STEL: 0.2 mg/m <sup>3</sup> 15 minutter	STEL: 0.2 mg/m <sup>3</sup> 15 Minuten TWA: 0.1 mg/m <sup>3</sup> 8 Stunden	TWA: 0.2 mg/m <sup>3</sup> 8 godzinach	TWA: 0.1 mg/m <sup>3</sup> 8 timer TWA: 1 mg/m <sup>3</sup> 8 timer STEL: 3 mg/m <sup>3</sup> 15 minutter. value calculated dust STEL: 0.3 mg/m <sup>3</sup> 15 minutter. value calculated fume
Manganese	MAK-KZGW: 1.6 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 0.2 mg/m <sup>3</sup> 8 Stunden	TWA: 0.2 mg/m <sup>3</sup> 8 timer TWA: 0.05 mg/m <sup>3</sup> 8 timer STEL: 0.4 mg/m <sup>3</sup> 15 minutter STEL: 0.1 mg/m <sup>3</sup> 15 minutter	TWA: 0.5 mg/m <sup>3</sup> 8 Stunden	TWA: 0.2 mg/m <sup>3</sup> 8 godzinach TWA: 0.05 mg/m <sup>3</sup> 8 godzinach	TWA: 0.2 mg/m <sup>3</sup> 8 timer TWA: 0.05 mg/m <sup>3</sup> 8 timer STEL: 0.6 mg/m <sup>3</sup> 15 minutter. value calculated;exceptions possible, see footnote 9 inhalable fraction STEL: 0.15 mg/m <sup>3</sup> 15 minutter. value calculated;exceptions possible, see footnote 9 respirable fraction

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Aluminum	TWA: 10.0 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	TWA-GVI: 10 mg/m <sup>3</sup> 8 satima. total dust, inhalable particles TWA-GVI: 4 mg/m <sup>3</sup> 8 satima. respirable dust	TWA: 1 mg/m <sup>3</sup> 8 hr. respirable fraction STEL: 3 mg/m <sup>3</sup> 15 min		TWA: 10.0 mg/m <sup>3</sup> 8 hodinách. dust
Copper	TWA: 0.1 mg/m <sup>3</sup>	TWA-GVI: 0.2 mg/m <sup>3</sup> 8 satima. Cu fume TWA-GVI: 1 mg/m <sup>3</sup> 8 satima. Cu dust STEL-KGVI: 2 mg/m <sup>3</sup> 15 minutama. dust Cu	TWA: 0.2 mg/m <sup>3</sup> 8 hr. Cu fume TWA: 1 mg/m <sup>3</sup> 8 hr. Cu dusts and mists STEL: 2 mg/m <sup>3</sup> 15 min STEL: 0.6 mg/m <sup>3</sup> 15 min		TWA: 1 mg/m <sup>3</sup> 8 hodinách. dust TWA: 0.1 mg/m <sup>3</sup> 8 hodinách. fume Ceiling: 2 mg/m <sup>3</sup> dust Ceiling: 0.2 mg/m <sup>3</sup> fume
Manganese	TWA: 0.2 mg/m <sup>3</sup>	TWA-GVI: 0.2 mg/m <sup>3</sup> 8 satima. total dust, inhalable particles TWA-GVI: 0.05 mg/m <sup>3</sup> 8 satima. respirable dust	TWA: 0.2 mg/m <sup>3</sup> 8 hr. Mn fume; inhalable fraction TWA: 0.2 mg/m <sup>3</sup> 8 hr. inhalable fraction TWA: 0.05 mg/m <sup>3</sup> 8 hr. respirable fraction TWA: 0.02 mg/m <sup>3</sup> 8 hr. Mn fume; respirable fraction STEL: 0.15 mg/m <sup>3</sup> 15 min STEL: 0.6 mg/m <sup>3</sup> 15 min STEL: 3 mg/m <sup>3</sup> 15 min	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> 8 hodinách. inhalable fraction of aerosol TWA: 0.05 mg/m <sup>3</sup> 8 hodinách. respirable fraction of aerosol Ceiling: 0.4 mg/m <sup>3</sup> inhalable fraction of aerosol Ceiling: 0.1 mg/m <sup>3</sup> respirable fraction of aerosol

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Aluminum	TWA: 10 mg/m <sup>3</sup> 8 tundides. total dust TWA: 4 mg/m <sup>3</sup> 8		TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 órában. AK	STEL: 10 mg/m <sup>3</sup> dust and powder TWA: 5 mg/m <sup>3</sup> 8

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

	tundides. respirable dust				klukkustundum. dust and powder
Copper	TWA: 1 mg/m <sup>3</sup> 8 tundides. total dust TWA: 0.2 mg/m <sup>3</sup> 8 tundides. respirable dust		STEL: 2 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	STEL: 0.2 mg/m <sup>3</sup> 15 percekben. CK TWA: 0.1 mg/m <sup>3</sup> 8 órában. AK TWA: 0.01 mg/m <sup>3</sup> 8 órában. AK	TWA: 1.0 mg/m <sup>3</sup> 8 klukkustundum. total dust and powder TWA: 0.1 mg/m <sup>3</sup> 8 klukkustundum. Cu respirable fraction, fume Ceiling: 2 mg/m <sup>3</sup> total dust and powder Ceiling: 0.2 mg/m <sup>3</sup> Cu respirable dust, fume
Manganese	TWA: 0.2 mg/m <sup>3</sup> 8 tundides. total dust TWA: 0.05 mg/m <sup>3</sup> 8 tundides. respirable dust	TWA: 25 mg/m <sup>3</sup> 8 hr STEL: 50 mg/m <sup>3</sup> 15 min	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> 8 órában. AK TWA: 0.05 mg/m <sup>3</sup> 8 órában. AK	TWA: 0.2 mg/m <sup>3</sup> 8 klukkustundum. total dust TWA: 0.05 mg/m <sup>3</sup> 8 klukkustundum. respirable dust TWA: 1 mg/m <sup>3</sup> 8 klukkustundum. Mn fume, respirable dust Ceiling: 0.4 mg/m <sup>3</sup> total dust Ceiling: 0.1 mg/m <sup>3</sup> respirable dust Ceiling: 2 mg/m <sup>3</sup> fume, respirable dust

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Aluminum	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> inhalable fraction IPRD TWA: 2 mg/m <sup>3</sup> respirable fraction IPRD TWA: 1 mg/m <sup>3</sup> IPRD			TWA: 3 mg/m <sup>3</sup> 8 ore TWA: 1 mg/m <sup>3</sup> 8 ore STEL: 10 mg/m <sup>3</sup> 15 minute STEL: 3 mg/m <sup>3</sup> 15 minute
Copper	STEL: 1 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> inhalable fraction IPRD TWA: 0.2 mg/m <sup>3</sup> respirable fraction IPRD			TWA: 0.5 mg/m <sup>3</sup> 8 ore STEL: 0.2 mg/m <sup>3</sup> 15 minute STEL: 1.5 mg/m <sup>3</sup> 15 minute
Manganese	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> inhalable fraction IPRD TWA: 0.05 mg/m <sup>3</sup> respirable fraction IPRD	TWA: 0.2 mg/m <sup>3</sup> 8 Stunden TWA: 0.05 mg/m <sup>3</sup> 8 Stunden	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> 8 ore TWA: 0.05 mg/m <sup>3</sup> 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Aluminum	TWA: 2 mg/m <sup>3</sup> 0036 MAC: 6 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> inhalable dust TWA: 1.5 mg/m <sup>3</sup> respirable dust		TLV: 5 mg/m <sup>3</sup> 8 timmar. NGV TLV: 2 mg/m <sup>3</sup> 8 timmar. NGV	
Copper	TWA: 0.5 mg/m <sup>3</sup> 1234 MAC: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> inhalable fraction TWA: 0.2 mg/m <sup>3</sup> respirable fraction		TLV: 0.01 mg/m <sup>3</sup> 8 timmar. NGV	
Manganese		TWA: 0.2 mg/m <sup>3</sup> inhalable fraction	TWA: 0.2 mg/m <sup>3</sup> 8 urah inhalable fraction STEL: 1.6 mg/m <sup>3</sup> 15 minutah inhalable fraction	TLV: 0.2 mg/m <sup>3</sup> 8 timmar. NGV TLV: 0.05 mg/m <sup>3</sup> 8 timmar. NGV	

## Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Aluminum					Aluminum: 50 µg/g Creatinine urine (for long-term exposures: at the end of the shift after several shifts )

Component	Italy	Finland	Denmark	Bulgaria	Romania
-----------	-------	---------	---------	----------	---------

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

Aluminum					Aluminum: 200 µg/L urine end of shift
Manganese					Manganese: 10 µg/L urine end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Aluminum			Aluminum: 60 µg/g creatinine urine not critical		

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

MDHS 99 Metals in air by ICP-AES

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Copper 7440-50-8 ( 4.0 )		DNEL = 273mg/kg bw/day		DNEL = 137mg/kg bw/day

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Aluminum 7429-90-5 ( 94.8 )				PNEC = 20mg/L	
Copper 7440-50-8 ( 4.0 )	PNEC = 7.8µg/L	PNEC = 87mg/kg sediment dw		PNEC = 230µg/L	PNEC = 65mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Copper 7440-50-8 ( 4.0 )	PNEC = 5.2µg/L	PNEC = 676mg/kg sediment dw			

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions.

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

No special protective equipment required

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	EN 374	(minimum requirement)

#### Skin and body protection

Long sleeved clothing.

#### Respiratory Protection

No protective equipment is needed under normal use conditions.

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

<b>Large scale/emergency use</b>	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particle filter
<b>Small scale/Laboratory use</b>	Maintain adequate ventilation
<b>Environmental exposure controls</b>	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Solid Spheres	
<b>Appearance</b>	Silver	
<b>Odor</b>	Odorless	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	No information available	
<b>Flammability (liquid)</b>	Not applicable	Solid
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	No information available	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	No information available	
<b>Viscosity</b>	Not applicable	Solid
<b>Water Solubility</b>	Insoluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Vapor Pressure</b>	<=1100 hPa @ 50 °C	
<b>Density / Specific Gravity</b>	No data available	
<b>Bulk Density</b>	No data available	
<b>Vapor Density</b>	Not applicable	Solid
<b>Particle characteristics</b>	No data available	

### 9.2. Other information

<b>Molecular Formula</b>	Al:Cu:Mn:Mg; 94.8:4:0.7:0.5 wt%
<b>Evaporation Rate</b>	Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1. Reactivity</b>	None known, based on information available
-------------------------	--

<b>10.2. Chemical stability</b>	Stable under normal conditions.
---------------------------------	---------------------------------

### 10.3. Possibility of hazardous reactions

<b>Hazardous Polymerization</b>	No information available.
<b>Hazardous Reactions</b>	None under normal processing.



# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

## 10.4. Conditions to avoid

Incompatible products. Excess heat.

## 10.5. Incompatible materials

Oxidizing agent.

## 10.6. Hazardous decomposition products

Metal oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

No data available

Inhalation

No data available

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Aluminum	-	-	LC50 > 0.888 mg/L ( Rat ) 4 h
Copper	-	-	LC50 > 5.11 mg/L ( Rat ) 4 h
Manganese	LD50 = 9 g/kg ( Rat )	-	LC50 > 5.14 mg/L ( Rat ) 4 h
Magnesium	LD50 = 230 mg/kg ( Rat )	-	-

##### (b) skin corrosion/irritation;

No data available

##### (c) serious eye damage/irritation;

No data available

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

##### (e) germ cell mutagenicity;

No data available

##### (f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

##### (g) reproductive toxicity;

No data available

##### (h) STOT-single exposure;

No data available

##### (i) STOT-repeated exposure;

No data available

Target Organs

No information available.

##### (j) aspiration hazard;

Not applicable

Solid

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

**Symptoms / effects, both acute and delayed** No information available.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### **Ecotoxicity effects**

Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Copper	LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas)	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	EC50: 0.031 - 0.054 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella subcapitata)
Manganese	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)		

### 12.2. Persistence and degradability

#### **Persistence Degradability Degradation in sewage treatment plant**

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary  
Insoluble in water, May persist.  
Not relevant for inorganic substances.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

### 12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

### 12.5. Results of PBT and vPvB assessment

No data available for assessment.

### 12.6. Endocrine disrupting properties

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**Contaminated Packaging**

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

**European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information**

Do not flush to sewer.

**Switzerland - Waste Ordinance**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO**

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

**ADR**

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

**IATA**

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Aluminum	7429-90-5	231-072-3	-	-	X	X	KE-00881	X	-
Copper	7440-50-8	231-159-6	-	-	X	X	KE-08896	X	-
Manganese	7439-96-5	231-105-1	-	-	X	X	KE-22999	X	-
Magnesium	7439-95-4	231-104-6	-	-	X	X	KE-22673	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Aluminum	7429-90-5	X	ACTIVE	X	-	X	X	X
Copper	7440-50-8	X	ACTIVE	X	-	X	X	X
Manganese	7439-96-5	X	ACTIVE	X	-	X	X	X
Magnesium	7439-95-4	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminum	7429-90-5	-	Use restricted. See item 75. (see link for restriction details)	-
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-
Manganese	7439-96-5	-	-	-
Magnesium	7439-95-4	-	-	-

### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Aluminum	7429-90-5	Not applicable	Not applicable
Copper	7440-50-8	Not applicable	Not applicable
Manganese	7439-96-5	Not applicable	Not applicable
Magnesium	7439-95-4	Not applicable	Not applicable

### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Aluminum	nwg	
Copper	WGK2	Class III : 1 mg/m <sup>3</sup> (Massenkonzentration)
Manganese	nwg - nicht wassergefährdend (non-hazardous to waters)	Class III : 1 mg/m <sup>3</sup> (Massenkonzentration)
Magnesium	nwg	

Component	France - INRS (Tables of occupational diseases)
Aluminum	Tableaux des maladies professionnelles (TMP) - RG 32 Tableaux des maladies professionnelles (TMP) - RG 16,RG 16bis

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Copper 7440-50-8 ( 4.0 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid  
H252 - Self-heating in large quantities; may catch fire  
H261 - In contact with water releases flammable gases  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

# SAFETY DATA SHEET

Aluminum Copper spheres, alloy 2017

Revision Date 20-Feb-2024

**PBT** - Persistent, Bioaccumulative, Toxic

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

## Prepared By

Health, Safety and Environmental Department

## Revision Date

20-Feb-2024

## Revision Summary

New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**