

Page 1 / 8 Creation Date 02-Feb-2010 Revision Date 15-May-2024 Version 4

FSHE178

# **Ethylene glycol**

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 乙二醇

Product Description: Ethylene glycol

Cat No. : E178-1; E178-4; E178-200; E178-500 Synonyms Monoethylene glycol; 1,2-Ethanediol

CAS No 107-21-1 Molecular Formula C2 H6 O2

**Supplier** Fisher Scientific Company

One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorViscous liquid LiquidColorlessOdorless

#### **Emergency Overview**

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. Hygroscopic.

# Classification of the substance or mixture

Acute Oral Toxicity	Category 4
Specific target organ toxicity - (repeated exposure)	Category 2

# **Label Elements**



Signal Word Warning

**Hazard Statements** 

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

Page 2/8 Revision Date 15-May-2024

# **Ethylene glycol**

#### **Precautionary Statements**

#### Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

#### Response

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Hygroscopic.

### **Health Hazards**

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

#### Other Hazards

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Ethylene glycol	107-21-1	>95

# **SECTION 4. FIRST AID MEASURES**

### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

#### Inhalation

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately if symptoms occur. If not breathing, give artificial respiration.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

Difficulty in breathing.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# Notes to Physician

Treat symptomatically. Symptoms may be delayed.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Page 3/8 Revision Date 15-May-2024

**Ethylene glycol** 

# **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

### Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not breathe mist/vapors/spray. Avoid contact with skin, eyes or clothing.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

#### Specific Use(s)

Use in laboratories

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Ethylene glycol	TWA: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	Ceiling: 100 mg/m <sup>3</sup>	Ceiling: 100 mg/m <sup>3</sup>
	STEL: 40 mg/m <sup>3</sup>			

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Ethylene glycol	TWA: 25 ppm	(Vacated) Ceiling: 50		STEL: 40 ppm 15 min	TWA: 20 ppm (8h)
	STEL: 50 ppm	ppm		STEL: 104 mg/m <sup>3</sup> 15	TWA: 52 mg/m <sup>3</sup> (8h)
	STEL: 10 mg/m <sup>3</sup>	(Vacated) Ceiling: 125		min	STEL: 40 ppm (15min)
		mg/m³		STEL: 30 mg/m <sup>3</sup> 15	STEL: 104 mg/m <sup>3</sup>
				min	(15min)
				TWA: 10 mg/m <sup>3</sup> 8 hr	Skin
				TWA: 20 ppm 8 hr	
				TWA: 52 mg/m <sup>3</sup> 8 hr	
				Skin	

Page 4 / 8 Revision Date 15-May-2024

### Ethylene glycol

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

#### **Exposure Controls**

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

### Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Γ	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
	Viton (R)	See manufacturers	-	EN 374	(minimum requirement)
1		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Respiratory Protection**When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Colorless

Physical State Viscous liquid Liquid

**Odor** Odorless

Odor Threshold No data available

**pH** 5.5-7.5 50% aq. sol

Melting Point/Range -13 °C / 8.6 °F Softening Point No data available

Page 5 / 8 Revision Date 15-May-2024

### Ethylene glycol

Boiling Point/Range 196 - 198 °C / 384.8 - 388.4 °F @ 760 mmHg

Flash Point 111 °C / 231.8 °F **Method** - DIN 51758

**Evaporation Rate** No information available

Flammability (solid,gas) Not applicable Liquid
Explosion Limits Lower 3.2 vol %

 Upper 28 vol %

 Vapor Pressure
 0.12 mmHg @ 20 °C

**Vapor Density** 2.14 (Air = 1.0) (Air = 1.0)

Specific Gravity / Density 1.113
Bulk Density Not applicable

Bulk DensityNot applicableLiquidWater SolubilityMiscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)
Component log Pow
Ethylene glycol -1.36

Autoignition Temperature 413 °C / 775.4 °F

Decomposition Temperature > 500°C Viscosity 21 cP (20°C)

Explosive Properties No information available Oxidizing Properties No information available

Molecular FormulaC2 H6 O2Molecular Weight62.06

#### **SECTION 10. STABILITY AND REACTIVITY**

Stability Hygroscopic.

**Hazardous Reactions**None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water.

Materials to avoid Strong oxidizing agents. Strong acids. Strong bases. Aldehydes.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

# **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Product Information**

(a) acute toxicity:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol	7712 mg/kg ( Rat )	LD50 = 9530 μL/kg ( Rabbit ) LD50 = 10600 mg/kg ( Rat ) LD50 > 3500 mg/kg (mice)	LC50 > 2.5 mg/L (Rat) 6 h

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met
Skin
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Page 6/8 Revision Date 15-May-2024

Ethylene glycol

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

Based on available data, the classification criteria are not met (g) reproductive toxicity;

Based on available data, the classification criteria are not met (h) STOT-single exposure;

(i) STOT-repeated exposure; Category 2

**Target Organs** Central nervous system (CNS), Liver, Kidney.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Component Ethylene glycol	LC50: = 41000 mg/L, 96h (Oncorhynchus mykiss) LC50: = 27540 mg/L, 96h static (Lepomis macrochirus) LC50: 14 - 18 mL/L, 96h static	EC50: = 46300 mg/L, 48h (Daphnia magna)	Freshwater Algae EC50: 6500 - 13000 mg/L, 96h (Pseudokirchneriella subcapitata)	Microtox
	LC50: = 16000 mg/L, 96h static (Poecilia reticulata)			
		Ethylene glycol  LC50: = 41000 mg/L, 96h (Oncorhynchus mykiss)  LC50: = 27540 mg/L, 96h static (Lepomis macrochirus)  LC50: 14 - 18 mL/L, 96h static (Oncorhynchus mykiss)  LC50: = 40761 mg/L, 96h static (Oncorhynchus mykiss)  LC50: 40000 - 60000 mg/L, 96h static (Pimephales promelas)  LC50: = 16000 mg/L, 96h static (Poecilia	Ethylene glycol  LC50: = 41000 mg/L, 96h (Oncorhynchus mykiss) LC50: = 27540 mg/L, 96h static (Lepomis macrochirus) LC50: 14 - 18 mL/L, 96h static (Oncorhynchus mykiss) LC50: = 40761 mg/L, 96h static (Oncorhynchus mykiss) LC50: 40000 - 60000 mg/L, 96h static (Pimephales promelas) LC50: = 16000 mg/L, 96h static (Poecilia	Ethylene glycol  LC50: = 41000 mg/L, 96h (Oncorhynchus mykiss)  LC50: = 27540 mg/L, 96h (Pseudokirchneriella subcapitata)  LC50: 14 - 18 mL/L, 96h static (Oncorhynchus mykiss)  LC50: = 40761 mg/L, 96h static (Oncorhynchus mykiss)  LC50: 40000 - 60000 mg/L, 96h static (Pimephales promelas)  LC50: = 16000 mg/L, 96h static (Poecilia

Persistence and Degradability **Persistence** 

Readily biodegradable Persistence is unlikely.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethylene glycol	-1.36	No data available

The product is water soluble, and may spread in water systems Will likely be mobile in the Mobility in soil

environment due to its water solubility Highly mobile in soils

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Page 7/8 Revision Date 15-May-2024

Ethylene glycol

\_\_\_\_\_

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

### **SECTION 14. TRANSPORT INFORMATION**

Road and Rail Transport

IMDG/IMO Not regulated

IATA Not regulated

Special Precautions for User No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

### **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component		List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Ethylene glycol	-	X	Х	X	203-473-3	Х	Х	Х	Х	Х	Х	KE-13169

#### **National Regulations**

### **SECTION 16. OTHER INFORMATION**

Creation Date02-Feb-2010Revision Date15-May-2024Revision SummaryNot applicable.

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Page 8/8 Revision Date 15-May-2024

### Ethylene glycol

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

> **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate **VOC** - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**