

Creation Date 19-Oct-2009

Revision Date 07-Jul-2025

Revision Number 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description:	<b>Phosphoric acid, GR</b>
Cat No. :	<b>W00415</b>
Synonyms	Orthophosphoric acid
Index No	015-011-00-6
CAS No	7664-38-2
EC No	231-633-2
Molecular Formula	H3 O4 P

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

## CLP Classification - Regulation (EC) No 1272/2008

### Physical hazards

Substances/mixtures corrosive to metal

Category 1 (H290)

### Health hazards

Acute oral toxicity

Category 4 (H302)

Skin Corrosion/Irritation

Category 1 B (H314)

Serious Eye Damage/Eye Irritation

Category 1 (H318)

### Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

**Danger**

### **Hazard Statements**

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

PBT :-

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

vPvB :-

This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

This product does not contain any known or suspected endocrine disruptors

## **Section 3: Composition/information on ingredients**

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

## 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Phosphoric acid	7664-38-2	EEC No. 231-633-2	>= 85	Met. Corr. 1 (H290) Acute Tox. 4 (H302) Skin Corr. 1B (H314) Eye Dam. 1 (H318)
Water	7732-18-5	231-791-2	<= 15	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Phosphoric acid	Skin Corr. 1B :: C>=25% Eye Irrit. 2 :: 10%<=C<25% Skin Irrit. 2 :: 10%<=C<25%	-	-

Components	Reach Registration Number
Orthophosphoric acid	01-2119485924-24

Full text of Hazard Statements: see section 16

## Section 4: First aid measures

### 4.1. Description of first aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
<b>Inhalation</b>	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

## Section 5: Firefighting measures

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

## 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### **Extinguishing media which must not be used for safety reasons**

None.

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Oxides of phosphorus.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2. Environmental precautions

Should not be released into the environment.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **Section 7: Handling and storage**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Air sensitive.

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Storage Class/LGK 8B

Switzerland - Storage of hazardous substances

Storage class - SC 8 (Acid)  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Phosphoric acid	TWA: 1 mg/m <sup>3</sup> (8h) STEL: 2 mg/m <sup>3</sup> (15min)	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA / VME: 0.2 ppm (8 heures). indicative limit TWA / VME: 1 mg/m <sup>3</sup> (8 heures). indicative limit STEL / VLCT: 0.5 ppm. indicative limit STEL / VLCT: 2 mg/m <sup>3</sup> . indicative limit	TWA: 1 mg/m <sup>3</sup> 8 uren STEL: 2 mg/m <sup>3</sup> 15 minuten	STEL / VLA-EC: 2 mg/m <sup>3</sup> (15 minutos). TWA / VLA-ED: 1 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Phosphoric acid	TWA: 1 mg/m <sup>3</sup> 8 ore. Time Weighted Average STEL: 2 mg/m <sup>3</sup> 15 minuti. Short-term	TWA: 2 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 2 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 4 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> 15 minutos TWA: 1 mg/m <sup>3</sup> 8 horas	STEL: 2 mg/m <sup>3</sup> 15 minuten TWA: 1 mg/m <sup>3</sup> 8 uren	TWA: 1 mg/m <sup>3</sup> 8 tunteina STEL: 2 mg/m <sup>3</sup> 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Phosphoric acid	MAK-KZGW: 2 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 1 mg/m <sup>3</sup> 8 Stunden	TWA: 1 mg/m <sup>3</sup> 8 timer STEL: 2 mg/m <sup>3</sup> 15 minutter	STEL: 4 mg/m <sup>3</sup> 15 Minuten TWA: 2 mg/m <sup>3</sup> 8 Stunden	STEL: 2 mg/m <sup>3</sup> 15 minutach TWA: 1 mg/m <sup>3</sup> 8 godzinach	TWA: 1 mg/m <sup>3</sup> 8 timer STEL: 3 mg/m <sup>3</sup> 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Phosphoric acid	TWA: 1.0 mg/m <sup>3</sup> STEL: 2.0 mg/m <sup>3</sup>	TWA-GVI: 1 mg/m <sup>3</sup> 8 satima. STEL-KGVI: 2 mg/m <sup>3</sup> 15 minutama.	TWA: 1 mg/m <sup>3</sup> 8 hr. STEL: 2 mg/m <sup>3</sup> 15 min	STEL: 2.0 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 hodinách. Ceiling: 2 mg/m <sup>3</sup>

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Phosphoric acid	TWA: 1 mg/m <sup>3</sup> 8 tundides. vapor STEL: 2 mg/m <sup>3</sup> 15 minutites. vapor	TWA: 1 mg/m <sup>3</sup> 8 hr STEL: 2 mg/m <sup>3</sup> 15 min	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> 15 percekben. CK TWA: 1 mg/m <sup>3</sup> 8 órában. AK	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> 8 klukkustundum.

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Phosphoric acid	STEL: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> IPRD	TWA: 1 mg/m <sup>3</sup> 8	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 ore

ALFAAW00415

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

	TWA: 1 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup>	Stunden STEL: 2 mg/m <sup>3</sup> 15 Minuten	STEL: 2 mg/m <sup>3</sup> 15 minuti	STEL: 2 mg/m <sup>3</sup> 15 minute
Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Phosphoric acid		Ceiling: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 urah inhalable fraction STEL: 2 mg/m <sup>3</sup> 15 minutah inhalable fraction	Binding STEL: 2 mg/m <sup>3</sup> 15 minuter TLV: 1 mg/m <sup>3</sup> 8 timmar. NGV	TWA: 1 mg/m <sup>3</sup> 8 saat STEL: 2 mg/m <sup>3</sup> 15 dakika

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Phosphoric acid 7664-38-2 ( >= 85 )		DNEL = 134.5mg/kg bw/day		DNEL = 3.8mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Phosphoric acid 7664-38-2 ( >= 85 )	DNEL = 1mg/m <sup>3</sup>	DNEL = 948.6mg/m <sup>3</sup>	DNEL = 1mg/m <sup>3</sup>	DNEL = 13.2mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Phosphoric acid 7664-38-2 ( >= 85 )	PNEC = 100µg/L	PNEC = 392µg/kg sediment dw	PNEC = 1000µg/L	PNEC = 100mg/L	PNEC = 19.7µg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Phosphoric acid 7664-38-2 ( >= 85 )	PNEC = 10µg/L	PNEC = 39.2µg/kg sediment dw		PNEC = 4mg/kg food	

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

## Personal protective equipment

### Eye Protection

Goggles (European standard - EN 166)

### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	> 480 minutes	0.36 mm	EN 374 Level 6	As tested under EN374-3 Determination of Resistance to Permeation by Chemicals
Nitrile rubber	> 480 minutes	0.1 mm		
Neoprene	> 480 minutes	0.45 mm		
Viton (R)	> 480 minutes	0.7 mm		

### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended Filter type:** Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Clear, Viscous	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	21 °C / 69.8 °F	
Softening Point	No data available	
Boiling Point/Range	158 °C / 316.4 °F	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Not applicable	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	300 °C	
pH	< 2	
Viscosity	32 mPas	30°C
Water Solubility	Miscible	
Solubility in other solvents	No information available	

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

## Partition Coefficient (n-octanol/water)

Vapor Pressure	2 hPa @ 20°C	
Density / Specific Gravity	1.680	
Bulk Density	Not applicable	Liquid
Vapor Density	3.4	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

## 9.2. Other information

Molecular Formula	H3 O4 P
Molecular Weight	98.00
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Evaporation Rate	Not applicable

## Section 10: Stability and reactivity

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Hygroscopic.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to moisture. Exposure to moist air or water.

### 10.5. Incompatible materials

Strong oxidizing agents. Metals. Bases. Alcohols. Amines. halogenated agents.

### 10.6. Hazardous decomposition products

Oxides of phosphorus.

## Section 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral	Category 4
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphoric acid	LD50 = 1530 mg/kg ( Rat )	LD50 = 2740 mg/kg ( Rabbit )	850 mg/m <sup>3</sup> ( Rat ) 1 h
Water	-	-	-

(b) skin corrosion/irritation;	Category 1 B
--------------------------------	--------------



# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory	No data available
Skin	No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available  
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity effects** Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Phosphoric acid	98 - 106 mg/L LC50 96 h	> 100 mg/L EC50 = 48 h	> 100 mg/L EC50 = 72 h

### 12.2. Persistence and degradability

<b>Persistence</b>	Miscible with water, Persistence is unlikely, based on information available.
<b>Degradation in sewage treatment plant</b>	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential** Bioaccumulation is unlikely

**12.4. Mobility in soil** The product is water soluble, and may spread in water systems Will likely be mobile in the

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

environment due to its water solubility. Highly mobile in soils

## 12.5. Results of PBT and vPvB assessment

PBT :- This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). vPvB :- This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## 12.6. Endocrine disrupting properties

### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### **Persistent Organic Pollutant**

This product does not contain any known or suspected substance

### **Ozone Depletion Potential**

This product does not contain any known or suspected substance

## **Section 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

#### **European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

#### **Switzerland - Waste Ordinance**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## **Section 14: Transport information**

### IMDG/IMO

#### 14.1. UN number

UN1805

#### 14.2. UN proper shipping name

PHOSPHORIC ACID SOLUTION

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packing group

III

### ADR

#### 14.1. UN number

UN1805

#### 14.2. UN proper shipping name

PHOSPHORIC ACID, SOLUTION

#### 14.3. Transport hazard class(es)

8

#### 14.4. Packing group

III

### IATA

#### 14.1. UN number

UN1805

#### 14.2. UN proper shipping name

PHOSPHORIC ACID, SOLUTION

ALFAAW00415

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

**14.3. Transport hazard class(es)** 8

**14.4. Packing group** III

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Phosphoric acid	7664-38-2	231-633-2	-	-	X	X	KE-27427	X	X
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Phosphoric acid	7664-38-2	X	ACTIVE	X	-	X	X	X
Water	7732-18-5	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Phosphoric acid	7664-38-2	-	Use restricted. See entry 75. (see link for restriction details)	-
Water	7732-18-5	-	-	-

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Phosphoric acid	7664-38-2	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

ALFAAW00415

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Phosphoric acid	WGK1	

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Phosphoric acid 7664-38-2 ( >= 85 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has been conducted by the manufacturer/importer

## Section 16: Other information

### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

# SAFETY DATA SHEET

Phosphoric acid, GR

Revision Date 07-Jul-2025

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Bridging principle "Dilution" Calculation method

**Environmental hazards** Bridging principle "Dilution" Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 19-Oct-2009

**Revision Date** 07-Jul-2025

**Revision Summary** Initial Release.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**